

Non-Transferable Proxy Re-Encryption

Yi-Jun He, L.C.K. Hui, and S.M. Yiu

Department of Computer Science, The University of Hong Kong
Chow Yei Ching Building, Pokfulam Road, Hong Kong
{yjhe,hui,smyiu}@cs.hku.hk

Abstract. A proxy re-encryption (PRE) scheme allows a proxy to re-encrypt a ciphertext for Alice (delegator) to a ciphertext for Bob (delegatee) without seeing the underlying plaintext. With the help of the proxy, Alice can delegate the decryption right to any delegatee. However, existing PRE schemes generally suffer from one of the followings. Some schemes fail to provide the *non-transferability property* in which the proxy and the delegatee can collude to further delegate the decryption right to anyone. Other schemes assume the existence of a fully trusted private key generator (PKG) to generate the re-encryption key to be used by the proxy for encrypting a given ciphertext for a target delegatee. But this poses two problems in PRE schemes: the PKG in their schemes may decrypt all ciphertexts (referred as the *key escrow* problem) and the PKG can generate re-encryption key for arbitrary delegatees (we refer it as the *PKG despotism* problem). In this paper, we proposed a new non-transferable proxy re-encryption scheme which removes this assumption, and can prevent malicious PKG from decrypting the original ciphertext. We also show that the new scheme successfully achieves the non-transferability property, and solved the PKG despotism problem and key escrow problem as well.

Key words: proxy re-encryption, identity based encryption, certificate-less public key encryption, non-transferability property

1 Introduction

1.1 Background

In 1998, Blaze, Bleumer and Strauss [1] proposed a novel cryptographic scheme known as proxy re-encryption scheme (PRE), which allows a third-party (the proxy) to re-encrypt a ciphertext which has been encrypted for one party without seeing the underlying plaintext so that it can be decrypted by another. This is illustrated in Figure 1 where the Sender encrypts a text for Alice; Alice sends a re-encryption key and the ciphertext to the proxy which performs the re-encryption and sends Bob the re-encrypted ciphertext which can be decrypted by Bob without knowing the secret key of Alice. The above scheme aroused much interest in the encryption community [1-6,9-13] since it could be exploited in a number of applications for achieving better information security and privacy, such as:




Fig. 1. Proxy Re-Encryption

- Email forwarding: The proxy can “forward” re-encrypted messages to a delegated recipient.
- Encrypted files distribution: The encrypted files are stored in a file server. Only the content owners can grant the access right of the files to the target users; even the file server operator has no right to access the files.
- Law-enforcement monitoring: The encrypted communication data are transferred via an Internet service provider (ISP). The ISP can require the content owners to provide the access right to the law enforcement officers to let them monitor the data being transferred to various users; however, the ISP operator cannot access the data.

1.2 Limitations of Existing Schemes and Our Contributions

However, to the best of our knowledge, existing PRE schemes have the following problems (details of existing schemes will be given in the next section). Some schemes suffer from the problem of failing to provide the *non-transferability* property which was first introduced by Ateniese *et al.* in 2005 [2]. A proxy re-encryption scheme is said to be non-transferable if the proxy and a set of colluding delegates cannot re-delegate decryption rights to other parties. On one hand, this is a very desirable property; on the other hand, researchers [2,4] are not sure that transferability can be preventable since the delegatee can always decrypt and forward the plaintext to another party, or the delegatee can always send its secret key to another party. However, in doing so, the delegatee has to explicitly send the plaintext over or disclose the secret key which increases the chance of being caught and put itself in a risky situation. Therefore, achieving a non-transferable PRE scheme, in the sense that the only way for delegatee to transfer decryption capabilities to another party is to expose his own secret key, seems to be the main open problem left for PRE.

Libert and Vergnaud [4] indicated that it is quite difficult to prevent the proxy and delegates from colluding to do re-delegation and that discouraging collusion rather than preventing illegitimate re-delegation is an easier approach. Thus, they try to trace the malicious proxy after its collusion with one or more delegates. No doubt it works to deter collusion from happening. However, it is more desirable to have a better way to prevent collusion, not just discourage collusion. Some identity-based PRE schemes assume the existence of a fully trusted private key generator (PKG) which helps to generate the re-encryption key to be used by the proxy for encrypting a given ciphertext for a target delegatee. Since

the re-encryption key is generated using the master key of the PKG, the proxy and the delegatee(s) cannot further delegate the decryption right to others without the help of the PKG. However, this creates two problems in PRE schemes. First, there is another key escrow problem for which the PKG in their schemes may be able to decrypt all re-encrypted ciphertexts. And the PKG despotism problem, in which the PKG has the power of generating re-encryption key for arbitrary delegates.

To tackle the transferable problem as well as the key escrow problem and PKG despotism problem, we follow the idea of using PKG to generate a re-encryption key to achieve the non-transferability property. A new PRE model is built based on a certificateless encryption. Surprisingly, the new non-transferable re-encryption scheme can provide better security than previous works. The characteristics of our proposed scheme are summarized as follow.

- The proposed scheme has the non-transferability property. The re-encryption key is generated by a key generating centre (PKG); Delegator participants actively to help generating decryption key for delegatee using part of his private key. Thus delegatee and proxy cannot collude to re-delegate decryption rights since they do not have knowledge of PKG’s master secret and the delegator’s private key.
- Without the participation of the delegator, PKG is unable to generate any useful re-encryption key and decryption key for delegating decryption right, thus completely resolves the PKG despotism problem.
- PKG cannot decrypt the original ciphertext and re-encrypted ciphertexts as well, thus solving the key escrow problem.

2 Related Work

Blaze, Bleumer and Strauss [1] proposed the first proxy re-encryption scheme, which is based on ElGamal encryption. But this scheme is bi-directional, that is, when the proxy is allowed to re-encrypt Alice’s messages under Bob’s key, it can also re-encrypt Bob’s messages under Alice’s key. Bob may not like this. Another weakness is that if the proxy colludes with Alice, they can easily learn Bob’s secret key SK_B . Likewise, the proxy and Bob may collude to learn Alice’s secret key. Furthermore, in order to compute the re-encryption key from A to B , denoted as $rk_{A \rightarrow B}$, one party must share his or her secret key with the other or they must rely on a trusted third party. The other drawback is that the scheme is transitive in the following sense. Suppose that the proxy is allowed to generate two re-encryption keys $rk_{A \rightarrow B}$ and $rk_{B \rightarrow C}$; then the proxy can derive an additional re-encryption key $rk_{A \rightarrow C}$ for delegation from A to C .

Later, Ivan and Dodis [3] proposed three unidirectional proxy re-encryption schemes based on ElGamal, RSA, and IBE (ID-based encryption) respectively. Their main contribution is that they solved (i) the bi-directional problem and (ii) the transitive problem in [1]. But in their schemes, Alice’s private key is split into two parts DK_1 and DK_2 , with DK_1 distributed to proxy and DK_2

distributed to Bob. Thus when the proxy colludes with Bob, they can derive Alice's private key.

In 2005, Ateniese *et al.* [2] presented three proxy re-encryption schemes which are considered to be more secure than other approaches. Their major advantages are the following. The schemes are unidirectional and the delegator's private key is protected from being disclosed by the collusion of proxy and a delegatee. They implemented one of their proposed schemes in a secure distributed file system to show that the scheme can work efficiently in practice. They summarized nine important properties of proxy re-encryption schemes, which include the non-transferable property. Lacking the non-transferable property in all existing schemes was considered an open problem of the contemporary PRE schemes.

This open problem was first addressed in 2008 by Libert and Vergnaud [4]. They indicated that it is quite difficult to prevent the proxy and delegates from colluding to do re-delegation and that discouraging collusion rather than preventing illegitimate re-delegation is an easier approach. Thus, they proposed, instead of preventing the collusion of proxy and delegatee, tracing the malicious proxy after its collusion with one or more delegates. It is the first attempt to address the open problem. However, it still cannot prevent re-delegation from happening.

Matsuo's PRE schemes [5] use the PKG to help generating re-encryption key for the delegator and the delegatee. Based on this approach, they proposed two PRE schemes: one for the decryption right delegation from a user of PKI-based public key encryption system to IBE system users, and the other for the delegation among IBE system users. This is the first set of schemes that use PKG to generate re-encryption key. However, the PKG in the schemes can decrypt all re-encrypted ciphertexts; so, there is a potential security problem as long as PKG is untrusted or malicious.

In 2008, Wang *et al.*[6] extended the idea of Matsuo's scheme by allowing PKG to generate re-encryption keys based on its master secret key. They proposed several proxy re-encryption schemes:(i) PRE from IBE to Certificate Based Public Key Encryption; (ii) PRE based on a variant of the first system of Selective identity secure IBE [7]; (iii) PRE based on the second system of Selective identity secure IBE [7];and (iv) PRE based on Sakai-Kasahara IBE scheme [8]. Based on this work, Wang *et al.* proposed five other schemes [9-13] to address different problems of proxy re-encryption schemes. However, there are still some issues not yet addressed in each one of them. In [9], the proxy can re-encrypt on its own the ciphertext for the delegator into ciphertext for any delegatee; this is not a desired property of PRE. In [10], it seems that they solved the open problem related to the non-transferability issue, since proxy and delegate cannot collude to re-delegate decryption right; however, in the scheme, the PKG can delegate arbitrarily to anyone as it can generate a re-encryption key for any delegatee. In [11,13], the PKG can also delegate arbitrarily as what it could do in [10]. Among the five schemes, [10] seems to be the best in solving the non-transferability issue, we will compare our scheme with [10] in Section 5.2.

3 Preliminaries

3.1 Bilinear Map

Let G and G_T be multiplicative cyclic groups of prime order p , and g be generator of G . We say that G_T has an admissible bilinear map $e: G \times G \rightarrow G_T$, if the following conditions hold.

- $e(g^a, g^b) = e(g, g)^{ab}$ for all a, b .
- $e(g, g) \neq 1$.
- There is an efficient algorithm to compute $e(g^a, g^b)$ for all a, b and g .

3.2 Assumption

The security of our concrete construction is based on a complexity assumption, called “Truncated Decision Augmented Bilinear Diffie-Hellman Exponent Assumption (Truncated q -ABDHE)” proposed in [14].

Let $e: G \times G \rightarrow G_T$ be a bilinear map, where G and G_T are cyclic groups of large prime order p . Given a vector of $q+3$ elements:

$$(g', g'^{(\alpha^{q+2})}, g, g^\alpha, \dots, g^{(\alpha^q)}) \in G^{q+3}$$

and an element $Z \in G_T$ as input, output 0 if $Z = e(g^{(\alpha^{q+1})}, g')$ and output 1 otherwise.

An algorithm \mathcal{B} has advantage ε in solving the truncated q -ABDHE if:

$$\begin{aligned} & |\Pr[\mathcal{B}(g', g'^{(\alpha^{q+2})}, g, g^\alpha, \dots, g^{(\alpha^q)}, e(g^{(\alpha^{q+1})}, g')) = 0] \\ & - \Pr[\mathcal{B}(g', g'^{(\alpha^{q+2})}, g, g^\alpha, \dots, g^{(\alpha^q)}, Z) = 0]| \geq \varepsilon \end{aligned}$$

where the probability is over the random choice of generators g, g' in G , the random choice of α in Z_p , the random choice of $Z \in G_T$, and the random bits consumed by \mathcal{B} .

Definition 1 [14]. We say that the truncated (decision) (t, ε, q) -ABDHE assumption holds in G if no t -time algorithm has advantage at least ε in solving the truncated (decision) q -ABDHE problem in G .

4 Our Non-Transferable PRE Scheme

4.1 Non-Transferable PRE Model

Our Non-Transferable PRE scheme is composed of nine algorithms:

- Setup. On input a security parameter 1^k , the public parameters mpk and master secret key msk are generated.

- Key Generation.
 - Set-Secret-Value. algorithm generates a secret value which is only known to user himself.
 - Partial-Private-Key-Extract. On input a user’s identity ID , msk , algorithm generates partial private key for user.
 - Set-Private-Key. Combining the partial private key, user gets the whole private key for himself.
 - Set-Public-Key. On input a user’s identity ID and secret key, algorithm generates public key.
- Private key Correctness Check. Algorithm checks the correctness of the private key.
- Encryption. The encryption algorithm takes public key upk_i of delegator i and message m as input, outputs a ciphertext C_i encrypted under upk_i .
- Decryption(delegator). The decryption algorithm takes secret key usk_i of delegator i and ciphertext C_i as input, outputs message m . This algorithm actually is not necessary for PRE scheme. We put it here just for indicating that delegator has the ability to decrypt ciphertext C_i .
- Re-Encryption Key Generation. Algorithm verifies the delegator i ’s signature, and extracts delegatee j ’s ID from signature. The re-encryption key generation algorithm outputs a re-encryption key $rk_{i \rightarrow j}$ and other relational values.
- Partial-Decryption-Key Generation. Algorithm checks the correctness of the re-encryption key, and generates a partial decryption key.
- Re-Encryption. The re-encryption algorithm takes re-encryption key $rk_{i \rightarrow j}$ and ciphertext C_i as input, outputs a re-encrypted ciphertext C_j under upk_j .
- Decryption(delegatee). The decryption algorithm takes secret key usk_j of delegatee j , partial decryption key and ciphertext C_j as input, outputs message m .

4.2 Non-Transferable PRE Scheme Construction

We construct the Non-Transferable PRE scheme based on the basic IBE system proposed in [15]. However, the IBE system in [15] cannot fully satisfy our security requirement. We transformed this IBE system into a certificateless public key encryption system [16], so that our PRE scheme based on this new certificateless encryption system can successfully solve the transferable problem in existing PRE schemes. The main ideas of the scheme are as follow: Before delegation, delegator will send delegatee’s identity to PKG. PKG is responsible for generating the re-encryption key, and sending this key and some other information to delegator. Delegator checks the correctness of the re-encryption key, and generates a partial decryption key making use of the information received from PKG. Then, delegator sends the re-encryption key to the proxy, and the partial decryption key to delegatee. The proxy re-encrypts the original ciphertext from delegator, and sends the re-encrypted ciphertext to delegatee. The delegatee can decrypt the ciphertext using his private key and the partial decryption key received from delegator.

In the following sections, we let Alice (A) be the delegator, and Bob (B) be the delegatee.

Setup:

Let G and G_T be groups of order p such that p is a k -bit prime, and let $e : G \times G \rightarrow G_T$ be the bilinear map. $H_I : \{0, 1\}^* \rightarrow Z_p$, $H : \{0, 1\}^* \rightarrow Z_p$ are secure hash functions. The PKG selects four random generators $h_1, h_2, h_3, g \in G$ and randomly chooses $\alpha \in Z_p$. It sets $g_1 = g^\alpha$. Define the message space $\mathcal{M} = G_T$. The public parameters mpk and master secret key msk are given by

$$mpk = (g, g_1, h_1, h_2, h_3, H_I, H, \mathcal{M}), msk = (\alpha)$$

Key Generation:

This is a protocol through which a user U with an identity ID can securely get his partial private key from PKG.

On input the public key/master secret key pair (mpk, msk) and an identity $ID_A \in \{0, 1\}^k$ of entity A , the PKG computes $id_A = H_I(A)$. If $id_A = \alpha$, it aborts. Otherwise, the protocol proceeds as follow:

- Set-Secret-Value. Entity A selects $r_A \in Z_p$ at random. r_A is A 's secret value.
- Partial-Private-Key-Extract.
 1. A sends $R = h_1^{r_A}$ to PKG, and gives PKG the following zero-knowledge proof of knowledge:

$$PK\{r_A : R = h_1^{r_A}\}$$

2. PKG randomly selects $r'_A, r_{A,2}, r_{A,3} \in Z_p$ and computes $h'_A = (Rg^{-r'_A})^{1/(\alpha-id_A)}$, $h_{A,2} = (h_2g^{-r_{A,2}})^{1/(\alpha-id_A)}$, $h_{A,3} = (h_3g^{-r_{A,3}})^{1/(\alpha-id_A)}$ and sends A 's partial private key $(r'_A, h'_A, r_{A,2}, h_{A,2}, r_{A,3}, h_{A,3})$ to A .
- Set-Private-Key. A computes

$$r_{A,1} = r'_A/r_A, h_{A,1} = (h'_A)^{1/r_A} = (h_1g^{-r_{A,1}})^{1/(\alpha-id)}$$

Then, A 's private key can be denoted as

$$usk_A = (r_A, r_{A,1} = r'_A/r_A, h_{A,1} = (h_1g^{-r_{A,1}})^{1/(\alpha-id_A)}, r_{A,2}, h_{A,2}, r_{A,3}, h_{A,3})$$

and the delegatee B 's private key is denoted as

$$usk_B = (r_B, r_{B,1} = r'_B/r_B, h_{B,1} = (h_1g^{-r_{B,1}})^{1/(\alpha-id_B)}, r_{B,2}, h_{B,2}, r_{B,3}, h_{B,3})$$

- Set-Public-Key. A publishes her public key $upk_A = (p_{A,1}, p_{A,2})$, where $p_{A,1} = g_1^{r_A}$, and $p_{A,2} = (g^{r_A})^{id_A}$.

Private key Correctness Check:

On input (mpk, usk_{ID}) and an identity $ID \in \{0, 1\}^k$, A computes $id = H_I(A)$ and checks whether $e(h_{A,i}, g_1/g^{id_A}) = e(h_1g^{-r_{A,i}}, g)$ for $i=1,2,3$. If correct, output 1. Otherwise, output 0.

Encryption:

To encrypt a message $m \in G_T$ using public key, sender checks that the equality $e(g^{id_A}, p_{A,1}) = e(g_1, p_{A,2})$ holds. If not, output \perp and abort encryption. Otherwise, sender generates a unique randomly-selected secret parameter $s \in Z_p$, and computes $id_A = H_I(A)$. Finally, sender outputs the ciphertext C where:

$$C = (C_1, C_2, C_3, C_4) = (p_{A,1}^s p_{A,2}^{-s}, e(g, g)^s, m \cdot e(g, h_1)^{-s}, e(g, h_2)^s e(g, h_3)^{s\beta})$$

We set $\beta = H(C_1, C_2, C_3)$.

Decryption(delegator):

To decrypt a ciphertext $C = (C_1, C_2, C_3, C_4)$ using secret key usk_A , delegator Alice computes $\beta = H(C_1, C_2, C_3)$ and tests whether

$$C_4 = e(C_1, h_{A,2} h_{A,3}^\beta)^{1/r_A} \cdot C_2^{r_{A,2} + r_{A,3}\beta}$$

If it is not equal, output \perp . Else output

$$m = C_3 \cdot e(C_1, h_{A,1})^{1/r_A} \cdot C_2^{r_{A,1}}$$

The following Re-Encryption process is done through an interactive protocol among Alice, Bob, PKG and Proxy, which is shown in Figure 2.




Fig. 2. Proposed Non-Transferable Proxy Re-encryption framework

Re-Encryption Key Generation:

1. The delegator Alice generates a random value $a_i \in Z_p$ for each time period i , where $i \geq 1$. a_i will be invalid after the period i . Alice signs Bob's identity ID_B , and sends the signature σ, ID_B, a_i to PKG via a secure channel.
 Delegator Sign:
 - Choose $z \in Z_p$, and compute $U = g^z$.
 - Compute $V = H_I(ID_B, U)$.
 - Compute $W = g^{\alpha r_A + V}$.
 - The signature on ID_B is $\sigma = (U, W)$.
2. PKG verifies Alice to identify the identity of the delegator.
 PKG Verify:
 - Compute $V = H_I(ID_B, U)$.
 - Accept the signature iff $e(h_1, W) = e(h_1^{r_A}, g^\alpha)e(h_1, g)^V$.
3. If verification passes, PKG generates a unique randomly-selected secret parameter $y \in Z_p$, and computes re-encryption key $rk = (\frac{\alpha - id_B}{\alpha - id_A} + a_i y) \bmod p$, $A_1 = (h_1^{r_A} g^{-r'_A})^y$, $B_1 = (h_1^{r_B} g^{-r'_B})^{a_i y / (\alpha - id_B)}$, $B_2 = h_1^{a_i y}$ and sends rk, A_1, B_1, B_2 to Alice.

Partial-Decryption-Key Generation:

4. Delegatee Bob sends h'_B to Alice via a secure and authenticated channel.
5. Alice checks whether

$$e(h_1, B_1) = e(B_2, h'_B)$$

to ensure B_1 is a valid value which will help delegatee for decryption later. If correct, output 1, otherwise, output 0.

6. Alice checks whether

$$h'_A (id_A - id_B) \cdot A_1^{a_i} \cdot (h_1^{r_A} g^{-r'_A}) = (h_1^{r_A} g^{-r'_A})^{rk}$$

to ensure that rk is a re-encryption key generated properly for delegation from her to Bob.

7. Alice sends the re-encryption key rk to Proxy via an authenticated channel.
8. Alice computes h'_B^{1/r_A} and B_1^{1/r_A} , and sends them to Bob as partial decryption key.

Re-Encryption:

Proxy computes $C_1' = C_1^{rk} = g^{r_A s (\alpha - id_A) (\frac{\alpha - id_B}{\alpha - id_A} + a_i y)}$, and sends (C_1', C_1, C_2, C_3) to Bob.

Decryption (delegatee):

Bob computes

$$C_3 \frac{e(C_1', h'_B (1/r_A) (1/r_B)) C_2^{r_B, 1}}{e(C_1, B_1 (1/r_A) (1/r_B))}$$

$$= m \cdot e(g, h_1)^{-s} \frac{e(g^{r_A s (\alpha - id_A) (\frac{\alpha - id_B}{\alpha - id_A} + a_i y)}, (h_1 g^{-r_B, 1})^{\frac{1}{(\alpha - id_B) r_A}}) (e(g, g)^s)^{r_B, 1}}{e(g^{r_A s (\alpha - id_A)}, (h_1 g^{-r_B, 1})^{\frac{1}{(\alpha - id_B) r_A}})}$$

$$= m \cdot e(g, h_1)^{-s} e(g^{s (\alpha - id_A) (\frac{\alpha - id_B}{\alpha - id_A})}, (h_1 g^{-r_B, 1})^{\frac{1}{(\alpha - id_B)}}) e(g, g)^{s r_B, 1}$$

$$= m \cdot e(g, h_1)^{-s} e(g^{s (\alpha - id_B)}, (h_1 g^{-r_B, 1})^{\frac{1}{(\alpha - id_B)}}) e(g, g)^{s r_B, 1}$$

$$= m$$

5 Security Analysis

To compare some existing proxy re-encryption schemes with our proposed scheme, we outline below some important properties defined in [2]. The comparison results are presented in Table 1.

- *Unidirectional*: Delegation from $A \rightarrow B$ does not allow re-encryption from $B \rightarrow A$.
- *Non-interactive*: Re-encryption keys can be generated by Alice using Bob’s public key; no trusted third party or interaction is required. In our proposed scheme, PKG is employed to generate re-encryption keys, so delegator needs to interact with PKG to generate the keys.
- *Proxy transparent*: This is an important feature possessed by the original BBS scheme [1]. The proxy in the BBS scheme is *transparent* in the sense that neither the sender of an encrypted message nor any of the delegates has to be aware of the existence of the proxy. In BBS scheme, this property is achieved at the price of allowing transitive delegation and recovery of the master secrets of the delegator. In Ateniese’s scheme, only a weaker form of proxy transparency, called *proxy invisibility* can be achieved, because the sender needs to know the existence of proxy, in order to decide whether to generate first-level encryption or second-level encryption. In our proposed scheme, proxy is transparent. Both sender and delegates do not have to know the proxy, since there is only one form of encryption.
- *Original-access*: Alice can decrypt re-encrypted ciphertexts that were originally sent to her.
- *Key optimal*: The size of Bob’s secret storage remains constant, regardless of how many delegations he accepts. Like Ateniese’s scheme, delegatee is allowed to decrypt re-encrypted ciphertext during some specific time period i . Thus information received from PKG for decryption only need to exist temporarily in delegatee’s side. After a time period i , the information would be invalid. Delegatee can delete the information immediately. Thus in the long run, our scheme is still key optimal.
- *Collusion-“safe”*: Bob and the proxy’s collusion cannot recover Alice’s secret key. In our proposed scheme, secrecy of Alice’s secret key depends on a random value r_A . It is chosen by Alice, and is not used in re-encryption key. Although Bob and proxy collude, they cannot recover it.
- *Temporary*: Bob is only able to decrypt messages intended for Alice that were authored during some specific time period i . In our scheme, to achieve temporary proxy re-encryption, for each time period $i \geq 1$, Alice generates a random value $a_i \in Z_p$. Because a_i will be invalid after time period i , the re-encryption key’s life cycle is also period i . We remark that in all existing schemes including our scheme, the temporary property is achieved based on the assumption that the proxy will update the re-encryption key after each period expires.
- *Non-transitive*: Based on the re-encryption keys, $rk_{A \rightarrow B}$ and $rk_{B \rightarrow C}$, the proxy cannot produce $rk_{A \rightarrow C}$. In our proposed scheme, the re-encryption

key is generated using the master secret key of the PKG, proxy cannot generate $rk_{A \rightarrow C}$ without knowing the master secret key. And the delegatee's identity is included in the re-encryption key, the proxy is unable to replace the delegatee with another party. So even with the keys $rk_{A \rightarrow B}$ and $rk_{B \rightarrow C}$, the proxy cannot produce $rk_{A \rightarrow C}$.

- Non-transferable: The proxy and a set of colluding delegates cannot re-delegate decryption rights. For example, from $rk_{A \rightarrow B}$, sk_B and pk_C , they cannot produce $rk_{A \rightarrow C}$. The re-encryption key is generated by PKG, and delegator participants actively to help generating decryption key for delegatee using part of his private key. Thus even if delegatee colludes with proxy, they are unable to re-delegate their decryption rights since they do not have knowledge of PKG's master secret and the delegator's private key.//

As to IBE-based PRE, we add two more properties:

- *Non-Key-escrow*: In IBE system, PKG is responsible for generating private keys for users. But in PRE, PKG should not be allowed to decrypt all ciphertext for anyone. In our proposed scheme, PKG does not hold r_A which is a secret value of user. Thus only users themselves can decrypt the ciphertext.
- *Non-PKG-despotism*: PKG cannot generate a proper re-encryption key arbitrarily without permission from delegator. In our proposed scheme, without the participation of the delegator, PKG is unable to generate any useful re-encryption key for delegating decryption right, thus completely resolves the PKG despotism problem.

Table 1. Comparison of existing PRE schemes and our proposed scheme

Property	BBS [1]	ID [3]	Ateniese[2]	Wang[10]	Our Scheme
Unidirectional	No	Yes	Yes	Yes	Yes
Non-interactive	No	Yes	Yes	No	No
Proxy transparent	Yes	No	Yes [#]	Yes	Yes
Original-access	Yes	Yes	Yes	No	Yes
Key optimal	Yes	No	Yes	Yes	Yes
Collusion-safe	No	No	Yes	Yes	Yes
Temporary	Yes	Yes	Yes	No	Yes
Non-transitive	No	Yes	Yes	Yes	Yes
Non-transferable	No	No	No	No [*]	Yes
Non-Key escrow	--	No	--	No	Yes
Non-PKG despotism	--	No	--	No	Yes

(*) PKG alone can transfer

(#) can only achieve proxy invisibility which is a weaker form of proxy transparent

6 Conclusions

In this paper, we attempt to solve the open problem pointed out in 2005, in proposing a non-transferable proxy re-encryption scheme. With the proposed PRE scheme, the proxy and a delegatee cannot collude to transfer decryption rights. We also introduced two important properties, namely *Non-Key-escrow* and *Non-PKG-despotism*, into the proposed IBE-based PRE scheme. The principle behind our solution is that instead of ‘prohibiting’ a party to propagate information, we punish the party who illegitimately propagates information by retrieving and exposing the important secrets of the party. To the best of our knowledge, our paper is the first paper which completely solves the transferable problem.

Acknowledgments. We would like to show my deepest gratitude to Sherman S.M. Chow, for all his kindness and help. Without his valuable comment, we could not have solved the difficult part of this paper.

References

1. M. Blaze, G. Bleumer, and M. Strauss.: Divertible protocols and atomic proxy cryptography. In: EUROCRYPT 1998, volume 1403 of LNCS, pp. 127-144, (1998)
2. G. Ateniese, K. Fu, M. Green, S. Hohenberger.: Improved Proxy Re-encryption Schemes with Applications to Secure Distributed Storage. In: 12th Annual Network and Distributed Systems Security Symposium, San Diego, California (2005)
3. A. Ivan and Y. Dodis.: Proxy cryptography revisited. In: 10th Annual Network and Distributed Systems Security Symposium, (2003)
4. Benoit Libert, Damien Vergnaud.: Tracing Malicious Proxies in Proxy Re-Encryption. In: 2nd international conference on Pairing-Based Cryptography, Egham, UK (2008)
5. T. Matsuo.: Proxy Re-encryption Systems for Identity-Based Encryption. In: 1st International Conference on Pairing-Based Cryptography - Pairing 2007, LNCS 4575, pp. 247-267. Springer-Verlag (2007)
6. X.A. Wang, X.Y. Yang, F.G. Li.: On the Role of PKG for Proxy Re-encryption in Identity Based Setting. In: Cryptology ePrint Archive, Report 2008/410. (2008)
7. D. Boneh, X. Boyen.: Efficient Selective-id Secure Identity Based Encryption without Random Oracles. In: Advances in Cryptology-EUROCRYPT 2004. LNCS 3027, pp. 223-238. Springer, (2004)
8. R. Sakai, M. Kasahara.: ID based cryptosystems with pairing on elliptic curve. Cryptology ePrint Archive, Report 2003/054. (2003)
9. X.A. Wang, X.Y. Yang.: Identity based broadcast encryption based on one to many identity based proxy re-encryption. In 2nd IEEE International Conference on Computer Science and Information Technology, pp.47-50, (2009)
10. X.A. Wang, X.Y. Yang.: Proxy re-encryption scheme based on BB2 identity based encryption. In: 2nd IEEE International Conference on Computer Science and Information Technology, pp.134-137, (2009)
11. X.A. Wang, X.Y. Yang.: Proxy Re-encryption Scheme Based on SK Identity Based Encryption. In: 5th International Conference on Information Assurance and Security. pp.657-660, (2009)

12. K. Niu, X.A. Wang, M.Q. Zhang.: How to Solve Key Escrow Problem in Proxy Re-encryption from CBE to IBE. In: 1st International Workshop on Database Technology and Applications. pp.95-98, (2009)
13. X.A. Wang, X.Y. Yang, M.Q. Zhang.: Proxy Re-encryption Scheme from IBE to CBE," 1st International Workshop on Database Technology and Applications. pp.99-102, (2009)
14. Gentry, C.: Practical identity-based encryption without random oracles. In: EU-ROCRYPT 2006. LNCS, vol. 4004, pp. 445-464. Springer, Heidelberg (2006)
15. Goyal, V.: Reducing trust in the PKG in identity based cryptosystems. In: Menezes, A. CRYPTO 2007. LNCS, vol. 4622, pp. 430-448. Springer, Heidelberg (2007)
16. Sattam S. Al-Riyami and Kenneth G.: Paterson, Certificateless Public Key Cryptography. In: Lecture Notes in Computer Science, pp. 452 - 473, (2003)