

# Computation-Trace Indistinguishability Obfuscation and its Applications

Yu-Chi Chen\*      Sherman S. M. Chow†      Kai-Min Chung‡      Russell W. F. Lai§  
Wei-Kai Lin¶      Hong-Sheng Zhou||

April 29, 2015

## Abstract

We introduce a new, *instance-based* notion of indistinguishability obfuscation, called *computation-trace indistinguishability obfuscation* (CiO), for (parallel) RAM computation. CiO only obfuscates a fixed, single *computation instance*, as opposed to iO which obfuscates a function on all input instances. Specifically, for  $\Pi$  defined by  $(P, x)$  consisting of a (parallel) RAM program  $P$  and an input  $x$ , the obfuscations of two instances  $\Pi$  and  $\Pi'$  are required to be indistinguishable only when the execution of  $\Pi$  and  $\Pi'$  generate an *identical computation trace*; namely, identical sequences of CPU states and memory content. On the other hand, we require the obfuscation to be (i) *fully succinct*: the runtime of the obfuscator (and thus the size of the obfuscated instance) depends only on the description and input/output size of  $\Pi$ , but is independent of the time and space complexities of  $\Pi$ , and (ii) *efficiency preserving*: the obfuscated instance is a (parallel) RAM program that preserves parallel/total time and space complexities of  $\Pi$  up to polylogarithmic factors.

As our main results, we construct CiO for parallel RAM (PRAM) computation based on iO for circuits and one-way functions, and demonstrate the power of CiO by the following applications.

- With digital signatures, our CiO for PRAM immediately implies the first two-message (publicly-verifiable) delegation scheme for outsourcing PRAM computation, where the delegator's runtime depends only on the program description and input/output size, and the server's complexity matches the PRAM complexity of the computation up to polylogarithmic factors.
- With public-key encryption, our CiO for PRAM, and a specific oblivious PRAM construction, we construct the first *fully succinct* randomized encoding (RE) for PRAM computation, where the encoder's runtime (and thus the encoding size) depends only on the program description and input/output size, and the decoding complexity matches PRAM complexity of the computation up to polylogarithmic factors.
- By plugging our fully succinct RE for PRAM into existing transformations, we obtain the first constructions of several cryptographic primitives for PRAM, such as functional encryptions with succinct (PRAM) function keys, succinct reusable garbling schemes, and succinct indistinguishability obfuscations (the later requires sub-exponential security). Notably, this implies that, while CiO is weaker than iO, sub-exponentially secure CiO for PRAM implies sub-exponentially secure iO for PRAM.

---

\*Academia Sinica, Taiwan, [wycchen@iis.sinica.edu.tw](mailto:wycchen@iis.sinica.edu.tw)

†Chinese University of Hong Kong, [sherman@ie.cuhk.edu.hk](mailto:sherman@ie.cuhk.edu.hk)

‡Academia Sinica, Taiwan, [kmchung@iis.sinica.edu.tw](mailto:kmchung@iis.sinica.edu.tw)

§Chinese University of Hong Kong, [wflai@ie.cuhk.edu.hk](mailto:wflai@ie.cuhk.edu.hk)

¶Academia Sinica, Taiwan, [wklin@iis.sinica.edu.tw](mailto:wklin@iis.sinica.edu.tw)

||Virginia Commonwealth University, [hszhou@vcu.edu](mailto:hszhou@vcu.edu)

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Computation-Trace Indistinguishability Obfuscation ( $\text{CiO}$ )	1
1.2	Cryptography in the PRAM Model	2
1.3	Summary of Our Results	3
<b>2</b>	<b>Technical Overview</b>	<b>4</b>
2.1	Construction of $\text{CiO}$	5
2.2	From $\text{CiO}$ to Fully Succinct Randomized Encoding ( $\mathcal{RE}$ )	9
<b>3</b>	<b>Preliminaries</b>	<b>18</b>
3.1	Models of Computation	18
3.2	Randomized Encoding ( $\mathcal{RE}$ )	19
3.3	Building Blocks	20
<b>4</b>	<b>Computation-Trace Indistinguishable Obfuscation (<math>\text{CiO}</math>)</b>	<b>27</b>
4.1	Model of Distributed Computation Systems	27
4.2	Computation-trace Indistinguishability Obfuscation	28
<b>5</b>	<b>Constructing <math>\text{CiO}</math> in the RAM Model (<math>\text{CiO}</math>-RAM)</b>	<b>30</b>
5.1	Building Blocks	30
5.2	Construction for $\text{CiO}$ -RAM	30
5.3	Proof of Theorem 5.2 (Security for $\text{CiO}$ -RAM)	34
<b>6</b>	<b>Constructing <math>\text{CiO}</math> in the PRAM Model (<math>\text{CiO}</math>-PRAM)</b>	<b>67</b>
6.1	Generalizing $\text{CiO}$ -RAM for $\text{CiO}$ -PRAM: A “Pebble Game” Illustration	67
6.2	Building Blocks	70
6.3	Topological Iterators	71
6.4	Parallel Accumulator	74
6.5	Warm-up: Construction for $\text{CiO}$ -PRAM <sup>-</sup>	79
6.6	Proof of Theorem 6.7 (Security for $\text{CiO}$ -PRAM <sup>-</sup> )	86
6.7	$\text{CiO}$ for PRAM	106
6.8	Proof Sketch (Security for $\text{CiO}$ -PRAM)	112
<b>7</b>	<b>Constructing Verifiable Encoding (<math>\mathcal{VE}</math>)</b>	<b>114</b>
7.1	Verifiable Encoding ( $\mathcal{VE}$ )	114
7.2	Construction for $\mathcal{VE}$	114
7.3	Proof of Theorem 7.1 (Security for $\mathcal{VE}$ )	115
<b>8</b>	<b>Constructing <math>\mathcal{RE}</math> in the RAM Model (<math>\mathcal{RE}</math>-RAM)</b>	<b>117</b>
8.1	Building Blocks	118
8.2	Recap: The CP-ORAM	119
8.3	Construction for $\mathcal{RE}$ -RAM	123
8.4	Proof of Theorem 8.1 (Security for $\mathcal{RE}$ -RAM)	127
<b>9</b>	<b>Constructing <math>\mathcal{RE}</math> in the PRAM Model (<math>\mathcal{RE}</math>-PRAM)</b>	<b>159</b>
9.1	Recap: The BCP-OPRAM	159
9.2	Construction for $\mathcal{RE}$ -PRAM	161
9.3	Proof Sketch (Security for $\mathcal{RE}$ -PRAM)	164

# 1 Introduction

Secure obfuscation, which aims to make computer programs unintelligible while preserving their functionalities, had been a long-standing open problem. Back in 1976, Diffie and Hellman [DH76] suggested that if secure obfuscation exists, public-key encryption can be obtained by embedding the symmetric-key into an obfuscated enciphering program. The notion of obfuscation is first formalized by Hada [Had00] and Barak, Goldreich, Impagliazzo, Rudich, Sahai, Vadhan, and Yang [BGI<sup>+</sup>01] according to the virtual black-box (VBB) notion, which asks that an obfuscated program be no more useful than a black-box implementing the program.

Unfortunately, Barak et al. [BGI<sup>+</sup>01] have proven that VBB obfuscation is impossible to achieve for general programs. Due to this impossibility result, they proposed a weaker notion of *indistinguishability obfuscation* ( $i\mathcal{O}$ ), which only asks for computational indistinguishability between obfuscations of any two distinct (equal-size) programs that implement *identical functionalities*. While  $i\mathcal{O}$  is less intuitive than the aforementioned VBB formulation, Goldwasser and Rothblum [GR14] have shown that  $i\mathcal{O}$  achieves the “best possible obfuscation” that they defined. After 12 years, Garg, Gentry, Halevi, Raykova, Sahai, and Waters [GGH<sup>+</sup>13] demonstrated the first candidate  $i\mathcal{O}$  construction for all general program written as (polynomial-size) boolean circuits. Since then,  $i\mathcal{O}$  has been viewed as a “central hub” for a wide range of cryptographic objects [SW14]; please see [Wat14b, Wat14a, ePr] for more applications. Stronger notions of  $i\mathcal{O}$  are also proposed, including differing-inputs obfuscation [BGI<sup>+</sup>12, ABG<sup>+</sup>13, BCP14c] and its variants [GHRW14, AAP15, GKL<sup>+</sup>13, IPS15], probabilistic  $i\mathcal{O}$  [CLTV15], and sub-exponential  $i\mathcal{O}$  [GHRW14, BGL<sup>+</sup>15, CHJV15]. Yet, there is some evidence that differing-inputs obfuscation may not exist in general [GGHW14].

## 1.1 Computation-Trace Indistinguishability Obfuscation ( $Ci\mathcal{O}$ )

In contrast to the pursuit of new (in-)feasibility results about stronger  $i\mathcal{O}$  notions in the literature, we introduce a new, *instance-based* notion of indistinguishability obfuscation, called *computation-trace indistinguishability obfuscation* ( $Ci\mathcal{O}$ ), for various computation models such as (parallel) random access machine (RAM) computation. A *computation instance*  $\Pi$  is defined by a program  $P$  and an input  $x$ . Evaluation of  $\Pi$  produces a computation trace. Intuitively, a *computation trace* contains not only *the final output*, but also all information generated by each execution of the *step function* during the course of evaluation of a given computation instance. The definition of a computation trace differs for different computation models. As an illustrative example, recall that in the RAM model, computation is done by the CPU with random access to the memory in time steps (CPU cycles). At each time step, the CPU receives the read memory content, updates its CPU state, and outputs a memory access (read or write) instruction. For (parallel) RAM model, a *computation trace* includes the (shared) memory, the states of CPU(s), and the memory accesses for every time step (which include the final output). A  $Ci\mathcal{O}$  *obfuscator* takes in  $\Pi$  as an input, and outputs  $\tilde{\Pi}$  as an obfuscated computation instance that can be evaluated in the same computation model as  $\Pi$ . Correctness requires that the evaluation of  $\tilde{\Pi}$  gives the same output (or computation trace) as  $\Pi$ . For security, the obfuscations of two instances  $\Pi$  and  $\Pi'$  are required to be indistinguishable only when their executions generate *an identical computation trace*.

We view  $Ci\mathcal{O}$  to have two conceptual differences from  $i\mathcal{O}$ . Recall that  $i\mathcal{O}$  requires that the two obfuscations in question implement *identical functionalities*, i.e. for all inputs, their corresponding outputs are identical. Firstly,  $Ci\mathcal{O}$  only obfuscates a single fixed *computation instance*, as opposed to  $i\mathcal{O}$  which obfuscates the *entire functionality* (for all input instances). Secondly,  $Ci\mathcal{O}$  only requires indistinguishability to hold when the two executions in question generate *an identical computation trace*, while  $i\mathcal{O}$  requires indistinguishability to hold when the outputs agree, without considering other information contained in the computation traces.

We shoot for ideal efficiency of  $Ci\mathcal{O}$ . Specifically, we require the obfuscation to be (i) *fully succinct*: the runtime of the obfuscator (and thus the size of the obfuscated instance) depends only on the description and input/output size of  $\Pi$ , but is independent of the time and space complexities of  $\Pi$ , and (ii) *efficiency preserving*: the obfuscated instance preserves time and space complexities of  $\Pi$  in the same computation model up to poly-

logarithmic factors. Without the restriction on the runtime of the obfuscator, one can complete the evaluation and encode the final output obtained as an obfuscation, which makes the problem trivial. Similarly, without size restriction, one can encode the whole computation trace into the obfuscation, which can trivially give a correct output as a computation trace already has sufficient information for evaluating a given computation instance. As a final remark, CiO for circuit is not meaningful since the circuit is as large as the computation trace.

While CiO is only instance-based, it is still very useful as we show in the rest of our exposition. As an example, we start with a simple construction of two-message (publicly-verifiable) delegation scheme for outsourcing RAM computation using CiO and any digital signature scheme. Specifically, to delegate a RAM program  $P$  and an input  $x$ , the delegator uses CiO to obfuscate a computation instance  $\Pi$  defined by  $(P, x)$ , with a private signing key embedded, for signing on the result  $y := P(x)$  (and possibly other evaluation-specific information such as the input  $x$ ) at the last (single) step function of the obfuscated program. The signature serves as a proof  $\pi$  output by the server which runs the obfuscated program to show that it executed the computation correctly. The delegator concludes  $y$  is a correct result upon successful verification of  $\pi$  as a valid signature of  $y$ .

From the full succinctness, the delegator’s runtime depends only on the program description and input/output size. Verification time of the delegator corresponds to verifying a signature. Our CiO is efficiency preserving, so the server’s complexity matches with that of the underlying computation up to polylogarithmic factors. Security follows from a straightforward generalization of the (nowadays) typical iO argument. Instead of embedding the signing key, we hardwire the proof  $\pi$ , which is the signature on  $y$ , to the obfuscation. Clearly, the computation trace before the signing step would not be changed. Since the signing is completed within a single (last) step, no extra information derived from the secret key other than the final resulting signature will be revealed in the computation trace. With identical computation trace, this change is computationally indistinguishable. Now the adversary just received an obfuscated program without the signing key. If the adversary can produce a valid proof on another  $y' \neq y$ , this breaks the existential unforgeability of the digital signature scheme.

## 1.2 Cryptography in the PRAM Model

Many cryptographic schemes are about performing computation on data. Traditionally, cryptographers worked on the circuit model of computations. A notable example is Yao’s garbled circuit for two-party computation [Yao82]. This paved the way towards many cryptographic goals in different computing scenarios, such as outsourcing computation to untrusted cloud servers (or, simply put, *delegation*) [GGP10].

The circuit model is simple to work with. Nowadays, we also have highly optimized solutions in the circuit model for many cryptographic tasks, such as secure computation. Recent works move the focus to the random access machines (RAM) model. (In particular, garbling schemes with different properties have been proposed under different assumptions [GHRW14, CHJV15, GLOS15].) A RAM program has the ability to access arbitrary memory location in constant time, which allows sub-linear time algorithm to be expressed as a RAM program. It also naturally expresses program branches and loops which may repeatedly update memory at different locations. The representation of a RAM program can be of size independent of its runtime complexity. Note that converting a RAM program to either a circuit or a Turing machine (TM) introduces a quadratic slow-down, i.e., a RAM program with time complexity  $O(T)$  would run in  $O(T^2)$  in the other two models.

One step further, the parallel random access machine (PRAM) model takes advantages of both random memory access and parallelism. Recently, Boyle, Chung, and Pass [BCP14b, BCP14a] extended the concept of oblivious RAM to the PRAM model, and construction the first secure multi-party computation protocol for PRAM computation. A PRAM program harnesses the computing power of multiple CPUs, which are running simultaneously and accessing a shared memory. The parallel run-time, the time needed when running the program with multiple CPUs simultaneously, can be reduced by a factor of the number of CPUs. We expect crypto-schemes for PRAM to preserve the benefits offered by the model.

### 1.3 Summary of Our Results

First and foremost, we define a new primitive named computation-trace indistinguishability obfuscation (CiO), which obfuscates a computation instance instead of a program. We construct CiO for RAM based on iO for circuits and one-way functions, by adopting techniques developed in a very recent result due to Koppula, Lewko, and Waters [KLW15] (hereinafter referred as K LW).

We then (non-trivially, to be elaborated in the next section) extend it into CiO for PRAM. The main challenge here is to avoid linear overhead on the number of CPUs in both parallel runtime and obfuscation size—note that such overhead would obliterate the gain of parallelism for a PRAM computation.

**Theorem 1.1** (Informal). *Assume that indistinguishability obfuscation (iO) and one-way functions exist, there exists (fully succinct) computation-trace indistinguishability obfuscation for PRAM computation.*

As a direct application similar to the case for the RAM model described in Section 1.1, we obtain the *first (fully succinct) construction of delegation of PRAM computation.*

**Corollary 1.2** (Informal). *Assume that indistinguishability obfuscation (iO) and one-way functions exist, there exists a two-message publicly verifiable delegation scheme for PRAM computation, where the delegator’s runtime depends only on the program description and input/output size, and the server’s complexity matches the PRAM complexity of the computation up to polylogarithmic factors.*

More importantly, we show how to use our (fully succinct) CiO for PRAM to construct the *first fully succinct randomized encoding (RE) for PRAM computation.* The notion of *randomized encoding*, proposed by Ishai and Kushilevitz [IK00], allows a “complex” function  $f$  on an input  $x$  to be represented by a “simpler to compute” randomized encoding  $\hat{f}(x; r)$  whose output distribution encodes  $f(x)$ , such that the encoding reveals nothing else regarding  $x$ , and one can decode by extracting  $f(x)$  from  $\hat{f}(x; r)$ . The circuit depth (i.e., parallel runtime) of the encoding is the original measure of simplicity [IK00]. Very recently, Bitansky, Garg, Lin, Pass, and Telang [BGL<sup>+</sup>15] focus on encoding time. Bitansky et al. consider  $f$  as represented by a RAM program  $P$ , and construct (*space-dependent*) *succinct randomized encodings* where the encoding time is independent of the time complexity of  $P(x)$  (as a RAM program evaluation), but depends on the space complexity of  $P(x)$ .<sup>1</sup>

We extend the RE notion further to the PRAM model. More precisely, given a PRAM computation instance  $\Pi$  defined by a PRAM program  $P$  and an input  $x$ , an RE for PRAM generates a randomized encoding  $\tilde{\Pi} = \text{RE.Encode}(\Pi)$  that can be decoded/evaluated to obtain  $P(x)$ , but reveals nothing else regarding both  $P$  and  $x$  (except for the size/time/space bound of  $P(x)$ ). *Full succinctness* means the encoder’s runtime (and thus the encoding size) depends on the description size of  $P$ , the input length of  $x$ , and the output length of  $P(x)$ , but is essentially independent of both time and space complexities of  $P(x)$ . To the best of our knowledge, there was no known fully succinct construction of RE even in the RAM model before our result.

**Theorem 1.3** (Informal). *Assume that indistinguishability obfuscation (iO) and one-way functions exist, there exists fully succinct randomized encoding for PRAM.*

By plugging our RE for PRAM into various transformations in the literature [GHRW14, BGL<sup>+</sup>15, CHJV15], we obtain the first constructions of a wide range of cryptographic primitives for PRAM (with the corresponding full succinctness), including non-interactive zero-knowledge, functional encryption, garbling, secure multi-party computation, and indistinguishability obfuscation for PRAM, and we have the following two corollaries.

**Corollary 1.4** (Informal). *Assume that indistinguishability obfuscation (iO) and one-way functions exist, there exists (fully) succinct non-interactive zero-knowledge, functional encryptions with succinct (PRAM) function keys, succinct reusable garbling, and secure multi-party computation for PRAM with optimal communication.*

<sup>1</sup>Canetti et al. [CHJV15] achieved a similar result in the context of garbling.

**Corollary 1.5** (Informal). *Sub-exponentially secure  $\text{CiO}$  for PRAM implies sub-exponentially secure  $\text{iO}$  for PRAM.*

Notably, while  $\text{CiO}$  is syntactically weaker than  $\text{iO}$ , sub-exponential  $\text{CiO}$  for PRAM still implies  $\text{iO}$  for PRAM with sub-exponential security by complexity leverage argument (e.g., [BGL<sup>+</sup>15, CHJV15]).

As a summary, our work suggests a modular construction of all these succinct cryptographic primitives for PRAM from  $\text{CiO}$  (or  $\text{iO}$ ).

## 2 Technical Overview

This section provides a detailed technical overview of our constructions of  $\text{CiO}$  and randomized encodings for PRAM computation. Before getting into details, we present a high level outline and highlight our techniques.

**(Parallel) RAM Model of Computation.** In the RAM model, computation is done by the CPU with random access to the memory in time steps (CPU cycles). At each time step, the CPU receives the read memory content, performs one step of computation to update its CPU state, and outputs a memory access (read or write) instruction. The computation terminates when the CPU reaches a special halting state. A RAM computation instance  $\Pi$  is defined by a CPU next-step program  $P$ , and an input  $x$  stored in the memory as initial memory content (and a default initial CPU state). At the end of the computation, the output  $y$  is stored in the CPU state (together with the special halting symbol). The CPU program  $P$  is represented as a next-step circuit that takes previous CPU state and read memory content, and outputs next CPU state and memory access instruction.

The PRAM model is similar to the RAM model, except that there are multiple CPUs executing in parallel with random access to a shared memory. The CPUs share the same CPU program  $P$ , but have distinct CPU id. In this technique overview, we assume that there is no conflict writes throughout the computation.

**$\text{CiO}$  for RAM.** Our starting point is a construction of  $\text{CiO}$  for RAM computation based on  $\text{iO}$  for circuits and the novel  $\text{iO}$ -friendly authentication techniques of Koppula, Lewko, and Waters (KLW) [KLW15], for their construction of message-hiding encodings (MHE). While the primitives are different, our  $\text{CiO}$  construction is closely related to their construction, and  $\text{CiO}$  can be used to construct MHE readily. In fact, our  $\text{CiO}$  notion is heavily inspired by their work, and can be viewed as an abstraction of what is achieved by their techniques.

**$\text{CiO}$  for PRAM.** We then extend the above approach to handle PRAM computation with some care of efficiency issues in the parallel setting. Yet, a natural generalization does not yield a fully succinct construction. This is because the hybrids in the (generalized) security proof needs to hardwire  $\Omega(m)$  amount of information in the  $\text{iO}$ -ed program, where  $m$  is the number of CPUs in the PRAM program, and thus the obfuscated computation instance has size dependent on  $m$ . We address this issue by developing a “*branch-and-combine*” technique to emulate PRAM computation, which enables us to reduce the amount of hardwired information in the hybrids to  $O(\log m)$ . See Section 2.1.2 for a more detailed discussion.

**From  $\text{CiO}$  for RAM to  $\mathcal{RE}$  for RAM — the case without hiding access pattern.** We then discuss how to construct fully succinct randomized encoding from  $\text{CiO}$  for RAM computation. At a high level, this requires to hide both the content and the access pattern of the computation. We first consider the simpler case where the computation has oblivious access pattern (so we only need to hide the content), which we can again rely on techniques from [KLW15] to hide the content using public-key encryption. In fact, if the access pattern is not required to be hidden, the construction of machine-hiding encoding for TM [KLW15] can be modified in a straightforward way to yield  $\mathcal{RE}$  for RAM (based on  $\text{iO}$  for circuits). Our construction can be viewed as a modularization and simplification of their construction through our  $\text{CiO}$  notion.



**From  $\text{CiO}$  for RAM to  $\mathcal{RE}$  for RAM — the full-fledged case.** We next discuss how to hide access pattern, which is the major challenge for the construction of fully succinct  $\mathcal{RE}$  for RAM. We follow a natural approach to use oblivious RAM (ORAM) compiler to hide it. However, the main difficulty is that ORAM only hides the access pattern when the CPU state and memory contents are hidden from the adversary, but this is unlikely to argue unless the obfuscation is VBB secure, and  $\text{CiO}$  (just like  $\text{iO}$ ) does not hide anything explicitly.

We develop a *puncturable* ORAM technique to tackle this issue. We rely on a simple ORAM construction [CP13] (referred to as CP ORAM) and show that it can be “punctured” at time step  $i$  so that the access pattern at the  $i$ -th time step of  $P(x)$  can be simulated even given the punctured program. Armed with this technique, we can simulate the access pattern at time step  $i$  by puncturing the ORAM compiled program at step  $i$  (through hybrids), replacing the access pattern at this step, and then unpuncturing the program. However, the computation traces of punctured program can differ from original ones in many steps, so moving to punctured program is non-trivial. We do so by a sequence of “partially punctured” hybrids that gradually modifies the program step by step. See Section 2.2.2 for a more detailed discussion.

**From  $\text{CiO}$  for PRAM to  $\mathcal{RE}$  for PRAM.** Finally, we extend the above construction to handle PRAM computation, where we simply replace the CP ORAM compiler by the oblivious PRAM compiler of Boyle et al. [BCP14b]. The security proof also generalizes in a natural way, except that we need to take care of some issues arose in the parallel setting. The main issue here is to generalize the puncturing argument to puncture OPRAM in a way that avoids dependency on the number of CPU  $m$  to maintain full succinctness. This can be done by puncturing the OPRAM CPU by CPU. See Section 2.2.3 for a more detailed discussion.

## 2.1 Construction of $\text{CiO}$

Our construction of  $\text{CiO}$  for (parallel) RAM computation is based on  $\text{iO}$  for circuits and the novel  $\text{iO}$ -friendly authentication techniques developed originally to build  $\text{iO}$  for TM [KLW15]. Let  $\Pi$  be a computation instance for (parallel) RAM computation defined by  $(P, x)$ , where  $P$  is represented as next-step circuit for the CPU program and  $x$  is the input.<sup>2</sup> At a high level, our  $\text{CiO}$  construction outputs  $\text{iO}$  of a compiled version of  $P$  together with a compiled input. We proceed to discuss the intuition behinds our construction.

Recall that the security of  $\text{CiO}$  requires that if two computation instances  $\Pi$  and  $\Pi'$ , defined by  $(P, x)$  and  $(P', x')$  respectively, have identical computation trace (which implies  $x = x'$ ), then their  $\text{CiO}$  obfuscations should be computationally indistinguishable, i.e.,  $\text{CiO}(\Pi) \approx \text{CiO}(\Pi')$ . Note that the two programs  $P$  and  $P'$  may behave differently on other inputs  $x'' \neq x$ . So, for  $\text{CiO}(\Pi)$  and  $\text{CiO}(\Pi')$  to be indistinguishable, we must restrict the obfuscation to only be able to evaluate the program on the specific input  $x$ , but not other inputs.

A natural approach to do so is via *authentication*. Specifically, we consider  $\text{CiO}$  obfuscator outputs  $\tilde{\Pi}$  defined by  $(\text{iO}(P_{\text{auth}}), x_{\text{auth}})$ , where  $P_{\text{auth}}$  is  $P$  augmented with some authentication mechanism and  $x_{\text{auth}}$  is an authenticated input. The hope is that the authentication mechanism, together with  $\text{iO}$  security, can ensure that an adversary receiving  $\tilde{\Pi}$  can only generate the honest computation trace of  $\Pi$ , and further imply  $\text{CiO}$  security.

We discuss how this can be done in the following subsections. We first focus on the simpler case of RAM computation, which can be viewed as an abstraction of the existing techniques for TM. In Section 2.1.2, we handle the full-fledged PRAM computation by introducing several new techniques to handle new challenges in the parallel setting, in particular, to achieve full succinctness without dependency on the number of CPUs.

### 2.1.1 $\text{CiO}$ for RAM computation

Recall that a RAM computation instance  $\Pi$  is specified by a next-step circuit  $P$  for the CPU program and an input  $x$  stored in the memory. At each time step of the RAM computation,  $P$  takes as input the previous CPU

<sup>2</sup>Note that for uniform programs, the circuit size is polylogarithmic.

state and the memory cell it reads in the previous time step, and outputs the next CPU state and memory access instruction (read or write) of this time step. For convenience, we assume that  $P$  only writes to the memory cell it reads in the previous time step.<sup>3</sup> We also assume that the CPU state stores the time step  $t$ .

As mentioned, we want to authenticate the computation. The CPU state can be authenticated simply by signatures, but the entire memory is large. Here we use a structure similar to Merkle-tree<sup>4</sup>. To authenticate the whole memory, we can store the tree root as the digest in the CPU state. The CPU program can then verify and update a memory cell locally by receiving the authentication path of the cell<sup>5</sup>.

More precisely, our  $\text{CiO}$  construction outputs  $\tilde{\Pi}$  defined by  $(i\mathcal{O}(P_{\text{auth}}), x_{\text{auth}})$ , where the compiled program  $P_{\text{auth}}$  expects to receive as input a signed CPU state, the read memory cell  $\ell$ , and its authentication path. If the authentication path and the signature pass verification, then  $P_{\text{auth}}$  outputs a signed next CPU state and memory access instruction. Additionally, if the memory access is a write to the memory cell  $\ell$ , it also updates the digest stored in the CPU state using the authentication path. The authenticated input  $x_{\text{auth}}$  consists of the initial memory content  $x$ , and a signed initial CPU state that contains the Merkle tree digest of  $x$ .

Let  $\Pi$  and  $\Pi'$  be two computation instances defined by  $(P, x)$  and  $(P', x)$  respectively with identical computation trace. To prove security, we consider a sequence of hybrids starting from  $\tilde{\Pi}$  that switches the program from  $P$  to  $P'$  step by step for each time step. However, to make the switch based on  $i\mathcal{O}$  security, the hybrids need to be functionally equivalent, but  $P$  to  $P'$  only have identical behavior on the honest computation trace. Note that normal signatures and Merkle-tree cannot guarantee functional equivalence as forgeries exist (information-theoretically). Here is the place we rely on the powerful  $i\mathcal{O}$ -friendly authentication primitives [KLW15]. At a very high level, it allows us to switch to a hybrid program that, for a particular time step  $t$  (i.e., input with time step  $t$  stored in the CPU state), only accepts the honest input but rejects (and outputs `Reject`) on all other inputs, which enables us to switch from  $P$  to  $P'$  at time step  $t$  using  $i\mathcal{O}$  security.

More precisely, our  $\text{CiO}$  construction uses *splittable signatures* and *accumulators* [KLW15] instead of normal signatures and Merkle trees, respectively. Additionally, a primitive called *iterators* is introduced [KLW15] to facilitate the above hybrids. We refer the reader to [KLW15] for details. We can carry through the above hybrids by introducing “*check-points*” to hybrid programs as follows:<sup>6</sup>

- We can place a check-point at the initial step of computation, and move it from a time step  $t$  to time step  $(t + 1)$  through hybrids.
- Check-point is a piece of code that at a time step  $t$ , checks if the input (or output) is the same as that in the honest computation, and forces the program to output `Reject` if it is different. This is an information-theoretic guarantee which enables us to switch the program at time step  $t$  based on  $i\mathcal{O}$  security.

We can then move the check-point from the beginning to the end of the computation, and along the way switch the program from  $P$  to  $P'$ . We note that this check-point technique is implicit in the security proof for message-hiding encodings [KLW15]. Our description can be viewed as an abstraction of their proof techniques.

### 2.1.2 $\text{CiO}$ for PRAM computation

Recall that a PRAM computation instance  $\Pi$  is also specified by a next-step circuit  $P$  for the CPU program and an input  $x$  stored in the memory, but instead of a single CPU, there are  $m$  CPUs, all specified by the same program  $P$  but with different CPU id’s, perform the computation in parallel with shared random access to the memory. We assume that there are no conflict writes throughout the computation, all CPUs have synchronized read/write memory access, and they all terminate at the same time step.<sup>7</sup>

<sup>3</sup>Note that this convention can be imposed without loss of generality.

<sup>4</sup>Namely, we build a Merkle tree with each memory cell being a leaf node of the tree.

<sup>5</sup>Namely, the nodes along the path from the root to the cell and their neighboring nodes.

<sup>6</sup>We note that the description here over-simplifies many details.

<sup>7</sup>We note that the later two conventions can be imposed with  $O(\log m)$  blow up in the parallel run-time.



From parallelism,  $m$  CPUs gains a factor of  $m$  in the parallel run-time. A linear overhead in  $m$  would obliterate all such gains. We discuss how to avoid the dependency on  $m$  in CiO for PRAM computation.

**A Naïve Attempt.** We can view the  $m$  copies of next-step circuit as a single giant next-step circuit  $P^m$  that accesses  $m$  memory locations at each CPU time step. We can then compile  $P^m$  to  $P_{\text{auth}}^m$  and output  $\tilde{\Pi}$  defined by  $(i\mathcal{O}(P_{\text{auth}}^m), x_{\text{auth}})$  in a similar way as before. This approach indeed works in terms of security and correctness. However, as  $P^m$  has description size  $\Omega(m)$  (since it operates on  $\Omega(m)$ -size input), the obfuscated computation will have description size  $\text{poly}(m)$ , which incurs  $\text{poly}(m)$  overhead in the evaluation time.<sup>8</sup>

**A Second Attempt.** Now we can only  $i\mathcal{O}$  a single (compiled) CPU program  $P_{\text{auth}}$ , and run  $m$  copies of  $i\mathcal{O}(P_{\text{auth}})$  in the evaluation of obfuscated instance with different CPU id's (as the evaluation of the original  $\Pi$ ).

Recall that we use accumulator to authenticate the (shared) memory. That is a Merkle-tree like structure with the tree root as the (shared) accumulator value  $w$  stored in the CPU state, which needs to be updated when memory content is changed. Specifically, consider a time step where  $m$  CPUs perform parallel write to distinct memory cells. The CPUs need to update the shared accumulator value  $w$  to reflect the  $m$  writes in some way. Note that we cannot let a single CPU perform the update in one time step, because it involves processing  $\Omega(m)$ -size data, which makes the size of the next-step circuit dependent on  $\Omega(m)$  again. Also, we cannot afford to update sequentially (i.e., each CPU takes turns to update the digest), since this blows up the parallel run-time of the evaluation algorithm by  $m$  and obliterates the gains of parallelism.

To deal with this problem, we allow the (compiled) CPUs  $P_{\text{auth}}$  to communicate with each other. Namely, each CPU can send a message to other CPUs at each time step. Such CPU-to-CPU communications can be emulated readily by storing the messages in the memory for the evaluator of the obfuscation. Recall that  $P_{\text{auth}}$  needs to authenticate the computation, so the program needs to authenticate the communication as well. Fortunately, this can be done using splittable signatures in a natural way. We can now formulate the problem of updating the accumulator value as a distributed computing problem as follows:

There are  $m$  CPUs, each holding an accumulator value  $w$ , memory cell index  $\ell_i$ , write value  $val_i$ , and an authentication path  $ap_i$  for  $\ell_i$  (received from the evaluation algorithm) as its inputs. Their common goal is to compute the updated accumulator value  $w'$  with respect to write instructions  $\{(\ell_i, val_i)\}_{i \in [m]}$ . Our task is to design a distributed algorithm for this problem with oblivious communication pattern<sup>9</sup>,  $\text{poly} \log(m)$  rounds, and per-CPU space complexity  $\text{poly} \log(m)$ . If this is achieved, the blow-up in both the parallel run-time and obfuscation size can be reduced from  $\Omega(m)$  to  $\text{poly} \log(m)$ .

We construct an *oblivious update* protocol with desired complexity based on two oblivious protocols by Boyle et al. [BCP14b]: an aggregation protocol that allows  $m$  CPUs to aggregate information they need in parallel, and a multi-casting protocol that allows  $m$  CPUs to receive messages from other CPUs in parallel. Both protocols have run-time poly-logarithmic in  $m$ . Roughly, our oblivious update protocol updates the Merkle-tree layer-by-layer from leaves to root. For each layer, the CPUs engage in the oblivious aggregation protocol to aggregate information for updating their local branches of the tree. They then distribute their results using the oblivious multi-casting protocol.

Back to explaining our CiO construction, we output  $\tilde{\Pi}$  defined by  $(i\mathcal{O}(P_{\text{auth}}), x_{\text{auth}})$ , where  $P_{\text{auth}}$  is a compiled CPU program that can communicate with other CPUs and authenticate the communication by splittable signatures. The evaluation of  $\tilde{\Pi}$  runs  $m$  copies of  $i\mathcal{O}(P_{\text{auth}})$  and emulates the communication by routing the messages. After each memory-write time step,  $P_{\text{auth}}$  maintains the accumulator value by invoking the oblivious update protocol. Finally, for the authenticated input  $x_{\text{auth}}$ , it consists of the initial memory content  $x$ , and the accumulator value of  $x$  stored in signed CPU states as before. However, it cannot contain  $m$  (signed) initial

<sup>8</sup>Note that while  $P^m$  has low depth (independent of  $m$ ), we cannot hope its obfuscated version to have low depth, as the security of  $i\mathcal{O}$  needs to hide the circuit depth. Thus, the parallel run-time is not preserved.

<sup>9</sup>We mention that the oblivious communication pattern property may not be essential, but a useful feature to make the construction simple, since the CPUs do not need to decide who to send/receive messages.

CPU states for each CPU, as otherwise the obfuscation has size dependent on  $m$ . This can be solved by a simple trick: we let  $x_{\text{auth}}$  only consists of a single signed “seed” CPU state  $\text{st}_{\text{seed}}$ , and when  $P_{\text{auth}}$  takes  $\text{st}_{\text{seed}}$  and a CPU id  $i$  as input,  $P_{\text{auth}}$  outputs a signed initial state of CPU  $i$ .

**Does it Work? A “Pebble Game” Illustration.** It seems that we now have the desired efficiency. We can also generalize the previous security argument (including generalization of both accumulators and iterators) for security. However, it would require hardwiring  $\Omega(m)$  amount of information in intermediate hybrids. As a result,  $P_{\text{auth}}$  needs to be padded to size  $\Omega(m)$ , and  $\bar{\Pi}$  has  $\text{poly}(m)$  overhead again.

To illustrate why, we can cast the security proof as a “pebble game” over a graph defined by the computation, and the amount of required hardware information in the hybrids can be captured by the “pebble complexity” of the game. We first illustrate this pebble game abstraction for the case of RAM computation. Recall that the security proof relies on a check-point technique that allows us to place a check-point on the initial time step, and move it from a time step  $t$  to its next time step  $(t + 1)$ . Placing a check-point at a time step requires to hardware information proportional to the input (or output) size of the CPU program. The goal is to travel all time steps (to switch the programs on all time steps). In this example, the RAM computation can be viewed as a line graph with each time step being a node in the graph. A check-point is a pebble that can be placed on the first node, and can be moved from node  $t$  to node  $(t + 1)$ . The winning condition of the pebble game is to “cover” the graph, namely, to ever place a pebble on each node. The pebble complexity is the maximum number of pebbles needed in order to cover the graph, which is 2 for the case of RAM (since technically we need to place a pebble at  $(t + 1)$  before removing the pebble at  $t$ ).

To capture the hybrids for proving our CiO for PRAM, we formulate the following pebble game:

- The graph is a layered (directed acyclic) graph with each layer corresponds to  $m$  CPUs’ at a certain time step. Namely, each node is indexed by  $(t, i)$  where  $t$  is the time step and  $i$  is the CPU id. It also consists of a 0 node corresponding to the seed state. The 0 node has an outgoing edge to  $(t = 1, i)$  node for every  $i \in [m]$ . Each node  $(t, i)$  has an outgoing edge to  $(t + 1, i)$  indicating the (trivial) dependency of  $i$ -th CPU between time step  $t$  and  $t + 1$ . Recall that the CPUs have communication. If CPU  $i$  sends a message to CPU  $j$  at time step  $t$ , we also put an outgoing edge from  $(t, i)$  to  $(t + 1, j)$  to indicate the dependency.<sup>10</sup>
- The pebbling rule is defined as follows: First, we can place a pebble on the 0 node. To place a pebble on a node  $v$ , all nodes of  $v$ ’s incoming edges need to have a pebble on it. To remove a pebble on a node  $v$ , we need to “cover” all  $v$ ’s outgoing nodes, i.e., ever place a pebble on each outgoing node. This captures the conditions about when can we put a check-point to a computation step, and when can we remove it, for our generalization of the iO-friendly authentication techniques of K LW to the parallel setting.
- The goal is to cover the whole graph (i.e., ever places a pebble in every node) using a minimal number of pebbles. The pebble complexity of the game is the maximum number of pebbles we need to simultaneously use to cover the graph. Covering the graph corresponds to switching the programs for every computation step, and the pebble complexity captures the amount of hardware information required in the intermediate hybrids.

Recall that our  $P_{\text{auth}}$  invokes the oblivious update protocol for every (synchronized) memory-writes. It is unfortunately unclear how to play the pebble game induced by multiple invocations of the oblivious update protocol with  $o(m)$  pebble complexity, and it seems likely that the pebble complexity is indeed  $\Omega(m)$ . Therefore, it means that the security proof requires to hardware  $\Omega(m)$  amount of information in intermediate hybrids.

<sup>10</sup>The memory accesses in general may create dependency, but we ignore it here as the pebble complexity is already high.

**A “Branch-and-Combine” Technique to Reduce Information Hardwiring.** We solve the problem by introducing a *branch-and-combine* approach to emulate a PRAM computation (illustrated in Figure 1), which transforms the computation graph to one that has  $\text{poly log}(m)$  pebble complexity, and preserves the parallel run-time and obfuscation size with only a  $\text{poly log}(m)$  overhead.

At a high level, after one parallel computation step, we *combine*  $m$  CPU states into one “digest” state, then we *branch* out from the digest state one parallel computation step, which results in  $m$  CPU states to be *combined* again. The PRAM computation is emulated by alternating the branch and combine steps. The combine step involves  $\log m$  rounds where we combine two states into one in parallel (which forms a complete binary tree). The branch step is done in one shot which branches out  $m$  CPUs in one step in parallel. Thus, the branch-and-combine emulation only incurs  $O(\log m)$  overhead in parallel run-time. Note that this transforms the computation graph into a sequence of complete binary trees where each time step of the original PRAM computation corresponds to a tree, and the root of a time step connects to all leaf nodes of the next time step.

Now, we observe that we can use only  $O(\log m)$  pebbles to traverse the computation graph of the branch-and-combine PRAM emulation. At a high level, this is because whenever we put two pebbles at a pair of sibling nodes in the complete binary tree of the combine step, we can merge them into a single one at their parent node. This means that we only need to use one pebble for each height level of the tree. More precisely, we can move pebbles from one root to the next one by simply putting pebbles at its branched out nodes one by one in order, and merge the pebbles greedily whenever it is possible.

We refer the readers to Section 6 for the construction of the branch and combine steps. Very roughly (and oversimplifying), the combine step corresponds to constructing an accumulator tree for CPU states, and the branch step verifies an input CPU state using the accumulator and performs one computation step.

## 2.2 From $\text{CiO}$ to Fully Succinct Randomized Encoding ( $\mathcal{RE}$ )

In this section, we discuss how to construct fully succinct randomized encoding ( $\mathcal{RE}$ ) from  $\text{CiO}$ . Recall that a randomized encoding of a computation instance  $\Pi = (P, x)$  requires to hide everything about  $\Pi$  except its output  $y = P(x)$  and runtime  $t^*$ . This requires to hide both the content and the access pattern of the computation. Our construction is a fairly intuitive one: we use public-key encryptions to hide the content (including the input), oblivious (parallel) RAM to hide the access pattern, then we use  $\text{CiO}$  to obfuscate the PKE and ORAM/OPRAM compiled program. Namely, our  $\mathcal{RE}$  encoder outputs  $\tilde{\Pi} = \text{CiO}(P_{\text{hide}}, x_{\text{hide}})$ , where  $P_{\text{hide}}$  is a PKE and ORAM/OPRAM compiled version of  $P$ , and  $x_{\text{hide}}$  is an encrypted version of  $x$ . At each time step,  $P_{\text{hide}}$  outputs encrypted CPU states and memory contents, and uses ORAM/OPRAM to compile its memory access (with randomness supplied by puncturable PRF for succinctness).

Note that for this to work, the decryption keys need to be hardwired in  $P_{\text{hide}}$  to evaluate  $P(x)$ , so semantic security may not hold. Further note that ORAM/OPRAM only hides the access pattern when the CPU state and memory contents are hidden from the adversary. This is unlikely to argue unless the obfuscation is virtual black-box [BGI<sup>+</sup>01] secure, and  $\text{CiO}$  (just like  $\text{iO}$ ) does not hide anything by itself. Indeed, hiding the access pattern is the major technical challenge.

### 2.2.1 $\mathcal{RE}$ for Oblivious RAM Computation

We first focus on the simpler case of  $\mathcal{RE}$  for *oblivious* RAM computation where the given RAM computation instance  $\Pi = (P, x)$  has oblivious access pattern. Namely, we assume that there is a public function  $\text{ap}(t)$  that predicts the memory access at each time step  $t$ , to be given to the simulator.

For this simpler case, we do not need to use oblivious RAM to hide the access pattern. We can directly use existing techniques [KLW15] to hide the content of CPU state and memory using PKE. In fact, their machine-hiding encoding for TM [KLW15] based on  $\text{iO}$  for circuits can be modified in a straightforward way to yield  $\mathcal{RE}$  for oblivious RAM computation. Our construction presented below can be viewed as a modularization and

simplification of their construction through our  $\text{CiO}$  notion.

Recall that our construction is of the form  $\mathcal{RE}.\text{Encode}(\Pi) = \text{CiO}(P_{\text{hide}}, x_{\text{hide}})$ , where  $P_{\text{hide}}$  is a compiled version of  $P$ , and  $x_{\text{hide}}$  is an encrypted version of  $x$ . Here, we only use PKE to compile  $P$ , and denote the compiled program as  $P_{\text{PKE}}$  instead of  $P_{\text{hide}}$ . We also denote the encrypted input by  $x_{\text{PKE}}$  instead of  $x_{\text{hide}}$ . At a high level,  $P_{\text{PKE}}$  emulates  $P$  step by step, but instead of outputting the CPU state and memory content in clear,  $P_{\text{PKE}}$  outputs an encrypted version of them.  $P_{\text{PKE}}$  also expects encrypted CPU states and memory contents as input, and emulates  $P$  by first decrypting these inputs. A key idea here (following [KLW15]) is to encrypt each message (either a CPU state or a memory cell) using different keys, and generate these keys (as well as encryption randomness) using puncturable PRF (PPRF), which allows us to use a standard puncturing argument (extended to work with  $\text{CiO}$  instead of  $i\text{O}$ ) to move to a hybrid where semantic security holds for a particular message so that we can “erase” the message.

To make sure that each key is used to encrypt a single message, at time step  $t$ ,  $P_{\text{PKE}}$  encrypts output state and memory using the “ $t$ -th” keys, generated by PPRF with input  $t$  (and some additional information to distinguish between state and memory). Likewise  $x_{\text{PKE}}$  contains encryption of the initial memory  $x$  with different keys for each memory cell. For decrypting the input memory,  $P_{\text{PKE}}$  needs to know which secret key to use. This can be addressed by simply storing the time tag  $t$  with the encrypted memory (as a single memory cell). Namely, each memory cell for  $P_{\text{PKE}}$  contains an encryption  $\text{ct}_{\text{mem}}$  together with a time tag  $t$ . We remark that we do not need to add any authentication mechanism, since our goal is hiding (as opposed to authentication) and (intuitively) the security of  $\text{CiO}$  helps us to reason about hiding  $\tilde{P}$  up to its computation trace.

We now turn to discuss security proof of the above construction. At a high level, we prove the security by a sequence of hybrids that “erase” the computation *backward in time*, which leads to a simulated encoding  $\text{CiO}(P_{\text{Sim}}, x_{\text{Sim}})$  where all encryptions generated by  $P_{\text{Sim}}$  as well as in  $x_{\text{Sim}}$  are replaced by encryptions of a special dummy symbol. More precisely,  $P_{\text{Sim}}$  simulates the access pattern using the public access function  $\text{ap}$ . For each time step  $t < t^*$ ,  $P_{\text{Sim}}$  simply ignores the input and outputs encryptions of dummy (for both CPU state and memory content), and outputs  $y$  at time step  $t = t^*$ .<sup>11</sup>

By erasing the computation backward in time, we consider intermediate hybrids  $\mathbf{Hyb}_i$  where the computations of the first  $i$  time steps are real, and those of the remaining time steps are simulated. Namely,  $\mathbf{Hyb}_i$  is a hybrid encoding  $\text{CiO}(P_{\mathbf{Hyb}_i}, x_{\text{PKE}})$ , where  $P_{\mathbf{Hyb}_i}$  acts as  $P_{\text{PKE}}$  in the first  $i$  time steps, and acts as  $P_{\text{Sim}}$  in the remaining time steps. To argue indistinguishability of  $\mathbf{Hyb}_i$  and  $\mathbf{Hyb}_{i-1}$ , which corresponds to erasing the computation at the  $i$ -th time step, the key observation is that the  $i$ -th decryption key is *not* used in the honest evaluation, which allows us to replace the output of the  $i$ -th time step by an encryption of dummy through a puncturing argument. We can then further remove the computation at the  $i$ -th time step readily by  $\text{CiO}$  security.

In more details, to move from  $\mathbf{Hyb}_i$  to  $\mathbf{Hyb}_{i-1}$ , we further consider an intermediate hybrid  $\mathbf{Hyb}'_i$  where the output of the  $i$ -th time step is replaced by an encryption of dummy, but the real computation is still performed. Namely, at the  $i$ -th time step,  $P_{\mathbf{Hyb}'_i}$  in  $\mathbf{Hyb}'_i$  still decrypts the input and emulates  $P$ , but replaces the output by an encryption of dummy. Note that indistinguishability of  $\mathbf{Hyb}'_i$  and  $\mathbf{Hyb}_{i-1}$  follows immediately by observing that  $(P_{\mathbf{Hyb}'_i}, x_{\text{PKE}})$  and  $(P_{\mathbf{Hyb}_{i-1}}, x_{\text{PKE}})$  have identical computation trace, and  $\text{CiO}$  security.

To argue indistinguishability of  $\mathbf{Hyb}_i$  and  $\mathbf{Hyb}'_i$ , we note that the  $i$ -th decryption key is *not* used in the honest evaluation, since the computation after time step  $i$  is erased. Thus, we can puncture the randomness and erase the decryption key from the program (which uses  $\text{CiO}$  security as well), and (from  $\mathbf{Hyb}_i$ ) reach to a hybrid where semantic security holds for the output encryption at time step  $i$ . We can then replace the encryption by dummy and undo the puncturing to reach  $\mathbf{Hyb}'_i$ .

There remain some details to complete the proof. First, the real encoding  $\text{CiO}(P_{\text{PKE}}, x_{\text{PKE}})$  and  $\mathbf{Hyb}_{t^*-1}$  have identical computation trace, so indistinguishability follows by  $\text{CiO}$  security. Second, moving from  $\mathbf{Hyb}_0$  to the simulated encoding  $\text{CiO}(P_{\text{Sim}}, x_{\text{Sim}})$  requires to replace  $x_{\text{PKE}}$  by  $x_{\text{Sim}}$ , which can be done by a similar

<sup>11</sup>We remind the reader that here we only consider honest evaluation of  $P_{\text{Sim}}$  on  $x_{\text{Sim}}$ . Any “dishonest” evaluation is “taken care of” by  $\text{CiO}$  security.

puncturing argument.

## 2.2.2 $\mathcal{RE}$ for General RAM Computation

We now deal with the main challenge of hiding access pattern by using oblivious RAM (ORAM). Recall that an ORAM compiler compiles a RAM program by replacing each memory access by a *randomized* procedure  $\text{OACCESS}$  that implements memory access in a way that hides the access pattern.<sup>12</sup> Given a computation instance  $\Pi = (P, x)$ , we first compile  $P$  using an ORAM compiler with randomness supplied by puncturable PRF. Let  $P_{\text{ORAM}}$  denote the compiled program. We also initiate the ORAM memory by inserting the input  $x$ . Let  $x_{\text{ORAM}}$  denote the resulting memory. We then compile  $(P_{\text{ORAM}}, x_{\text{ORAM}})$  using PKE in the same way as in Section 2.2.1. Namely, we use PPRF to generate multiple keys, and use each key to encrypt a single message, including the initial memory  $x_{\text{ORAM}}$ . Denote the resulting instance by  $(P_{\text{hide}}, x_{\text{hide}})$ . Our randomized encoding of  $\Pi$  is  $\text{CiO}(P_{\text{hide}}, x_{\text{hide}})$ . However, as we discussed in the beginning of Section 2.2, it is unlikely that we can use the security of ORAM in a black-box way, since ORAM security only holds when the adversary does not learn any content of the computation. Indeed, recall in the previous section, we can only use puncturing argument to argue that semantic security holds *locally* for some encryption at a time.

We remark that the seminal work of Canetti et al. [CHJV15] encountered a similar technical problem in their construction of one-time RAM garbling scheme. Their construction has similar high level structure as ours, but based on a quite different machinery called asymmetrically constricted encapsulation (ACE) they built from  $\text{iO}$  for circuits. Canetti et al. provide a novel solution to this problem, but their garbling incurs dependency on the space complexity of the RAM program, and thus is not fully succinct.

In more details, their security proof established the indistinguishability of hybrids *forwards in time*: At a certain hybrid  $\text{Hyb}_i$ , they information-theoretically erase computation before time step  $i$ , simulate the memory access pattern, and hardwire the configuration of the  $(i + 1)$ -th step into the program, so as to faithfully perform the correct computation in the later steps. Moving to the  $(i + 1)$ -th hybrid relies on their *new* strong ORAM simulatability (which is satisfied by a specific ORAM construction [CP13] they use), which enables them to replace the actual memory access at time step  $(i + 1)$  by a simulated one. However, the ORAM security relies on the fact that the first  $i$  steps of computation are information-theoretically hidden, and thus the hybrids need to hardwire in an intermediate configuration of size proportion to the space complexity of the program. This memory content hardwiring forces their garbling scheme to be padded to a size depending on the space complexity of the program, making the scheme non-succinct in space.

Back to our construction, a natural approach to avoid dependency on space complexity is to establish indistinguishability of hybrids *backwards in time*, as in the previous section. Namely, we consider intermediate hybrids  $\text{Hyb}_i$  where the computations of the first  $i$  time steps are real, and those of the remaining time steps are simulated (appropriately). However, since the computation trace of the first  $(i - 1)$  time steps is real, it contains enough information to carry out the rest of the (deterministic) computation. In particular, the access pattern at time step  $i$  is deterministic, which means that we cannot replace it by a simulated access pattern.

**Our Solution — A Puncturing ORAM Technique for Simulation.** To solve this problem, we develop a *puncturing ORAM* technique to reason about the simulation for a specific ORAM construction [CP13] (referred to as CP ORAM hereafter).<sup>13</sup> At a very high level, to move from  $\text{Hyb}_i$  to  $\text{Hyb}_{i-1}$  (i.e., erase the computation at  $i$ -th time step), we “puncture” ORAM at time step  $i$  (i.e., the  $i$ -th memory access), which enables us to replace the access pattern by a simulated one at this time step. We can then move (from  $\text{Hyb}_i$ ) to  $\text{Hyb}_{i-1}$  by replacing the access pattern, erasing the content and computation, and undoing the “puncturing.”

<sup>12</sup>We remark that in contrast, for Turing machines (TM), one can make the access pattern oblivious by a *deterministic* oblivious TM compiler. This is the reason that [KLW15] does not need to address the issue of hiding access pattern for TM computation.

<sup>13</sup>We believe that our puncturing technique works for any tree-based ORAM constructions, but we work with CP ORAM for concreteness.



Roughly speaking, “puncturing” CP ORAM at  $i$ -th time step can be viewed as injecting a piece of “*puncturing*” code in OACCESS to erase the information about access pattern at time step  $i$  information-theoretically. In a bit more detail (but still at a very high level), the access pattern at time step  $i$  is generated at the latest time step  $t'$  that accesses the same memory location as time step  $i$ . The puncturing code simply removes the generation of this information at time step  $t'$ .

However, note that the last access time  $t'$  can be much smaller than  $i$ , so the puncturing may cause global changes in the computation. Thus, moving to the punctured mode requires a sequence of hybrids that modifies the computation step by step. We do so by further introducing an auxiliary “*partially puncturing*” code that punctures the information from certain threshold time step  $j \geq t'$ . The sequence of hybrids to move to the punctured code corresponds to moving the threshold  $j \leq i$  backwards from  $i$  to  $t'$ .

This completes the overview of our technique. We now proceed with more details. As we rely on CP ORAM, we start by a brief review of this construction and state our key observation for puncturing CP ORAM.

**Review of the CP ORAM Construction.** In a tree-based ORAM like CP ORAM, the memory is stored in a complete binary tree (called ORAM tree), where each node is associated with a bucket. A bucket is a vector with  $K$  elements, where each element is either a memory block<sup>14</sup>, or an unique symbol `dummy` stands for an empty slot. A position map  $pos$  records where each memory block is stored in the tree, i.e., a node somewhere along a path from the root to the leaf indexed by  $pos[\ell]$ . Each memory block  $\ell$  in the ORAM tree also stores its index  $\ell$  and position map value  $pos[\ell]$  as meta data. Each memory access to block  $\ell$  is performed by OACCESS, which (i) reads the position map value  $p = pos[\ell]$  and refreshes  $pos[\ell]$  to a random value, (ii) fetches and removes the block  $\ell$  (i.e., replace it by `dummy`) from the path, (iii) updates the block content and puts it back to the root (i.e., replace a `dummy` block by the updated memory block), and (iv) performs a flush operation along another random path  $p'$  to move the blocks down along  $p'$  (subject to the condition that each block is stored in the path specified by their position map value). At a high level, the security follows by the fact that the position map values are uniformly random and hidden from the adversary, and thus the access pattern of each OACCESS is simply two uniformly random paths, which is trivial to simulate.

The position map is large in the above construction, and is recursively outsourced to lower level ORAM structures to reduce its size. For illustration, we consider non-recursive version of the CP ORAM, where the large position map is stored in the CPU state. We handle the full-fledged recursive version in the technical section.

**Key Observation for “Puncturing” CP ORAM.** Consider the execution of an CP ORAM<sup>15</sup> compiled program which accesses memory block  $\ell$  in the  $i$ -th time step (corresponds to the  $i$ -th OACCESS call), the access pattern at this time step is determined by the position map value  $p = pos[\ell]$  at the time.<sup>16</sup> So, as long as this value  $p$  is information-theoretically hidden from the adversary, we can simulate the access pattern by a random path even if everything else is leaked to the adversary. On the other hand, the value is generated at the last access time  $t'$  of this block, which can be much smaller than  $i$ , stored in both the position map and the block  $\ell$  (as part of the meta data), and can be touched multiple times from time step  $t'$  to  $i$ . Thus, the value can appear many times in the computation trace of the evaluation.

Below is a more detailed sketch of the security proof to illustrate the puncturing ORAM technique in depth.

<sup>14</sup>A memory block is the smallest unit in CP ORAM, which consists of a fixed small number of memory cells.

<sup>15</sup>Ideally, it is desirable to formalize a “puncturable” property for ORAM or the CP ORAM construction, and use the property in the security proof. Unfortunately, it is unclear how to formalize such a property without referring to our actual  $\mathcal{RE}$  construction, since it is difficult to quantify what an adversary can learn from the  $\mathcal{CiO}$  obfuscation.

<sup>16</sup>We ignore the uniformly random path used in the flush operation here, which is trivial to simulate.



**$\mathcal{RE}$  Simulator and Backward-in-time Hybrids.** Our construction is  $\mathcal{RE}.Encode(\Pi) = \text{CiO}(P_{\text{hide}}, x_{\text{hide}})$ , where  $P_{\text{hide}}$  is PKE and CP ORAM compiled version of  $P$ . We construct simulated encoding  $\text{CiO}(P_{\text{Sim}}, x_{\text{Sim}})$  where  $P_{\text{Sim}}$  simulates  $P_{\text{hide}}$  for each time step of  $P(x)$  (corresponding to each  $\text{OACCESS}$  call), and it simulates the access pattern by two (pseudo-)random paths supplied by PPRF (with a (different) key used in simulation). For each access, it ignores the input and outputs encryptions of `dummy` (as before). Note that in the rest of this section, a time step refers to a time step of  $P(x)$ , as opposed to a time step of  $P_{\text{hide}}(x_{\text{hide}})$ .

We prove the security by a sequence of hybrids that erases the computation *backward in time*. Namely, we consider intermediate hybrids  $\mathbf{Hyb}_i$ , a hybrid encoding  $\text{CiO}(P_{\mathbf{Hyb}_i}, x_{\text{hide}})$  where  $P_{\mathbf{Hyb}_i}$  acts as  $P_{\text{hide}}$  for the first  $i$  time steps, and acts as  $P_{\text{Sim}}$  in the remaining time steps. A main step in the proof is to show indistinguishability of  $\mathbf{Hyb}_i$  and  $\mathbf{Hyb}_{i-1}$ , which corresponds to erasing the computation at the  $i$ -th time step. It is not hard to see that the outputs can be replaced by an encryption of `dummy` by a similar puncturing argument as in Section 2.2.1. To replace the access pattern, we define a *punctured* hybrid  $\mathbf{Hyb}_i^{\text{punct}}$  that punctures ORAM at time step  $i$ .

**A Punctured Hybrid  $\mathbf{Hyb}_i^{\text{punct}}$ .** Let  $\ell$  be the memory block accessed at the  $i$ -th time step of  $P(x)$ ,  $p = \text{pos}[\ell]$  be the position map value at the time, and  $t'$  be the last access time of block  $\ell$  before time step  $i$ . Following the above key observation, our goal is to move to a hybrid where the value  $p$  is information-theoretically erased. We do so by injecting a “puncturing” code that removes the generation of the value  $p$  at time step  $t'$ . More precisely, we define a punctured hybrid  $\mathbf{Hyb}_i^{\text{punct}}$  with a hybrid encoding  $\text{CiO}(P_{\mathbf{Hyb}_i^{\text{punct}}}, x_{\text{hide}})$  where  $P_{\mathbf{Hyb}_i^{\text{punct}}}$  is  $P_{\mathbf{Hyb}_i}$  with the following puncturing code added:

**Puncturing Code:** At time step  $t = t'$ , do not generate the value  $p$ , and instead of putting back the (encrypted) fetched block  $\ell$  to the root of the ORAM tree, an encryption of a dummy block is put back. Moreover, the position map value  $\text{pos}[\ell]$  is not updated. Additionally, the value  $p$  is hardwired, and is used to emulate the memory access at the  $i$ -th time step.

In other words, block  $\ell$  is deleted at time step  $t'$  and  $\text{pos}[\ell]$  remains to store the old value (used to fetch the block at time step  $t'$ ). So, in  $\mathbf{Hyb}_i^{\text{punct}}$ , the value  $p$  is information-theoretically hidden in the computation trace of the first  $i - 1$  time steps and is only used to determine the access pattern at time step  $i$ . We can then use puncturing arguments for PPRF to replace  $p$  by one generated by the simulation (as opposed to real) PPRF key.

We also note that since block  $\ell$  is not accessed before time step  $i$ , the computation trace of  $P_{\mathbf{Hyb}_i^{\text{punct}}}$  before time step  $i$  is identical to that of  $P_{\mathbf{Hyb}_i}$ , except that each time when  $P_{\mathbf{Hyb}_i}$  touches the block  $\ell$  (resp.,  $\text{pos}[\ell]$ ), it is replaced by a `dummy` block (resp., the old value) instead (though this can occur many times).

To complete the argument, we should argue indistinguishability between  $\mathbf{Hyb}_i$  and  $\mathbf{Hyb}_i^{\text{punct}}$ . However, for simplicity of exposition, we consider a simplified goal as follows.

**A Simplified Version  $\widehat{\mathbf{Hyb}}_i^{\text{punct}}$  of Puncturing Hybrid.** Here we consider a simplified version of  $\mathbf{Hyb}_i^{\text{punct}}$ , denoted by  $\widehat{\mathbf{Hyb}}_i^{\text{punct}}$ , where only the block  $\ell$  is removed but the  $\text{pos}[\ell]$  value is still updated at time step  $t'$ . Namely, the puncturing code is replaced by the following simplified version.

**Puncturing Code (Simplified):** At time step  $t = t'$ , instead of putting back (an encryption of) the fetched block  $\ell$  to the root of the ORAM tree, (an encryption of) a dummy block is put back.

We focus on indistinguishability between  $\mathbf{Hyb}_i$  and  $\widehat{\mathbf{Hyb}}_i^{\text{punct}}$  (i.e., “deleting” the block  $\ell$ ) to simplify the exposition. The  $\text{pos}[\ell]$  part can be addressed in a similar way to be detailed in the technical section.

**Moving from  $\mathbf{Hyb}_i$  to  $\widehat{\mathbf{Hyb}}_i^{\text{punct}}$ .** As discussed above, the computation traces of  $P_{\mathbf{Hyb}_i}$  and  $P_{\widehat{\mathbf{Hyb}}_i^{\text{punct}}}$  can differ in many time steps, where each occurrence of the (encrypted) block  $\ell$  is replaced by a dummy (encrypted) block. Thus, we cannot move from  $\mathbf{Hyb}_i$  to  $\widehat{\mathbf{Hyb}}_i^{\text{punct}}$  in one step, but requires a sequence of hybrids that

gradually modifies the computation trace of  $P_{\mathbf{Hyb}_i}$  to that of  $P_{\widehat{\mathbf{Hyb}}_i^{\text{p-punct}}}$  step by step, using puncturing arguments for PPRF and (local) semantic security of PKE (as in Section 2.2.1). One natural approach is to keep track of the differing places in the computation trace, and replace the (encrypted) block  $\ell$  by a (encrypted) dummy block one by one. This can indeed be done carefully by a sequence of hybrids backwards in time. However, when we consider parallel RAM computation, the difference of computation traces in the corresponding hybrids is more complicated, and it becomes tedious to keep track of the differences and modify them through hybrids.

We instead introduce an auxiliary “*partially puncturing*” code that punctures the information of  $p$  from certain threshold time step  $j \geq t'$ , and move from  $\mathbf{Hyb}_i$  to  $\widehat{\mathbf{Hyb}}_i^{\text{p-punct}}$  by a sequence of hybrids that moves the threshold  $j$  from  $i \geq j$  backwards to  $t'$ . Such a *code modification* technique can be generalized to handle corresponding hybrids in the PRAM setting.

**Partially Punctured Hybrids  $\widehat{\mathbf{Hyb}}_{i,j}^{\text{p-punct}}$ .** We define partially punctured hybrids  $\widehat{\mathbf{Hyb}}_{i,j}^{\text{p-punct}}$  indexed by a threshold time step  $j$ , where the underlying  $P_{\widehat{\mathbf{Hyb}}_i^{\text{p-punct}}}$  is  $P_{\mathbf{Hyb}_i}$  with the partially puncturing code below added:

**Partially Puncturing Code $[j]$ :** At any time step  $t > j$ , if the input CPU state or memory contains the block  $\ell$ , then replace it by a dummy block before performing the computation.

In other words,  $P_{\widehat{\mathbf{Hyb}}_{i,j}^{\text{p-punct}}}$  punctures the block  $\ell$  after threshold time step  $j$  by *deleting the block from its input*. We will see it is important that the code removes block  $\ell$  by deleting it from the input (as opposed to output).

**Moving from  $\widehat{\mathbf{Hyb}}_{i,j}^{\text{p-punct}}$  to  $\widehat{\mathbf{Hyb}}_{i,j-1}^{\text{p-punct}}$ .** We show indistinguishability between  $\mathbf{Hyb}_i$  and  $\widehat{\mathbf{Hyb}}_i^{\text{punct}}$  by moving the threshold  $j$  from  $i$  to  $t'$ . As the main step, we prove indistinguishability between  $\widehat{\mathbf{Hyb}}_{i,j}^{\text{p-punct}}$  to  $\widehat{\mathbf{Hyb}}_{i,j-1}^{\text{p-punct}}$ , which corresponds to deleting the block  $\ell$  from the input at time step  $j$ . Now there are two cases. If the input at the  $j$ -th time step does not contain the block  $\ell$ , then  $P_{\widehat{\mathbf{Hyb}}_{i,j}^{\text{p-punct}}}$  and  $P_{\widehat{\mathbf{Hyb}}_{i,j-1}^{\text{p-punct}}}$  have identical computation trace, and thus indistinguishability follows by CiO security. If the input contains the block  $\ell$ , then the computation traces can be different. We observe that, since the block  $\ell$  is not accessed at time step  $j$ , the difference is to correspondingly replace the (encrypted) block  $\ell$  by a dummy block in the output. Thus, to show indistinguishability, we use the puncturing PRF argument and semantic security of PKE to modify the output.

However, the situation here is more complicated. Previously, we only modify an encryption whose corresponding decryption key is not used in the honest computation, since the computation afterward is erased. Here, the encrypted output block can later be accessed by  $P_{\widehat{\mathbf{Hyb}}_{i,j}^{\text{p-punct}}}$  at some time step  $j < t < i$ , where the computation is not erased and thus the decryption key is still in use. Let  $ct$  be the encrypted output block  $\ell$  at the  $j$ -th time step, and  $sk$  be the corresponding decryption key. In order to replace the content of  $ct$ , we proceed in the following steps, which use the property that the partially puncturing code deletes the block  $\ell$  from the input:

- We first move to a hybrid where the block  $\ell$  is hardwired, and the decryption of  $ct$  is set to the hardwired value instead of decryption using  $sk$  so that the decryption key  $sk$  is not used.
- We then replace  $ct$  by an encryption of a dummy block using puncturing PRF argument and semantic security of PKE. Note that this creates inconsistency in that the decryption of  $ct$  is still set to the hardwired block  $\ell$ , as opposed to the dummy block.
- We now undo the hardwiring and use  $sk$  to decrypt  $ct$  again to reach  $\widehat{\mathbf{Hyb}}_{i,j-1}^{\text{p-punct}}$ . This fixes the inconsistency from the previous step. On the other hand, the decryption of  $ct$  is changed from the block  $\ell$  to dummy, so when  $ct$  is accessed in later time steps (after  $j$ ), the input block  $\ell$  is replaced by a dummy block. Here is the place we use the property of partially punctured code: after time step  $j$ , the input block

$\ell$  is replaced by a dummy block before the computation anyways. Thus, this change does not effect the computation trace, and indistinguishability follows by CiO security.

We can now argue indistinguishability of  $\mathbf{Hyb}_i$  to  $\widehat{\mathbf{Hyb}}_i^{\text{punct}}$ . Indistinguishability of  $\mathbf{Hyb}_i$  and  $\widehat{\mathbf{Hyb}}_{i,i}^{\text{p-punct}}$  follows from CiO security by observing that they have identical computation trace. The above argument allows us to move from  $\widehat{\mathbf{Hyb}}_{i,i}^{\text{p-punct}}$  to  $\widehat{\mathbf{Hyb}}_{i,t'}^{\text{p-punct}}$ . Now, note that the difference between  $\widehat{\mathbf{Hyb}}_{i,t'}^{\text{p-punct}}$  and  $\widehat{\mathbf{Hyb}}_i^{\text{punct}}$  is that the output block  $\ell$  at time step  $t'$  is replaced by a dummy block in the later hybrid. The indistinguishability follows by the same argument using PPRF, PKE, and the property of partially punctured code as above.

Recall that  $\widehat{\mathbf{Hyb}}_i^{\text{punct}}$  is a simplified version of punctured hybrid. To move to the actual punctured hybrid  $\mathbf{Hyb}_i^{\text{punct}}$ , we can apply the same argument to handle the value stored in  $\text{pos}[\ell]$ .

**Summarizing the Hybrids.** We summarize the long (nested) sequences of hybrids we discussed so far. Above we showed how to move from  $\mathbf{Hyb}_i$  to  $\mathbf{Hyb}_i^{\text{punct}}$ , which corresponds to puncturing ORAM at time step  $i$ . From  $\mathbf{Hyb}_i^{\text{punct}}$ , we can replace the output by encryption of dummy and replace the access pattern by a simulated one. We can then reach  $\mathbf{Hyb}_{i-1}$  by undo the puncturing.

Finally, we can complete the proof in a similar way as the previous section, where we move from the real encoding to  $\mathbf{Hyb}_{t^*-1}$  by CiO security, then move to  $\mathbf{Hyb}_0$  by the above puncturing ORAM technique, and then replace  $x_{\text{hide}}$  by  $x_{\text{sim}}$  using puncturable PRF and semantic security of PKE.

### 2.2.3 $\mathcal{RE}$ for PRAM Computation

Our construction of  $\mathcal{RE}$  for PRAM is the same as our construction of  $\mathcal{RE}$  for RAM, except that we replace the CP ORAM compiler by the OPRAM compiler of Boyle et al. [BCP14b] (referred to as BCP OPRAM hereafter), a generalization of tree-based ORAM to the parallel setting. Namely, given a PRAM computation instance  $\Pi$  defined by  $(P, x)$ , we first compile  $P$  into  $P_{\text{OPRAM}}$  using the BCP OPRAM compiler with randomness supplied by puncturable PRF. We also initiate the OPRAM memory by inserting the input  $x$ . Let  $x_{\text{OPRAM}}$  be the resulting memory. We then compile  $(P_{\text{OPRAM}}, x_{\text{OPRAM}})$  using PKE in the same way as in Section 2.2.1. A small difference here is that we also need to include CPU id as PPRF input to ensure single usage of each key. Denote the resulting instance by  $(P_{\text{hide}}, x_{\text{hide}})$ . Our randomized encoding of  $\Pi$  is  $\text{CiO}(P_{\text{hide}}, x_{\text{hide}})$ .

The security proof also follows identical steps, where we prove the security by a sequence of hybrids that erases the computation backward in time, and argue simulation of access patterns by generalizing the puncturing ORAM argument to puncturing BCP OPRAM. At a high level, the arguments generalize naturally with the following two differences: First, as the OPAccess algorithm of BCP OPRAM is more complicated, we need to be slightly careful in defining the simulated encoding  $\text{CiO}(P_{\text{sim}}, x_{\text{sim}})$ . Second, to avoid dependency on the number  $m$  of CPUs, we need to handle a single CPU at a time in the hybrids to puncture OPRAM.

**Review of BCP OPRAM Construction.** BCP OPRAM is a natural generalization of tree-based ORAM. Consider that each CPU  $j$  wants to access memory block  $\ell_j$  in a (parallel) memory access. At a high level<sup>17</sup>, the CPUs first communicate with each other to resolve the conflicts, and recursively invoke OPAccess to fetch and refresh the position map values. They then fetch the memory blocks from the path, put the blocks back, and flush the tree in parallel. Since the  $m$  CPUs want to access  $m$  paths  $p_j$  of the tree in parallel, they need to communicate with each other to avoid write conflicts. In the BCP OPRAM construction, the CPUs access the tree level by level, and in each level, they aggregate the access instructions, select representative to perform the access, and then distribute the answers via oblivious aggregation and oblivious multi-casting protocols.

<sup>17</sup>We refer the reader to [BCP14b] for further details.

**Simulated Encoding**  $\text{CiO}(P_{\text{Sim}}, x_{\text{Sim}})$ . As before,  $P_{\text{Sim}}$  simulates  $P_{\text{hide}}$  for each (parallel) time step of  $P(x)$ , and at each step  $P_{\text{Sim}}$  uses simulated access pattern and erases the computation by ignoring the input and outputs encryptions of dummy. Here, we need to simulate the parallel access pattern of  $\text{OPAccess}$ , which is more complicated and involves polylogarithmic time steps. In particular, the access pattern of the  $\text{OPAccess}$  depends on the paths  $p_j$ 's each CPU wants to access. If we still erase all the content step by step, we would not have enough information to simulate the second half access pattern of  $\text{OPAccess}$  once the content in the first half is erased. Nevertheless, the key observation here is that the access pattern is fully determined by the paths  $p_j$ 's each CPU wants to access, which are *public* information revealed in the execution. So, we can view these  $p_j$ 's as *public states* of  $\text{OPAccess}$ , and do not erase its content in the hybrids. In other words, we generate simulated path  $p_j$  for each CPU, and store them as public states to simulate the access pattern of  $\text{OPAccess}$ .

**Puncturing BCP OPRAM CPU by CPU.** As BCP OPRAM is a generalization of tree-based ORAM, it is not hard to see that the puncturing argument generalized to work for BCP OPRAM as well. Namely, it suffices to information-theoretically hide the values of the paths  $p_j$ 's to simulate the access pattern, and this can be done by injecting a puncturing code. Additionally, we observe that this can be done CPU by CPU. Namely, for each  $p_j$  accessed by CPU  $j$ , we can inject a puncturing code at the corresponding time step  $t'_j$  that the value  $p_j$  is generated, to remove the generation of  $p_j$ . Also, we can move to this punctured hybrid by a sequence of partially punctured hybrids as before, by gradually puncturing the value of  $p_j$  backwards in time, per time-step and per CPU. Upon reaching this punctured hybrid, we can switch  $p_j$  to a simulated one, undo the puncturing, and move to the next CPU. In this way, we switch the paths  $p_j$ 's to simulated version one by one, and never need to hardwire information of size depending on  $m$  throughout the hybrids, which maintain full succinctness.

Table 1: Summarizing efficiency of our schemes, where  $|F|$  denotes program size,  $n$  denotes input size,  $m$  denotes number of parallel CPUs,  $T$  and  $S$  denote time and space that  $F$  computes with input of size  $n$ . We denote polynomials or polylogarithmic functions as  $p$  or  $\log^c$  for short. We use  $\tilde{O}$  to ignore logarithmic factors.

Scheme	Compilation / Encoding Time	Compilation / Encoding Size	(Parallel) Evaluation / Decoding Time	Evaluation / Decoding Space
CiO-RAM <sup>18</sup>	$\tilde{O}(p( F ) + n \log S)$	$\tilde{O}(p( F ) + n)$	$\tilde{O}(T \log S)$	$\tilde{O}(S)$
CiO-PRAM <sup>19</sup>	$\tilde{O}(p( F  + \log m) + n \log S)$	$\tilde{O}(p( F  + \log m) + n)$	$\tilde{O}(T \log^c m \log S)$	$\tilde{O}(m + S)$
$\mathcal{RE}$ -RAM <sup>20</sup>	$\tilde{O}(p F  + n \log^c S)$	$\tilde{O}(p F  + n \log^c S)$	$\tilde{O}(T \log^c S)$	$\tilde{O}(S \log S)$
$\mathcal{RE}$ -PRAM <sup>21</sup>	$\tilde{O}(p( F  + \log m) + n \log^c S)$	$\tilde{O}(p( F  + \log m) + n \log^c S)$	$\tilde{O}(T \log^c m \log^c S)$	$\tilde{O}(m + S \log S)$




Figure 1: Illustrating an evaluation of “branch and combine” program, where each node is a step computation of either  $F_{\text{branch}}$  or  $F_{\text{combine}}$  with its CPU id denoted in a binary string, each arrow denotes dispatching an output to the input of another node. Dummy computations are omitted, and dispatching is performed in the evaluator.

<sup>18</sup>See Section 5.2 for details.

<sup>19</sup>See Section 6.7 for details.

<sup>20</sup>See Section 8.3 for details.

<sup>21</sup>See Section 9.2 for details.

### 3 Preliminaries

**Notations.** Let  $\lambda$  be the security parameter. Let  $\text{poly}$  be any polynomial. Let  $\text{negl}$  be any negligible function.

#### 3.1 Models of Computation

##### 3.1.1 Random-Access Machines (RAM)

A random-access machine (RAM) consists of a CPU with a local register  $\text{st}$  of size  $\log n$  and an external memory  $\text{mem} \in \{0, 1\}^n$ , where  $n = \text{poly}(\lambda)$ . A RAM program  $P$  with random-access to  $\text{mem}$  takes as input  $x \in \{0, 1\}^{\ell_{\text{input}}}$ , where  $\ell_{\text{input}} \leq n$ , and outputs  $y = P(x)$  as the result of the computation. During the computation, the CPU may access the memory multiple times using READ or WRITE operations:

- **READ**( $\text{loc}$ ): upon receiving a memory address  $\text{loc}$ , return the value  $\text{mem}[\text{loc}]$ .
- **WRITE**( $\text{loc}, \text{val}$ ): upon receiving a memory address  $\text{loc}$  and a value  $\text{val}$ , set  $\text{mem}[\text{loc}] := \text{val}$ .

In this work, we use both functional program and next-step program to present the RAM program, and we represent the above functional program  $P$  as a series of executions of a small next-step program  $F$  which executes a single CPU step:

$$(\text{st}^{\text{out}}, \text{loc}^{\text{out}}, \text{val}^{\text{out}}) = F(\text{st}^{\text{in}}, \text{loc}^{\text{in}}, \text{val}^{\text{in}}).$$

At each time step  $t$ , the CPU-step circuit takes as input an input state  $\text{st}^{\text{in}}$ , a location  $\text{loc}^{\text{in}}$ , and value  $\text{val}^{\text{in}} = \text{mem}[\text{loc}^{\text{in}}]$  read from the memory, and outputs an output state  $\text{st}^{\text{out}}$ , a location  $\text{loc}^{\text{out}}$  to be accessed, and value  $\text{val}^{\text{out}}$ .

By convention, at the first step (i.e. step 0), the next-step program is executed with  $\text{loc}^{\text{in}} = \perp$  and  $\text{val}^{\text{in}} = \perp$ . At each step, a copy of the next-step program is executed. If  $F$  issues a WRITE memory operation with  $\text{loc}^{\text{out}}$  and  $\text{val}^{\text{out}}$  specified, then the value  $\text{val}^{\text{out}}$  will be written to  $\text{mem}[\text{loc}^{\text{out}}]$ , and the evaluator sets  $\text{loc}^{\text{in}} = \perp$  and  $\text{val}^{\text{in}} = \perp$  for the next step. Else if  $F$  issues a READ memory operation with  $\text{loc}^{\text{in}}$  specified and  $\text{val}^{\text{out}} = \perp$ , then the evaluator sets  $\text{loc}^{\text{in}} = \text{loc}^{\text{out}}$ , and the location  $\text{loc}^{\text{in}}$  is read by setting  $\text{val}^{\text{in}} = \text{mem}[\text{loc}^{\text{in}}]$  for the next step.

There are two ways to define the output of the computation. The first approach is to interpret the output state of the last CPU-step circuit as the output of the computation, which limits the size of the output to  $\log n$ . The second approach is to interpret a pre-defined region of the external memory  $\text{mem}$  as the output of the computation. *For simplicity, we adopt in this work the first definition, but note that the second definition can also be adopted.*

##### 3.1.2 Parallel RAM (PRAM)

A parallel random-access machine (PRAM) consists of  $m$  CPUs, each with local memory register of size  $\log n$ , sharing an external memory  $\text{mem} \in \{0, 1\}^n$ , where  $n = \text{poly}(\lambda)$ . A RAM is simply a PRAM with  $m = 1$ . A PRAM program  $P$  has random-access to  $\text{mem}$ , takes as input  $x$  and outputs  $y = P(x)$  as the result of the computation. In general, a PRAM program utilizes a dynamic number of CPUs in each time step. In a simpler variant, it is assumed that the program always uses all the  $m$  CPUs.

Similar to a RAM program, a PRAM program can be represented by a series of executions of the next-step program  $F$ , but with the additional ability to execute  $m$  copies in parallel at each time step. For each CPU  $k \in [m]$ ,  $F$  computes a time step with its  $k$ th copy of state and memory operation, and an additional argument  $k$  denoting which CPU it is computing. That is, for each  $k \in [m]$

$$(\text{st}_k^{\text{out}}, \text{loc}_k^{\text{out}}, \text{val}_k^{\text{out}}) = F(k, \text{st}_k^{\text{in}}, \text{loc}_k^{\text{in}}, \text{val}_k^{\text{in}}).$$



The conflicts in read and write locations are resolved according to either the exclusive read exclusive write (EREW), concurrent read exclusive write (CREW), or concurrent read concurrent write (CRCW) strategy. For simpler analysis, we always assume that a PRAM *program*  $P$  follows the CREW rule, so that there must not be any conflicting writes. We further assume for simplicity (but equivalently) that all  $m$  CPUs read and write synchronously and alternatively, which yields a two-fold (parallel) time overhead because any CPU can at least issue a dummy access and defer the actual access to the next iteration.

Without loss of generality, the input  $x$  is stored in a pre-defined region of the external memory  $\text{mem}$ , and all initial states are the same value  $\perp$  for all CPUs. The output of the computation is the output state of the last CPU-step circuit of a specific CPU, which is defined similarly as that for RAM programs. All CPUs halt at the same time with a state  $\text{st} = (\text{halt}, \cdot)$ . There is a special CPU  $\text{cpu1}$  which always halts with result  $y$  by outputting  $\text{st} = (\text{halt}, y)$  while all other CPUs output  $\text{st} = (\text{halt}, \perp)$ .

In some occasions, we will assume additionally (but equivalently) that the CPUs can communicate with each other directly. Roughly speaking, such communication can be simulated by accessing the shared memory. We will explain the details when needed in Sections 6 and 9.

### 3.1.3 Memoryless PRAM ( $\text{PRAM}^-$ )

A simpler variant of PRAM is the memoryless PRAM (denoted as  $\text{PRAM}^-$ ), which consists of  $m$  CPUs, each with local memory register of size  $\log n$ , but without external memory. However, there are synchronous communications transmitting constant size messages between CPUs. Their communication pattern is assumed to be oblivious and, at each time step, each CPU only receives one message from one CPU and send one message to one other CPU.

Similar to the standard PRAM program, a  $\text{PRAM}^-$  program can be represented by a series of executions of the next-step circuit, but with the additional ability to execute multiple copies of the circuit at a time step, corresponding to the number of CPUs used in that time step. Unlike in PRAM, the input and output are both stored in the corresponding initial and final CPU states. We will explain the details when needed in Section 6.

Memoryless PRAM is strictly weaker than the standard PRAM, which can emulate  $\text{PRAM}^-$  with memory size  $m < n$  and emulates each communication by writing and reading memory cells.

## 3.2 Randomized Encoding ( $\mathcal{RE}$ )

Randomized encoding scheme  $\mathcal{RE}$  was originally introduced by Ishai and Kushilevitz [IK00]. Recently, Bitansky et al and Canetti et al studied  $\mathcal{RE}$  in the TM/RAM models [BGL<sup>+</sup>15, CHJV15]. Here we state the definition in the RAM model, as follows. We can similarly define  $\mathcal{RE}$  in the PRAM model.

A randomized encoding scheme  $\mathcal{RE}$  consists of algorithms  $\mathcal{RE} = \mathcal{RE}.\{\text{Encode}, \text{Decode}\}$  described below.

- $\mathcal{RE}.\text{Encode}(P, x, 1^\lambda) \rightarrow \text{ENC}$ : The encoding algorithm  $\text{Encode}$  is a randomized algorithm which takes as input the security parameter  $1^\lambda$ , the description of a RAM program  $P$  with time bound  $T$  and space bound  $S$ , and an input  $x$ . It outputs an encoding  $\text{ENC}$ .
- $\mathcal{RE}.\text{Decode}(\text{ENC}, 1^\lambda, T, S) \rightarrow y$ : The decoding algorithm  $\text{Decode}$  is a deterministic algorithm which takes as input the security parameter  $1^\lambda$ , time bound  $T$  and space bound  $S$ , and an encoding  $\text{ENC}$ . It outputs  $y = P(x)$  or  $\perp$ .

**Correctness.** A randomized encoding scheme  $\mathcal{RE}$  is said to be *correct* if

$$\Pr[\text{ENC} \leftarrow \mathcal{RE}.\text{Encode}(P, x, 1^\lambda); y \leftarrow \mathcal{RE}.\text{Decode}(\text{ENC}, 1^\lambda, T, S) : y = P(x)] = 1.$$

**Hiding.** A randomized encoding scheme  $\mathcal{RE}$  is said to be *hiding* if for all PPT adversary  $\mathcal{A}$ , program  $P$  with time bound  $T$  and space bound  $S$ , input value  $x$ , and output value  $y = P(x)$  that generated at termination time  $t^*$ , there exists a PPT simulator  $\mathcal{S}$  such that

$$\begin{aligned} & |\Pr[\widetilde{\text{ENC}} \leftarrow \mathcal{S}(1^{|P|}, 1^{|x|}, t^*, y, 1^\lambda, T, S) : \mathcal{A}(1^\lambda, \widetilde{\text{ENC}}) = 1] \\ & - \Pr[\text{ENC} \leftarrow \mathcal{RE}.\text{Encode}(P, x, 1^\lambda) : \mathcal{A}(1^\lambda, \text{ENC}) = 1]| \leq \text{negl}(\lambda). \end{aligned}$$

### 3.3 Building Blocks

#### 3.3.1 Iterators

An iterator [KLW15] is a cryptographic data structure which maintains a small iterator state regardless of the number of messages iterated. Although it is impossible for a small iterator state to uniquely identify a sequence of iterated messages, a secure iterator guarantees that normally generated public-parameters are computationally indistinguishable from specially constructed “enforcing” parameters, which ensures a particular iterator state to be obtainable only by iterating a specific message to another specific iterator state. Such a localized property can be achieved information-theoretically by fixing the enforcement ahead of time.

**Syntax.** An iterator  $\text{ltr}$  with message space  $\mathcal{M}_\lambda = \{0, 1\}^{\text{poly}(\lambda)}$  and state space  $\mathcal{S}_\lambda$  consists of three algorithms -  $\text{ltr}.\{\text{Setup}, \text{SetupEnforcerIterate}, \text{Iterate}\}$ , defined below.

- $\text{ltr}.\text{Setup}(1^\lambda, T)$ : The setup algorithm takes as input the security parameter  $\lambda$  (in unary), and an integer bound  $T$  (in binary) on the number of iterations. It outputs public parameters  $\text{pp}_{\text{ltr}}$  and an initial state  $v^0 \in \mathcal{S}_\lambda$ .
- $\text{ltr}.\text{SetupEnforcerIterate}(1^\lambda, T, \mathbf{m})$ : The enforced setup algorithm takes as input the security parameter  $\lambda$  (in unary), an integer bound  $T$  (in binary), and a vector of messages  $\mathbf{m} = (m^1, \dots, m^k)$ . It outputs public parameters  $\text{pp}_{\text{ltr}}$  and an initial state  $v^0 \in \mathcal{S}_\lambda$ .
- $\text{ltr}.\text{Iterate}(\text{pp}_{\text{ltr}}, v^{\text{in}}, m)$ : The iterate algorithm takes as input the public parameters  $\text{pp}_{\text{ltr}}$ , a state  $v^{\text{in}}$ , and a message  $m \in \mathcal{M}_\lambda$ . It outputs a state  $v^{\text{out}} \in \mathcal{S}_\lambda$ .

For presentation convenience, we use the notation  $\text{ltr}.\text{Iterate}^j(\text{pp}_{\text{ltr}}, v^0, (m^1, \dots, m^j))$  to denote  $v^j$  where  $v^j \leftarrow \text{ltr}.\text{Iterate}(\text{pp}_{\text{ltr}}, v^{j-1}, m^j)$  for all  $j \in [k]$ .

**Security.** Let  $\text{ltr} = \text{ltr}.\{\text{Setup}, \text{SetupEnforcerIterate}, \text{Iterate}\}$ , be an iterator with message space  $\mathcal{M}_\lambda$  and state space  $\mathcal{S}_\lambda$ . We require the following notions of security.

**Definition 3.1** (Indistinguishability of Setup). *An iterator  $\text{ltr}$  is said to satisfy indistinguishability of Setup phase if any PPT adversary  $\mathcal{A}$ 's advantage in the security game  $\text{Exp-Setup-Itr}(1^\lambda, \text{ltr}, \mathcal{A})$  is at most negligible in  $\lambda$ , where  $\text{Exp-Setup-Itr}$  is defined as follows.*

$\text{Exp-Setup-Itr}(1^\lambda, \text{ltr}, \mathcal{A})$

1. The adversary  $\mathcal{A}$  chooses a bound  $N \in \Theta(2^\lambda)$  and sends it to the challenger.
2.  $\mathcal{A}$  sends  $\mathbf{m}$  to the challenger, where  $\mathbf{m} = (m^1, \dots, m^k) \in (\mathcal{M}_\lambda)^k$ .
3. The challenger chooses a bit  $b$ . If  $b = 0$ , the challenger outputs  $(\text{pp}_{\text{ltr}}, v^0) \leftarrow \text{ltr}.\text{Setup}(1^\lambda, T)$ . Else, it outputs  $(\text{pp}_{\text{ltr}}, v^0) \leftarrow \text{ltr}.\text{SetupEnforcerIterate}(1^\lambda, T, \mathbf{m})$  where  $\mathbf{m} = (m^1, \dots, m^k) \in (\mathcal{M}_\lambda)^k$ .
4.  $\mathcal{A}$  sends a bit  $b'$ .

$\mathcal{A}$  wins the security game if  $b = b'$ .

**Definition 3.2** (Enforcing). Consider any  $\lambda \in \mathbb{N}, T \in \Theta(2^\lambda), \mathbf{m} = (m^1, \dots, m^k) \in (\mathcal{M}_\lambda)^k$ . Let  $(\text{pp}_{\text{ltr}}, v^0) \leftarrow \text{SetupEnforcerIterate}(1^\lambda, T, \mathbf{m})$  and  $v^j = \text{ltr.Iterate}^j(\text{pp}_{\text{ltr}}, v^0, (m^1, \dots, m^k))$  for all  $j \in [k]$ . Then,  $\text{ltr} = \text{ltr}.\{\text{Setup}, \text{SetupEnforcerIterate}, \text{Iterate}\}$  is said to be enforcing if

$$v^k = \text{ltr.Iterate}(\text{pp}_{\text{ltr}}, v', m') \Rightarrow (v', m') = (v^{k-1}, m^k).$$

Note that this is an information-theoretic property.

### 3.3.2 Positional Accumulators

A positional accumulator [KLW15] is a cryptographic data structure which maintains a relatively large storage with a short accumulator value. The accumulator is designed in such a way that, given the last accumulator value and some new modification to the storage, a new accumulator value can be computed efficiently. While the accumulator value does not contain all the information about the storage, a “helper” algorithm allows the (untrusted) storage party who is maintaining the full storage to help the (restricted) computation party that has the accumulator value recover any data stored in arbitrary location. A positional accumulator for message space  $\mathcal{M}_\lambda$  consists of the following algorithms.

#### Syntax.

- $\text{Acc.Setup}(1^\lambda, S)$ : The setup algorithm takes as input the security parameter  $\lambda$  (in unary), and an integer bound  $S$  (in binary) on the number of iterations. It outputs public parameters  $\text{pp}_{\text{Acc}}$  and an initial accumulator value  $w^0$  and an initial storage value  $\text{store}^0$ .
- $\text{Acc.SetupEnforceRead}(1^\lambda, S, (m_1, \text{index}_1), \dots, (m_k, \text{index}_k), \text{index}^*)$ : The setup enforce-read algorithm takes as input the security parameter  $\lambda$  (in unary), an integer bound  $S$  (in binary) representing the maximum number of values that can be stored, and a vector of symbol-index pairs where each index is in  $\{0, \dots, S-1\}$ , and an additional  $\text{index}^*$  also in  $\{0, \dots, S-1\}$ . It outputs public parameters  $\text{pp}_{\text{Acc}}$  and an initial accumulator value  $w^0$  and an initial storage value  $\text{store}^0$ .
- $\text{Acc.SetupEnforceWrite}(1^\lambda, S, (m_1, \text{index}_1), \dots, (m_k, \text{index}_k))$ : The setup enforce-write algorithm takes as input the security parameter  $\lambda$  (in unary), an integer bound  $S$  (in binary) representing the maximum number of values that can be stored, and a vector of symbol-index pairs where each index is in  $\{0, \dots, S-1\}$ . It outputs public parameters  $\text{pp}_{\text{Acc}}$  and an initial accumulator value  $w^0$  and an initial storage value  $\text{store}^0$ .
- $\text{Acc.PrepRead}(\text{pp}_{\text{Acc}}, \text{store}^{\text{in}}, \text{index})$ : The prep-read algorithm takes as input the public parameters  $\text{pp}_{\text{Acc}}$ , a storage value  $\text{store}^{\text{in}}$ , and an  $\text{index} \in \{0, \dots, S-1\}$ . It outputs a symbol  $m$  (that can be  $\emptyset$ ) and a value  $\pi$ .
- $\text{Acc.PrepWrite}(\text{pp}_{\text{Acc}}, \text{store}^{\text{in}}, \text{index})$ : The prep-write algorithm takes as input the public parameters  $\text{pp}_{\text{Acc}}$ , a storage value  $\text{store}^{\text{in}}$ , and an  $\text{index} \in \{0, \dots, S-1\}$ . It outputs an auxiliary value  $\text{aux}$ .
- $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, m_{\text{read}}, \text{index}, \pi)$ : The verify-read algorithm takes as input the public parameters  $\text{pp}_{\text{Acc}}$ , an accumulator value  $w^{\text{in}}$ , a symbol  $m_{\text{read}}$ , an  $\text{index} \in \{0, \dots, S-1\}$ , and a value  $\pi$ . It outputs True or False.
- $\text{Acc.WriteStore}(\text{pp}_{\text{Acc}}, \text{store}^{\text{in}}, \text{index}, m)$ : The write-store algorithm takes as input the public parameters  $\text{pp}_{\text{Acc}}$ , a storage value  $\text{store}^{\text{in}}$ , an  $\text{index} \in \{0, \dots, S-1\}$ , and a symbol  $m$ . It outputs a storage value  $\text{store}^{\text{out}}$ .

- $\text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, m_{\text{write}}, \text{index}, \pi)$ : The update algorithm takes as input the public parameters  $\text{pp}_{\text{Acc}}$ , an accumulator value  $w^{\text{in}}$ , a symbol  $m_{\text{write}}$ , an  $\text{index} \in \{0, \dots, S-1\}$ , and an auxiliary value  $\text{aux}$ . It outputs an accumulator value  $w^{\text{out}}$  or **Reject**.
- $\text{Acc.Combine}(\text{pp}_{\text{Acc}}, h_1, h_2, \text{index})$ : The update algorithm takes as input the public parameters  $\text{pp}_{\text{Acc}}$ , two hashes  $h_1, h_2 \in \{0, 1\}^\ell$ , an  $\text{index} \in \{0, 1\}^{<\lceil \log S \rceil}$ . It outputs another hash value  $h^{\text{out}} \in \{0, 1\}^\ell$ , which must be consistent with the output of  $\text{Acc.Update}$  after iterating over the whole storage  $\text{store}$ .

**Security.** Let  $\text{Acc} = \text{Acc}.\{\text{Setup}, \text{SetupEnforceRead}, \text{SetupEnforceWrite}, \text{PrepRead}, \text{PrepWrite}, \text{VerifyRead}, \text{WriteStore}, \text{Update}\}$  be an accumulator with message space  $\mathcal{M}_\lambda$  and state space  $\mathcal{S}_\lambda$ . We require the following notions of security.

**Definition 3.3** (Indistinguishability of Read-Setup). *A positional accumulator  $\text{Acc}$  is said to satisfy indistinguishability of Read-Setup phase if any PPT adversary  $\mathcal{A}$ 's advantage in the security game  $\text{Exp-Setup-Read}(1^\lambda, \text{ltr}, \mathcal{A})$  at most is negligible in  $\lambda$ , where  $\text{Exp-Setup-Read}$  is defined as follows.*

$\text{Exp-Setup-Read}(1^\lambda, \text{Acc}, \mathcal{A})$

1. The adversary  $\mathcal{A}$  chooses a bound  $S \in \Theta(2^\lambda)$  and sends it to challenger.
2.  $\mathcal{A}$  sends  $k$  messages  $m^1, \dots, m^k \in \mathcal{M}_\lambda$ , and  $k$  indexes  $\text{index}^1, \dots, \text{index}^k \in \{0, \dots, S-1\}$ .
3. The challenger chooses a bit  $b$ . If  $b = 0$ , the challenger outputs  $(\text{pp}_{\text{Acc}}, w^0, \text{store}^0) \leftarrow \text{Acc.Setup}(1^\lambda, S)$ . Else, it outputs  $(\text{pp}_{\text{Acc}}, w^0, \text{store}^0) \leftarrow \text{Acc.SetupEnforceRead}(1^\lambda, S, (m^1, \text{index}^1), \dots, (m^k, \text{index}^k))$ .
4.  $\mathcal{A}$  sends a bit  $b'$ .

$\mathcal{A}$  wins the security game if  $b = b'$ .

**Definition 3.4** (Indistinguishability of Write-Setup). *A positional accumulator  $\text{Acc}$  is said to satisfy indistinguishability of Write-Setup phase if any PPT adversary  $\mathcal{A}$ 's advantage in the security game  $\text{Exp-Setup-Write}(1^\lambda, \text{ltr}, \mathcal{A})$  at most is negligible in  $\lambda$ , where  $\text{Exp-Setup-Write}$  is defined as follows.*

$\text{Exp-Setup-Write}(1^\lambda, \text{Acc}, \mathcal{A})$

1. The adversary  $\mathcal{A}$  chooses a bound  $S \in \Theta(2^\lambda)$  and sends it to challenger.
2.  $\mathcal{A}$  sends  $k$  messages  $m^1, \dots, m^k \in \mathcal{M}_\lambda$ , and  $k$  indexes  $\text{index}^1, \dots, \text{index}^k \in \{0, \dots, S-1\}$ .
3. The challenger chooses a bit  $b$ . If  $b = 0$ , the challenger outputs  $(\text{pp}_{\text{Acc}}, w^0, \text{store}^0) \leftarrow \text{Acc.Setup}(1^\lambda, S)$ . Else, it outputs  $(\text{pp}_{\text{Acc}}, w^0, \text{store}^0) \leftarrow \text{Acc.SetupEnforceWrite}(1^\lambda, S, (m^1, \text{index}^1), \dots, (m^k, \text{index}^k))$ .
4.  $\mathcal{A}$  sends a bit  $b'$ .

$\mathcal{A}$  wins the security game if  $b = b'$ .

**Definition 3.5** (Read-Enforcing). *Consider any  $\lambda \in \mathbb{N}, S \in \Theta(2^\lambda), m^1, \dots, m^k \in \mathcal{M}_\lambda, \text{index}^1, \dots, \text{index}^k \in \{0, \dots, S-1\}$ , and any  $\text{index}^* \in \{0, \dots, S-1\}$ .*

*Let  $(\text{pp}_{\text{Acc}}, w^0, \text{store}^0) \leftarrow \text{Acc.SetupEnforceRead}(1^\lambda, S, (m^1, \text{index}^1), \dots, (m^k, \text{index}^k), \text{index}^*)$ .*

*For all  $j \in [k]$ , we defined  $\text{store}^j$  iteratively as  $\text{store}^j := \text{WriteStore}(\text{pp}_{\text{Acc}}, \text{store}^{j-1}, \text{index}^j, m^j)$ .*

*We similarly define  $\text{aux}^j$  and  $w^j$  iteratively as  $\text{aux}^j := \text{PrepWrite}(\text{pp}_{\text{Acc}}, \text{store}^{j-1}, \text{index}^j)$  and  $w^j := \text{Update}(\text{pp}_{\text{Acc}}, w^{j-1}, m^j, \text{index}^j, \text{aux}^j)$ .*

*Then,  $\text{Acc}$  is said to be read-enforcing if  $\text{VerifyRead}(\text{pp}_{\text{Acc}}, w^k, m, \text{index}^*, \pi) = 1$ , then either  $\text{index}^* \notin \{\text{index}^1, \dots, \text{index}^k\}$  and  $m = \emptyset$ , or  $m = m^i$  for the largest  $i \in [k]$  such that  $\text{index}^i = \text{index}^*$ .*

*Note that this is an information-theoretic property. We are requiring that for all other symbols  $m$ , values of  $\pi$  that would cause  $\text{VerifyRead}$  to output 1 at  $\text{index}^*$  do not exist.*

**Definition 3.6** (Write-Enforcing). Consider any  $\lambda \in \mathbb{N}$ ,  $S \in \Theta(2^\lambda)$ ,  $m^1, \dots, m^k \in \mathcal{M}_\lambda$ ,  $\text{index}^1, \dots, \text{index}^k \in \{0, \dots, S-1\}$ , and any  $\text{index}^* \in \{0, \dots, S-1\}$ .

Let  $(\text{pp}_{\text{Acc}}, w^0, \text{store}^0) \leftarrow \text{Acc.SetupEnforceRead}(1^\lambda, S, (m^1, \text{index}^1), \dots, (m^k, \text{index}^k), \text{index}^*)$ .

For all  $j \in [k]$ , we defined  $\text{store}^j$  iteratively as  $\text{store}^j := \text{WriteStore}(\text{pp}_{\text{Acc}}, \text{store}^{j-1}, \text{index}^j, m^j)$ . We similarly define  $\text{aux}^j$  and  $w^j$  iteratively as  $\text{aux}^j := \text{PrepWrite}(\text{pp}_{\text{Acc}}, \text{store}^{j-1}, \text{index}^j)$  and  $w^j := \text{Update}(\text{pp}_{\text{Acc}}, w^{j-1}, m^j, \text{index}^j, \text{aux}^j)$ .

Then,  $\text{Acc}$  is said to be read-enforcing if  $\text{Update}(\text{pp}_{\text{Acc}}, w^{k-1}, m^k, \text{index}^k, \text{aux}) = w^{\text{out}} \neq \text{Reject}$  for any  $\text{aux}$ , then  $w^{\text{out}} = w^k$ .

Note that this is an information-theoretic property. We are requiring that for all other symbols  $m$ , values of  $\pi$  that would cause  $\text{VerifyRead}$  to output 1 at  $\text{index}^*$  do not exist.

### 3.3.3 Splittable Signatures

Splittable signatures [KLW15] are normal signatures with additional algorithms and properties. In particular, the following keys are introduced:

- “All but one” keys function normally except for a particular message  $m^*$
- “One” keys function only for a particular message  $m^*$
- Reject-verification keys reject all signatures when used for verification

The security requirement of splittable signatures is weaker than that of normal signatures in the sense that no signing oracle is provided to the adversary. This weaker requirement is sufficient for applications and enables us to argue the indistinguishability between different types of verification keys.

**Syntax.** A splittable signature scheme  $\text{Spl}$  for message space  $\mathcal{M}_\lambda$  consists of the following algorithms:

- **Setup:** The setup algorithm is a randomized algorithm that takes as input the security parameter  $\lambda$  and outputs a signing key  $\text{sk}$ , a verification key  $\text{vk}$ , and reject-verification key  $\text{vk}_{\text{rej}}$
- **Sign:** The signing algorithm is a deterministic algorithm that takes as input a signing key  $\text{sk}$ , and a message  $m \in \mathcal{M}_\lambda$ . It outputs a signature  $\sigma$ .
- **Verify:** The verification algorithm is a deterministic algorithm that takes as input a verification key  $\text{vk}$ , signature  $\sigma$ , and a message  $m$ . It outputs either 0 or 1.
- **Split:** The splitting algorithm is randomized. It takes as input a secret key  $\text{sk}$  and a message  $m^* \in \mathcal{M}_\lambda$ . It outputs a signature  $\sigma_{\text{one}} \leftarrow \text{Sign}(\text{sk}, m^*)$ , a one-message verification key  $\text{vk}_{\text{one}}$ , an all-but-one signing key  $\text{sk}_{\text{abo}}$  and an all-but-one verification key  $\text{vk}_{\text{abo}}$ .
- **AboSign:** The all-but-one signing algorithm is deterministic. It takes as input an all-but-one signing key  $\text{sk}_{\text{abo}}$  and a message  $m$ , and outputs a signature  $\sigma$ .

**Correctness.** Let  $m^* \in \mathcal{M}_\lambda$  be any message. Let  $(\text{sk}, \text{vk}, \text{vk}_{\text{rej}}) \leftarrow \text{Spl.Setup}(1^\lambda)$  and  $(\sigma_{\text{one}}, \text{vk}_{\text{one}}, \text{sk}_{\text{abo}}, \text{vk}_{\text{abo}}) \leftarrow \text{Spl.Split}(\text{sk}, m^*)$ . Then, we require the following correctness properties:

1. For all  $m \in \mathcal{M}_\lambda$ ,  $\text{Spl.Verify}(\text{vk}, m, \text{Spl.Sign}(\text{sk}, m)) = 1$ .
2. For all  $m \in \mathcal{M}_\lambda$ ,  $m \neq m^*$ ,  $\text{Spl.Sign}(\text{sk}, m) = \text{Spl.AboSign}(\text{sk}_{\text{abo}}, m)$ .
3. For all  $\sigma$ ,  $\text{Spl.Verify}(\text{vk}, m^*, \sigma) = \text{Spl.Verify}(\text{vk}, m^*, \sigma)$ .

4. For all  $m \neq m^*$  and  $\sigma$ ,  $\text{Spl.Verify}(\text{vk}, m, \sigma) = \text{Spl.Verify}(\text{vk}_{\text{abo}}, m, \sigma)$ .
5. For all  $m \neq m^*$  and  $\sigma$ ,  $\text{Spl.Verify}(\text{vk}_{\text{one}}, m, \sigma) = 0$ .
6. For all  $\sigma$ ,  $\text{Spl.Verify}(\text{vk}_{\text{abo}}, m^*, \sigma) = 0$ .
7. For all  $\sigma$  and all  $m \in \mathcal{M}_\lambda$ ,  $\text{Spl.Verify}(\text{vk}_{\text{rej}}, m, \sigma) = 0$ .

**Security.** We will now define the security notions for splittable signature schemes. Each security notion is defined in terms of a security game between a challenger and an adversary  $\mathcal{A}$ .

**Definition 3.7** ( $\text{vk}_{\text{rej}}$  indistinguishability). *A splittable signature scheme  $\text{Spl}$  is said to be  $\text{vk}_{\text{rej}}$  indistinguishable if any PPT adversary  $\mathcal{A}$  has negligible advantage in the following security game:*

**Exp- $\text{vk}_{\text{rej}}$** ( $1^\lambda, \text{Spl}, \mathcal{A}$ )

1. The challenger computes  $(\text{sk}, \text{vk}, \text{vk}_{\text{rej}}) \leftarrow \text{Setup}$ . It chooses a bit  $b \in \{0, 1\}$ . If  $b = 0$ , the challenger sends  $\text{vk}$  to  $\mathcal{A}$ . Else, it sends  $\text{vk}_{\text{rej}}$  to  $\mathcal{A}$ .
2.  $\mathcal{A}$  sends a bit  $b'$ .

$\mathcal{A}$  wins if  $b = b'$ .

**Definition 3.8** ( $\text{vk}_{\text{one}}$  indistinguishability). *A splittable signature scheme  $\text{Spl}$  is said to be  $\text{vk}_{\text{one}}$  indistinguishable if any PPT adversary  $\mathcal{A}$  has negligible advantage in the following security game:*

**Exp- $\text{vk}_{\text{one}}$** ( $1^\lambda, \text{Spl}, \mathcal{A}$ )

1.  $\mathcal{A}$  sends a message  $m^* \in \mathcal{M}_\lambda$ .
2. The challenger computes  $(\text{sk}, \text{vk}, \text{vk}_{\text{rej}}) \leftarrow \text{Setup}$ , and computes  $(\sigma_{\text{one}}, \text{vk}_{\text{one}}, \text{sk}_{\text{abo}}, \text{vk}_{\text{abo}}) \leftarrow \text{Split}(\text{sk}, m^*)$ . It chooses a bit  $b \in \{0, 1\}$ . If  $b = 0$ , the challenger sends  $(\sigma_{\text{one}}, \text{vk}_{\text{one}})$  to  $\mathcal{A}$ . Else, it sends  $(\sigma_{\text{one}}, \text{vk})$  to  $\mathcal{A}$ .
3.  $\mathcal{A}$  sends a bit  $b'$ .

$\mathcal{A}$  wins if  $b = b'$ .

**Definition 3.9** ( $\text{vk}_{\text{abo}}$  indistinguishability). *A splittable signature scheme  $\text{Spl}$  is said to be  $\text{vk}_{\text{abo}}$  indistinguishable if any PPT adversary  $\mathcal{A}$  has negligible advantage in the following security game:*

**Exp- $\text{vk}_{\text{abo}}$** ( $1^\lambda, \text{Spl}, \mathcal{A}$ )

1.  $\mathcal{A}$  sends a message  $m^* \in \mathcal{M}_\lambda$ .
2. The challenger computes  $(\text{sk}, \text{vk}, \text{vk}_{\text{rej}}) \leftarrow \text{Setup}$ , and computes  $(\sigma_{\text{one}}, \text{vk}_{\text{one}}, \text{sk}_{\text{abo}}, \text{vk}_{\text{abo}}) \leftarrow \text{Split}(\text{sk}, m^*)$ . It chooses a bit  $b \in \{0, 1\}$ . If  $b = 0$ , the challenger sends  $(\text{sk}_{\text{abo}}, \text{vk}_{\text{abo}})$  to  $\mathcal{A}$ . Else, it sends  $(\text{sk}_{\text{abo}}, \text{vk})$  to  $\mathcal{A}$ .
3.  $\mathcal{A}$  sends a bit  $b'$ .

$\mathcal{A}$  wins if  $b = b'$ .

**Definition 3.10** (Splitting indistinguishability). *A splittable signature scheme  $\text{Spl}$  is said to be splitting indistinguishable if any PPT adversary  $\mathcal{A}$  has negligible advantage in the following security game:*

**Exp- $\text{vk}_{\text{abo}}$** ( $1^\lambda, \text{Spl}, \mathcal{A}$ )



1.  $\mathcal{A}$  sends a message  $m^* \in \mathcal{M}_\lambda$ .
2. The challenger computes  $(\text{sk}, \text{vk}, \text{vk}_{\text{rej}}) \leftarrow \text{Setup}(1^\lambda)$ ,  $(\text{sk}', \text{vk}', \text{vk}'_{\text{rej}}) \leftarrow \text{Setup}(1^\lambda)$ , and computes  $(\sigma_{\text{one}}, \text{vk}_{\text{one}}, \text{sk}_{\text{abo}}, \text{vk}_{\text{abo}}) \leftarrow \text{Split}(\text{sk}, m^*)$ ,  $(\sigma'_{\text{one}}, \text{vk}'_{\text{one}}, \text{sk}'_{\text{abo}}, \text{vk}'_{\text{abo}}) \leftarrow \text{Split}(\text{sk}', m^*)$ . It chooses a bit  $b \in \{0, 1\}$ . If  $b = 0$ , the challenger sends  $(\sigma_{\text{one}}, \text{vk}_{\text{one}}, \text{sk}_{\text{abo}}, \text{vk}_{\text{abo}})$  to  $\mathcal{A}$ . Else, it sends  $(\sigma'_{\text{one}}, \text{vk}'_{\text{one}}, \text{sk}_{\text{abo}}, \text{vk}_{\text{abo}})$  to  $\mathcal{A}$ .
3.  $\mathcal{A}$  sends a bit  $b'$ .

$\mathcal{A}$  wins if  $b = b'$ .

### 3.3.4 Indistinguishability Obfuscation for Circuits

**Definition 3.11** (Indistinguishability Obfuscation for Circuits [GGH<sup>+</sup>13, SW14]). Let  $\mathcal{C} = \{\mathcal{C}_\lambda\}_{\lambda \in \mathbb{N}}$  be a family of polynomial-size circuits. Let  $i\mathcal{O}$  be a uniform PPT algorithm that takes as input the security parameter  $\lambda$ , a circuit  $C \in \mathcal{C}_\lambda$  and outputs a circuit  $C'$ .  $i\mathcal{O}$  is called an indistinguishability obfuscator for a circuit class  $\{\mathcal{C}_\lambda\}_{\lambda \in \mathbb{N}}$  if it satisfies the following conditions:

- (Preserving Functionality.) For all security parameters  $\lambda \in \mathbb{N}$ , for all circuits  $C \in \mathcal{C}_\lambda$ , for all inputs  $x$ , we have that  $C'(x) = C(x)$  where  $C' \leftarrow i\mathcal{O}(1^\lambda, C)$ .
- (Indistinguishability of Obfuscation.) For any (not necessarily uniform) PPT distinguisher  $\mathcal{B} = (\text{Samp}, \mathcal{D})$ , there exists a negligible function  $\text{negl}(\cdot)$  such that the following holds: if for all security parameters  $\lambda \in \mathbb{N}$ ,  $\Pr[\forall x, C_0(x) = C_1(x) : (C_0; C_1; \sigma) \leftarrow \text{Samp}(1^\lambda)] > 1 - \text{negl}(\lambda)$ , then

$$\begin{aligned} & |\Pr[\mathcal{D}(\sigma, i\mathcal{O}(1^\lambda, C_0)) = 1 : (C_0; C_1; \sigma) \leftarrow \text{Samp}(1^\lambda)] - \\ & \Pr[\mathcal{D}(\sigma, i\mathcal{O}(1^\lambda, C_1)) = 1 : (C_0; C_1; \sigma) \leftarrow \text{Samp}(1^\lambda)]| \leq \text{negl}(\lambda). \end{aligned}$$

In addition, we require the efficiency of the input circuit to be preserved.

- (Preserving Efficiency.) For all security parameters  $\lambda \in \mathbb{N}$ , for all circuits  $C \in \mathcal{C}_\lambda$ , we have that  $|C'| = \text{poly}(\lambda)|C|$  where  $C' \leftarrow i\mathcal{O}(1^\lambda, C)$ .

### 3.3.5 Puncturable Pseudorandom Functions

Puncturable Pseudorandom Functions [BW13, BGI14, KPTZ13, SW14] since introduced, have proven to be very powerful. We here review the definition.

**Syntax.** A function  $\text{Prf} : \mathcal{K} \times \mathcal{X} \rightarrow \mathcal{Y}$  is a puncturable pseudorandom function if there is an additional key space  $\mathcal{K}_{\text{punct}}$  and three polynomial time algorithms  $\text{PPRF.Setup}$ ,  $\text{PPRF.Puncture}$ , and  $\text{PPRF.Eval}$  as follows:

- $\text{PPRF.Setup}(1^\lambda)$  is a randomized algorithm that takes the security parameter  $\lambda$  as input, and outputs a description of the key space  $\mathcal{K}$ , the punctured key space  $\mathcal{K}_{\text{punct}}$ , and the function  $\text{Prf}$ .
- $\text{PPRF.Puncture}(K, x)$  is a randomized algorithm that takes as input a PRF key  $K \in \mathcal{K}$  and  $x \in \mathcal{X}$ , and outputs a key  $K\{x\} \in \mathcal{K}_{\text{punct}}$ .
- $\text{PPRF.Eval}(K\{x\}, x')$  is a deterministic algorithm that takes as input a punctured key  $K\{x\} \in \mathcal{K}_{\text{punct}}$  and  $x' \in \mathcal{X}$ . Let  $K \in \mathcal{K}$ ,  $x \in \mathcal{X}$  and  $K\{x\} \leftarrow \text{PPRF.Puncture}(K, x)$ . For correctness, we require:

$$\text{PPRF.Eval}(K\{x\}, x') = \begin{cases} \text{Prf}(K, x') & \text{if } x' \neq x \\ \perp & \text{otherwise} \end{cases}$$

For convenience, we simply write  $\text{Prf}(K\{x\}, x')$  to denote  $\text{PPRF.Eval}(K\{x\}, x')$  when the context is clear.

**Security.** We now define the selective security for puncturable PRFs.

**Definition 3.12** (Selective Security). *We say a puncturable PRF scheme PPRF is selectively secure if for all probabilistic polynomial time adversaries  $\mathcal{A}$ , its advantage  $\text{Adv}_{\mathcal{A},\text{PPRF}}(\lambda)$  in the following security game is negligible in  $\lambda$ :*

**Challenge Phase**  $\mathcal{A}$  sends a challenge  $x^* \in \mathcal{X}$ . The challenger chooses uniformly at random a PRF key  $K \leftarrow \mathcal{K}$  and a bit  $b \leftarrow \{0, 1\}$ . It computes  $K\{x^*\} \leftarrow \text{PPRF.Puncture}(K, x^*)$ . If  $b = 0$ , the challenger sets  $y = \text{Prf}(K, x^*)$ , else it chooses uniformly at random  $y \leftarrow \mathcal{Y}$ . It sends  $K\{x^*\}, y$  to  $\mathcal{A}$ .

**Guess Phase**  $\mathcal{A}$  outputs a guess  $b'$  of  $b$ .

$\mathcal{A}$  wins if  $b = b'$ . The advantage of  $\mathcal{A}$  is defined to be  $\text{Adv}_{\mathcal{A},\text{PPRF}}(\lambda) = \Pr[\mathcal{A} \text{ wins}] - \frac{1}{2}$ .

## 4 Computation-Trace Indistinguishable Obfuscation (CiO)

We define a new primitive called Computation-Trace Indistinguishable Obfuscation (CiO), which produces indistinguishable obfuscated computations as long as the input computations give identical computation trace. For this, we need to define a formal notion of computation trace, and before that, a formal notion of (distributed) computation systems.

We define a distributed computation system  $\Pi$  as a tuple consisting of a collection initial states  $\{\text{st}_k^0\}$ , a shared initial memory  $\text{mem}^0$ , and a collection of stateful algorithms  $\{F_k\}$ . The entity which executes the stateful algorithm  $F_k$ , named agent  $A_k$ , takes as input the state in the previous time step, an access command received from the memory, and some communication messages received from the other agents. It outputs a new state, an access command to be sent to the memory, and some communication messages to be sent to the other agents. The memory which receives access commands from all the agents processes these commands and outputs some new access commands to be returned to all the agents. Having specified these, the computation trace of a distributed computation system is simply defined as the collection of the states, access commands and communication messages at all time steps.

The philosophy behind such a definition is to decouple the functionality of a program and its computation trace. On one hand, programs with the same functionality can still produce different computation traces. On the other hand, we wish to only focus at one particular instance of a program-input pair  $(P, x)$  rather than the entire functionality of  $P$ .

### 4.1 Model of Distributed Computation Systems

**Definition 4.1.** We define a distributed computation system  $\Pi$  with an evaluation algorithm `evaluate` as follows.

**Description of the Computation.**  $\Pi$  consists of  $m$  agents  $A_1, \dots, A_m$  and a shared memory component  $M$ . Each agent  $A_k$  where  $k \in [m]$  is associated with: (i) a stateful algorithm  $F_k$ ; (ii) a register for storing its local state  $\text{st}_k$ ; (iii) an incoming communication buffers which allow any other agents  $A_j$  where  $j \in [m] \setminus \{k\}$  to send communication messages  $c_{k \leftarrow j}$  to agent  $A_k$ ; (iv) an incoming memory access buffer which stores value  $a_{k \leftarrow M}$  that read from the shared memory.

Memory component  $M$  is a distinguished component in the computation system, associated with: (i) a memory  $\text{mem}$ ; (ii) an incoming memory access buffers which allow any agents  $A_j$  where  $j \in [m]$  to write the memory with value  $a_{M \leftarrow j}$ .

For all  $k \in [m]$ , for all  $j \in [m] \setminus \{k\}$ ,  $\Pi$  is set to be  $(\text{st}_k, c_{k \leftarrow j}, a_{k \leftarrow M}, a_{M \leftarrow k}, \text{mem})$  with the initialized values  $(\text{st}_k^0, c_{k \leftarrow j}^0, a_{k \leftarrow M}^0, a_{M \leftarrow k}^0, \text{mem}^0)$  given externally.

We denote the computation system as

$$\Pi = ((\text{mem}^0, \{\text{st}_k^0, \{c_{k \leftarrow j}^0\}_{j \in [m] \setminus \{k\}}, a_{k \leftarrow M}^0, a_{M \leftarrow k}^0\}_{k=1}^m), (\{F_k\}_{k=1}^m))$$

**Computation System Evaluation Procedure.** The procedure `evaluate()` will evaluate the system  $\Pi$  by rounds. For each round  $t > 0$ ,

– Each agent  $A_k$  where  $k \in [m]$  operates as follows:

- Reads its incoming communication buffers and memory access buffer, and obtains  $\mathbf{c}_{k \leftarrow \cdot}^{t-1} = \{c_{k \leftarrow j}^{t-1}\}_{j \in [m] \setminus \{k\}}$  and  $a_{k \leftarrow M}^{t-1}$  respectively.
- Computes  $(\text{st}_k^t, a_{M \leftarrow k}^t, \mathbf{c}_{\cdot \leftarrow k}^t) \leftarrow F_k(\text{st}_k^{t-1}, a_{k \leftarrow M}^{t-1}, \mathbf{c}_{k \leftarrow \cdot}^{t-1})$ , where  $\mathbf{c}_{\cdot \leftarrow k}^t = \{c_{j \leftarrow k}^t\}_{j \in [m] \setminus \{k\}}$ .  
If  $\text{st}_k^{t-1} = (\text{halt}, \cdot)$  or `Reject` then  $a_{M \leftarrow k}^t := \perp$ ,  $c_{j \leftarrow k}^t := \perp$  for  $j \in [m] \setminus \{k\}$ ,  $\text{st}_k^t := \text{st}_k^{t-1}$ .
- Writes the value  $a_{M \leftarrow k}^t$  to the incoming memory access buffers, and sends the messages  $c_{j \leftarrow k}^t$  to the incoming communication buffer of agent  $j \in [m] \setminus \{k\}$ .

– The memory component  $\mathbb{M}$  operates as follows:

- Reads its incoming memory access buffers, and obtains  $a_{\mathbb{M} \leftarrow 1}^t, \dots, a_{\mathbb{M} \leftarrow m}^t$
- Computes  $(\text{mem}^t, a_{1 \leftarrow \mathbb{M}}^t, \dots, a_{m \leftarrow \mathbb{M}}^t) \leftarrow \text{access}(\text{mem}^{t-1}, a_{\mathbb{M} \leftarrow 1}^t, \dots, a_{\mathbb{M} \leftarrow m}^t)$ , where  $\text{access}$  performs the memory access command  $a_{k \leftarrow \mathbb{M}}^t$  on memory  $\text{mem}^{t-1}$  and output its corresponding read value  $a_{k \leftarrow \mathbb{M}}^t$  and update memory  $\text{mem}^t$  for each  $k \in [m]$ .
- Returns value  $a_{k \leftarrow \mathbb{M}}^t$  to each agent  $k$ 's memory access buffer, where  $k \in [m]$ .

**Terminologies.** To facilitate presentation, we introduce the following terminologies.

- The terminating time  $t^*$ , if it exists, is the smallest  $t$  such that  $\text{st}_k^t = (\text{halt}, \cdot)$  for all  $k \in [m]$ .
- The computation configuration at any time  $t \geq 0$ , defined as  $\text{Conf}\langle \Pi, t \rangle = (\{\{\text{st}_k^t, a_{k \leftarrow \mathbb{M}}^t, a_{\mathbb{M} \leftarrow k}^t, \mathbf{c}_{k \leftarrow \cdot}^t\}\}_{k=1}^m, \text{mem}^t)$ , is the output of the evaluation at time  $t$ .
- The computation trace is defined as  $\text{Trace}\langle \Pi \rangle = \{\text{Conf}\langle \Pi, t \rangle\}_{t \geq 0}$ .
- The next step function  $F$  is another representation of all  $F_k$  such that  $F(k, \text{st}, a, \mathbf{c}) = F_k(\text{st}, a, \mathbf{c})$  for all  $\text{st}, a, \mathbf{c}$ .

**Remark 4.2.** For specific computation systems, we can restrict the initial states, access commands and communication messages to some default values. Such initial values can thus be dropped from the tuple  $\Pi$ , and we use the simplified form  $\Pi = ((\text{mem}^0, \text{st}_1^0, \text{st}_2^0, \dots, \text{st}_m^0), (F_1, F_2, \dots, F_m))$ .

**Remark 4.3.** For easier presentation, the model of computation system defined here is for PRAM. We can easily generalize the definition to support richer syntax for even more fine-grained model of computation.

## 4.2 Computation-trace Indistinguishability Obfuscation

In this subsection, we introduce a new security notion named *Computation-trace Indistinguishability Obfuscation* (CiO for short). The original iO captures the security intuition that if the functionalities of the computations are identical, then the compiled / obfuscated versions are indistinguishable. Here, we want to capture even milder security property that if the computation traces are identical, then the obfuscated versions are indistinguishable.

A CiO scheme consists two parts, a randomized compilation procedure  $\text{Obf}$  which transforms a computation system to an ‘‘obfuscated’’ computation system, and a deterministic evaluation algorithm  $\text{Eval}$  which evaluates the obfuscated system to return the output.

**Definition 4.4.** Let  $\mathcal{P}$  be a collection of computation systems. A computation-trace indistinguishability obfuscation scheme w.r.t  $\mathcal{P}$ , denoted as  $\text{CiO} = \text{CiO}.\{\text{Obf}, \text{Eval}\}$ , is defined as follows:

**Compilation algorithm**  $\tilde{\Pi} := \text{Obf}(1^\lambda, \Pi; \rho)$ :  $\text{Obf}()$  is a probabilistic algorithm which takes as input the security parameter  $\lambda$ , the computation system  $\Pi \in \mathcal{P}$  and some randomness  $\rho$ , and returns a compiled / obfuscated system  $\tilde{\Pi}$  as output.

**Evaluation algorithm**  $\text{conf} := \text{Eval}(\tilde{\Pi})$ :  $\text{Eval}()$  is a deterministic algorithm which takes as input the obfuscated system  $\tilde{\Pi}$ , and returns a configuration of the original computation system  $\Pi$  as output.

**Correctness.** For all  $\Pi \in \mathcal{P}$  with termination time  $t^*$  and all randomness  $\rho$ , let  $\tilde{\Pi} := \text{Obf}(1^\lambda, \Pi; \rho)$ . It holds that  $\text{Eval}(\tilde{\Pi}) = \text{Conf}\langle \Pi, t^* \rangle$ .

**Security.** For any (not necessarily uniform) PPT distinguisher  $\mathcal{D}$ , there exists a negligible function  $\text{negl}(\cdot)$  such that, for all security parameters  $\lambda \in \mathbb{N}$ ,  $\Pi^0, \Pi^1 \in \mathcal{P}$  where  $\text{Trace}\langle \Pi^0 \rangle = \text{Trace}\langle \Pi^1 \rangle$ , it holds that

$$|\Pr[\mathcal{D}(\text{Obf}(1^\lambda, \Pi^0)) = 1] - \Pr[\mathcal{D}(\text{Obf}(1^\lambda, \Pi^1)) = 1]| \leq \text{negl}(\lambda).$$

## 5 Constructing CiO in the RAM Model (CiO-RAM)

As introduced in Section 4, CiO is a type of obfuscation which guarantees the indistinguishability of the obfuscation of computations which give identical computation trace. Viewing in another perspective, CiO in some sense forces the evaluator to evaluate the obfuscated computation as intended, so as to only produce the intended computation trace.

To construct CiO, a natural idea is therefore to authenticate the output of a time step and verify the integrity of the input in the next time step. Straightforwardly, the output state (which is small in size) will be signed using a signature scheme. On the other hand, the memory has a much larger size and is controlled by the evaluator outside the obfuscated program. For authenticating the memory, a Merkle-tree like structure is used to produce a digest which is then stored in the CPU state. Having a similar construction but a more vigorous and ambitious security goal, our CiO can be referred to as an abstraction of KLV.

In this section, we first tackle the simpler task of constructing CiO for RAM computation. For this, we compile the underlying function  $F$  into the following function  $\widehat{F}$  which verifies and authenticates its inputs and outputs respectively. Concretely, upon receiving as input a time  $t$ , a CPU state, and a bit read from the memory,  $\widehat{F}$  verifies the signature of the input CPU states and the memory digest, before executing the underlying function  $F$ .  $\widehat{F}$  then signs the resulting CPU state, updates the Merkle-tree-like structure to obtain an updated memory digest, and eventually outputs the time  $(t + 1)$ , a new CPU state, and an access command. We then convert  $\text{st}^0$  and  $\text{mem}^0$  to an authenticated form  $(\widetilde{\text{st}}^0, \widetilde{\text{mem}}^0)$ , and compute  $\text{CiO}(\Pi) = ((\widetilde{\text{mem}}^0, \widetilde{\text{st}}^0), \widetilde{F})$  where  $\widetilde{F} = \text{iO}(\widehat{F})$ .

### 5.1 Building Blocks

In our CiO construction in Section 5.2, we will use several building blocks: accumulator, iterator, splittable signature, puncturable PRF, and indistinguishability obfuscation. The formal definitions of these primitives can be found in Section 3. We next define the parameters for the building blocks we will use in our CiO construction.

- Accumulator scheme  $\text{Acc} = \text{Acc}.\{\text{Setup}, \text{SetupEnforceRead}, \text{SetupEnforceWrite}, \text{PrepRead}, \text{PrepWrite}, \text{VerifyRead}, \text{WriteStore}, \text{Update}\}$  with message space  $\{0, 1\}^{\ell_{\text{msg}}}$  and accumulated value space  $\{0, 1\}^{\ell_{\text{Acc}}}$ .
- Iterator scheme  $\text{Itr} = \text{Itr}.\{\text{Setup}, \text{SetupEnforceIterate}, \text{Iterate}\}$  with message space  $\{0, 1\}^{\ell_{\text{Acc}} + \ell_{\text{msg}}}$  and iterated value space  $\{0, 1\}^{\ell_{\text{Itr}}}$ .
- Splittable signature scheme  $\text{Spl} = \text{Spl}.\{\text{Setup}, \text{Sign}, \text{Verify}, \text{Split}, \text{AboSign}\}$  with message space  $\{0, 1\}^{\ell_{\text{Itr}} + \ell_{\text{Acc}} + \ell_{\text{msg}}}$ . We will assume  $\text{Spl.Setup}$  uses  $\ell_{\text{rnd}}$  bits of randomness.
- Puncturable PRF scheme  $\text{PPRF} = \text{PPRF}.\{\text{Setup}, \text{Puncture}, \text{Eval}\}$  with key space  $\mathcal{K}$ , punctured key space  $\mathcal{K}_{\text{punct}}$ , domain  $[T]$ , and range  $\{0, 1\}^{\ell_{\text{rnd}}}$ .
- Indistinguishability obfuscation scheme  $\text{iO}$ .

### 5.2 Construction for CiO-RAM

We construct CiO in the RAM model. Informally, a RAM consists of a single CPU, with random access to an external memory, executing a next-step circuit  $F$  step by step until reaching the termination state, which embeds the computation result  $P(x)$  for some program  $P$  evaluated on some input  $x$ . A RAM computation  $\Pi$  can hence be specified by a program  $P$  and an initial input  $x$ . The evaluator interprets the input  $x$  so as to prepare the initial state  $\text{st}^0$  and the initial memory  $\text{mem}^0$ , to which it has random access ability.  $P$  is converted to the stateful algorithm  $F$ . At each time step,  $F$  is executed with the state in the previous time step and a bit read from the memory as input.  $F$  outputs a new state for the next step, and a memory access command.

Formally, the class of distributed computation for RAM, denoted by  $\mathcal{P}_{\text{RAM}}$ , is defined as follows:



**Definition 5.1** (RAM Computation Class). We define  $\mathcal{P}_{\text{RAM}}$  as a class of distributed computation systems for RAM computation with a single agent  $A$  (a.k.a. CPU) and a memory  $M$  where

- the terminating time  $t^*$  is bounded by  $2^\lambda$ ,
- the memory size  $|\text{mem}|$  is bounded by  $\text{poly}(\lambda)$ ,
- the state size  $|\text{st}|$  and the communication buffers size  $|a_{A \leftarrow M}|$  and  $|a_{M \leftarrow A}|$  are bounded by  $\text{poly} \log(\lambda)$ ,
- the initial access commands are empty, i.e.  $a_{A \leftarrow M}^0 := \perp$  and  $a_{M \leftarrow A}^0 := \perp$ .

In this subsection, we describe our scheme  $\text{CiO} = \text{CiO}.\{\text{Obf}, \text{Eval}\}$  where  $\text{CiO}.\text{Obf}$  can transform a given computation system  $\Pi \in \mathcal{P}_{\text{RAM}}$  into an obfuscated computation system  $\tilde{\Pi}$ . Here

$$\Pi = ((\text{mem}^0, \text{st}^0), F),$$

$$\tilde{\Pi} = ((\widetilde{\text{mem}}^0, \widetilde{\text{st}}^0), \widetilde{F}).$$

**Compilation algorithm**  $\tilde{\Pi} \leftarrow \text{CiO}.\text{Obf}(1^\lambda, \Pi)$ . The compilation algorithm  $\text{Obf}()$  consists of several steps. Step 1: Generating parameters. The compilation algorithm computes the following parameters for the obfuscated computation system:

$$\begin{aligned} K_A &\leftarrow \text{PPRF}.\text{Setup}(1^\lambda) \\ (\text{pp}_{\text{Acc}}, \hat{w}_0, \text{store}_0) &\leftarrow \text{Acc}.\text{Setup}(T) \\ (\text{pp}_{\text{Itr}}, v^0) &\leftarrow \text{Itr}.\text{Setup}(T) \end{aligned}$$

Step 2: Generating stateful algorithms  $\widetilde{F}$ . Based on the parameters  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A$  generated above, as well as program  $F$ , we define the program  $\widehat{F}$  in Algorithm 1.

The compilation procedure then computes an obfuscation of the program  $\widehat{F}$ . That is,  $\widetilde{F} \leftarrow \text{iO}.\text{Gen}(\widehat{F})$ .

Step 3: Generating the initial configuration  $(\widetilde{\text{mem}}^0, \widetilde{\text{st}}^0)$ . Recall that  $a_{A \leftarrow M}^0 = \perp, a_{M \leftarrow A}^0 = \perp$ . Based on given  $\text{mem}^0, \text{st}^0$ , the compilation procedure computes the initial configuration for the compiled computation system as follows.

- For each  $j \in \{1, \dots, |\text{mem}^0|\}$ , it computes iteratively:

$$\begin{aligned} \pi_j &\leftarrow \text{Acc}.\text{PrepWrite}(\text{pp}_{\text{Acc}}, \text{store}_{j-1}, j) \\ \hat{w}_j &\leftarrow \text{Acc}.\text{Update}(\text{pp}_{\text{Acc}}, \hat{w}_{j-1}, j, x_j, \pi_j) \\ \text{store}_j &\leftarrow \text{Acc}.\text{WriteStore}(\text{pp}_{\text{Acc}}, \text{store}_{j-1}, j, \text{mem}^0[j]) \end{aligned}$$

Set  $w^0 := \hat{w}_{|\text{mem}^0|}$ , and  $\text{store}^0 := \text{store}_{|\text{mem}^0|}$ .

- Compute  $\sigma^0$  as follows:

$$\begin{aligned} r_A &\leftarrow \text{Prf}(K_A, 0) \\ (\text{sk}^0, \text{vk}^0) &\leftarrow \text{Spl}.\text{Setup}(1^\lambda; r_A) \\ \sigma^0 &\leftarrow \text{Spl}.\text{Sign}(\text{sk}^0, (0, w^0, v^0)) \end{aligned}$$

---

**Algorithm 1:**  $\widehat{F}$ 

---

**Input** :  $\widetilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\widetilde{a}_{\text{A} \leftarrow \text{M}}^{\text{in}} = (a_{\text{A} \leftarrow \text{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\text{A} \leftarrow \text{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
  - 2 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ;
  - 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ;
  - 4 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$ ;
  - 5 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 0$  output **Reject**;
  
  - 6 Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$  where  $a_{\text{M} \leftarrow \text{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}})$ ;
  - 7 If  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  
  - 8  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 9 If  $w^{\text{out}} = \text{Reject}$  output **Reject**;
  - 10 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 11 If  $v^{\text{out}} = \text{Reject}$  output **Reject**;
  - 12 Compute  $r'_A = \text{Prf}(K_A, t)$ ;
  - 13 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ;
  - 14 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 15 Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
  
  - 16 Output  $\widetilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\widetilde{a}_{\text{M} \leftarrow \text{A}}^{\text{out}} = a_{\text{M} \leftarrow \text{A}}^{\text{out}}$ ;
- 

- Now we can define the initial configuration as

$$\begin{aligned} \widetilde{\text{mem}}^0 &= \text{store}^0 \\ \widetilde{\text{st}}^0 &= (0, \text{st}^0, v^0, w^0, \sigma^0) \end{aligned}$$

Final step. The compilation procedure returns  $\widetilde{\Pi} = ((\widetilde{\text{mem}}^0, \widetilde{\text{st}}^0), \widetilde{F})$  as output.

**Evaluation algorithm**  $\text{conf} := \text{Eval}(\widetilde{\Pi})$ . Upon receiving an obfuscated system  $\widetilde{\Pi}$ , the evaluation algorithm carries out the following:

Set  $\widetilde{a}_{\text{A} \leftarrow \text{M}}^0 = \perp$ . For  $t = 1$  to  $T$ , perform following procedures until  $\widetilde{F}$  outputs a halting state  $\widetilde{\text{st}}^{t^*}$  at that halting time  $t^*$ :

- Compute  $(\widetilde{\text{st}}^t, \widetilde{a}_{\text{M} \leftarrow \text{A}}^t) \leftarrow \widetilde{F}(\widetilde{\text{st}}^{t-1}, \widetilde{a}_{\text{A} \leftarrow \text{M}}^{t-1})$ ;
- Run  $(\widetilde{\text{mem}}^t, \widetilde{a}_{\text{A} \leftarrow \text{M}}^t) \leftarrow \widetilde{\text{access}}(\widetilde{\text{mem}}^{t-1}, \widetilde{a}_{\text{M} \leftarrow \text{A}}^t)$ , where  $\widetilde{\text{access}}$  is defined in Algorithm 2.

Parse  $\widetilde{\text{mem}}^{t^*} = \text{mem}^{t^*}$  and  $\widetilde{\text{st}}^{t^*} = (t^*, \text{st}^{t^*}, v^{t^*}, w^{t^*}, \sigma^{t^*})$ . Output  $\text{conf} = (\text{mem}^{t^*}, \text{st}^{t^*}, a_{\text{A} \leftarrow \text{M}}^{t^*}, a_{\text{M} \leftarrow \text{A}}^{t^*})$  where  $a_{\text{A} \leftarrow \text{M}}^{t^*} = a_{\text{M} \leftarrow \text{A}}^{t^*} = \perp$ .

---

**Algorithm 2:**  $\widetilde{\text{access}}$ 

---

- Input** :  $\widetilde{\text{mem}}^{\text{in}}, \widetilde{a}_{\text{M} \leftarrow \text{A}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$
- 1 If  $\widetilde{a}_{\text{M} \leftarrow \text{A}}^{\text{in}} = \perp$ , output  $\widetilde{\text{mem}}^{\text{out}} = \widetilde{\text{mem}}^{\text{in}}$ .
  - 2 Compute  $\widetilde{\text{mem}}^{\text{out}} \leftarrow \text{WriteStore}(\text{pp}_{\text{Acc}}, \widetilde{\text{mem}}^{\text{in}}, (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}))$ ;
  - 3 Compute  $((\mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}), \pi^{\text{out}}) \leftarrow \text{PrepRead}(\text{pp}_{\text{Acc}}, \widetilde{\text{mem}}^{\text{out}}, \mathbf{I}^{\text{in}})$ ;
  - 4 Output  $(\widetilde{\text{mem}}^{\text{out}}, \widetilde{a}_{\text{A} \leftarrow \text{M}}^{\text{out}} = ((\mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}), \pi^{\text{out}}))$ ;
- 

**Efficiency.** Let  $|F|$  be the description size of program  $F$ ,  $n$  be the description size of initial memory  $\text{mem}^0$ , computation system  $\Pi$  proceeds with time and space bound  $T$  and  $S$ . Assuming  $\text{iO}$  is a circuit obfuscator with circuit size  $|\text{iO}(C)| \leq \text{poly}|C|$  for given circuit  $C$ . Our  $\text{CiO}$  for RAM has following complexity:

- Compilation time is  $\tilde{O}(\text{poly}(|F|) + n \log S)$ , where term  $n \log S$  is the time to generate initial memory  $\text{store}^0$ .
- Compilation size is  $\tilde{O}(\text{poly}(|F|) + n)$ .
- Evaluation time is  $\tilde{O}(T \log S)$ , where the  $\log S$  factor is the multiplicative overhead of memory accumulator.
- Evaluation space is  $\tilde{O}(S)$ , where  $S$  term is needed by  $F$  intrinsically.

**Theorem 5.2.** *Assume  $\text{iO}$  is a secure indistinguishability obfuscation for circuits scheme, PPRF is a secure puncturable PRF scheme,  $\text{ltr}$  is a secure iterator,  $\text{Acc}$  is secure positional accumulator scheme, and  $\text{Spl}$  is a secure splittable signature scheme. Then construction  $\text{CiO}$  is a computation-trace indistinguishability obfuscation scheme with respect to class  $\mathcal{P}_{\text{RAM}}$ .*

Proof can be found in Section 5.3.

### 5.3 Proof of Theorem 5.2 (Security for CiO-RAM)

---

**Algorithm 3:**  $\widehat{F}^i$ 


---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data:**  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
  - 2 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ;
  - 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ;
  - 4 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$ ;
  - 5 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 0$  output **Reject**;
  - 6 Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^i(\text{st}^{\text{in}}, a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}})$ ;
  - 7 If  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  - 8  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 9 If  $w^{\text{out}} = \text{Reject}$  output **Reject**;
  - 10 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 11 If  $v^{\text{out}} = \text{Reject}$  output **Reject**;
  - 12 Compute  $r'_A = \text{Prf}(K_A, t)$ ;
  - 13 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ;
  - 14 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 15 Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
  - 16 Output  $\tilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}$ ;
- 

Let  $\text{Adv}_{\mathcal{A}}^x$  denote the advantage of the adversary  $\mathcal{A}$  in the hybrid  $\mathbf{Hyb}_x$ . We first define the first-layer hybrids  $\mathbf{Hyb}_i$  for  $i \in \{0, 1\}$ .

**Hyb<sub>i</sub> for  $i \in \{0, 1\}$ .** In this hybrid, the challenger outputs an obfuscation computation system of  $\Pi^i$  where stateful algorithm  $\widehat{F}^i$  is defined in Algorithm 3.

Let us assume the obfuscated computation system terminates at time  $t^* < T$ . We argue that  $|\text{Adv}_{\mathcal{A}}^0 - \text{Adv}_{\mathcal{A}}^1| \leq \text{negl}(\lambda)$ . To show this, we define the second-layer hybrids  $\mathbf{Hyb}_{0,1}$ ,  $\mathbf{Hyb}_{0,2}$ ,  $\mathbf{Hyb}_{0,3}$  and  $\mathbf{Hyb}_{0,4}$ . We also define important third-layer hybrids  $\mathbf{Hyb}_{0,2,i}$  and  $\mathbf{Hyb}_{0,2',i}$  for  $0 \leq i < t^*$ .

**Hyb<sub>0,0</sub>.** This hybrid is identical to  $\mathbf{Hyb}_0$  in the first layer.

**Hyb<sub>0,1</sub>.** In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,1}$  defined in Algorithm 5. This program is similar to  $\widehat{F}^0$  except that it has PRF key  $K_B$  hardwired, accepts both ‘A’ and ‘B’ type signatures for  $t < t^*$ . The type of the outgoing signature follows the type of the incoming signature. Also, if the incoming signature is ‘B’ type and  $t < t^*$ , then the program uses  $F^1$  to compute the output.

**Hyb<sub>0,2</sub>.** This hybrid is identical to  $\mathbf{Hyb}_{0,2,0}$  defined below.

**Hyb<sub>0,2,i</sub>**. In this hybrid, based on the initial configuration ( $\text{mem}^0, \text{st}^0, a_{\text{A} \leftarrow \text{M}}^0 = \perp, a_{\text{M} \leftarrow \text{A}}^0 = \perp$ ), the challenger computes  $m^i$  as follows:

---

**Algorithm 4:** This algorithm is used in **Hyb<sub>0,2,i</sub>**

---

```

1 for  $j \in \{1, \dots, i\}$  do
2   Compute  $(\text{st}^j, a_{\text{M} \leftarrow \text{A}}^j) \leftarrow F^0(\text{st}^{j-1}, a_{\text{A} \leftarrow \text{M}}^{j-1});$  //  $a_{\text{A} \leftarrow \text{M}}^{j-1} = (\mathbf{I}^{j-1}, \mathbf{B}^{j-1})$ 
3    $(a_{\text{M} \leftarrow \text{A}}^j, \pi^j) \leftarrow \text{Acc.PrepRead}(\text{pp}_{\text{Acc}}, \text{store}^j, \mathbf{I}^j)$ 
4    $w^j \leftarrow \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{j-1}, a_{\text{M} \leftarrow \text{A}}^j, \pi^j)$ 
5    $\text{store}^j \leftarrow \text{Acc.WriteStore}(\text{pp}_{\text{Acc}}, \text{store}^{j-1}, a_{\text{M} \leftarrow \text{A}}^j, a_{\text{M} \leftarrow \text{A}}^j)$ 
6    $v^j \leftarrow \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{j-1}, (\text{st}^{j-1}, w^{j-1}, \mathbf{I}^{j-1}))$ 
7 Set  $m^i = (v^i, \text{st}^i, w^i, \mathbf{I}^i);$ 

```

---

Then the challenger outputs an obfuscation of  $\widehat{F}^{0,2,i}$  defined in Algorithm 6. This program is similar to  $\widehat{F}^{0,1}$  except that it accepts ‘B’ type signatures only for inputs corresponding to  $i + 1 \leq t \leq t^* - 1$ . It also has the correct output message  $m^i$  for step  $i$  hardwired. For  $i + 1 \leq t \leq t^* - 1$ , the type of the outgoing signature follows the type of the incoming signature. At  $t = i$ , it outputs an ‘A’ type signature if  $m^{\text{out}} = m^i$ , and outputs ‘B’ type signature otherwise.

**Hyb<sub>0,2',i</sub>**. In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,2',i}$  defined in Algorithm 7. This program is similar to  $\widehat{F}^{0,2,i}$  except that it accepts ‘B’ type signatures only for inputs corresponding to  $i + 2 \leq t \leq t^* - 1$ . It also has the correct input message  $m^i$  for step  $i + 1$  hardwired. For  $i + 2 \leq t \leq t^* - 1$ , the type of the outgoing signature follows the type of the incoming signature. At  $t = i + 1$ , it outputs an ‘A’ type signature if  $m^{\text{in}} = m^i$ , and outputs ‘B’ type signature otherwise.

**Hyb<sub>0,3</sub>**. In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,3}$  defined in Algorithm 8. This program is similar to  $\widehat{F}^{0,2',t^*-1}$ , except that it does not output ‘B’ type signatures.

**Hyb<sub>0,4</sub>**. In this hybrid, the challenger outputs the obfuscation of  $\widehat{F}^{0,4}$  defined in Algorithm 9. This program outputs **Reject** for all  $t > t^*$  including the case when the signature is a valid ‘A’ type signature.

**Analysis.** In the remaining of this subsection, we prove Lemmas 5.3, 5.11, 5.25, 5.35, and 5.39.

By Lemma 5.3, we have  $|\text{Adv}_{\mathcal{A}}^0 - \text{Adv}_{\mathcal{A}}^{0,1}| \leq \text{negl}(\lambda)$ . Since  $\widehat{F}^{0,1}$  and  $\widehat{F}^{0,2,0}$  have identical functionality, we have  $|\text{Adv}_{\mathcal{A}}^{0,1} - \text{Adv}_{\mathcal{A}}^{0,2,0}| \leq \text{negl}(\lambda)$ . By Lemma 5.11, we have  $|\text{Adv}_{\mathcal{A}}^{0,2,i} - \text{Adv}_{\mathcal{A}}^{0,2',i}| \leq \text{negl}(\lambda)$  for  $0 \leq i \leq t^* - 1$ . By Lemma 5.25, we have  $|\text{Adv}_{\mathcal{A}}^{0,2',i} - \text{Adv}_{\mathcal{A}}^{0,2,i+1}| \leq \text{negl}(\lambda)$  for  $0 \leq i \leq t^* - 2$ . By Lemma 5.35, we have  $|\text{Adv}_{\mathcal{A}}^{0,2',t^*-1} - \text{Adv}_{\mathcal{A}}^{0,3}| \leq \text{negl}(\lambda)$ . By Lemma 5.39, we have  $|\text{Adv}_{\mathcal{A}}^{0,3} - \text{Adv}_{\mathcal{A}}^{0,4}| \leq \text{negl}(\lambda)$ . Summarizing the above, we have  $|\text{Adv}_{\mathcal{A}}^0 - \text{Adv}_{\mathcal{A}}^{0,4}| \leq \text{negl}(\lambda)$ .

Symmetrically, we can show that  $|\text{Adv}_{\mathcal{A}}^1 - \text{Adv}_{\mathcal{A}}^{0,4}| \leq \text{negl}(\lambda)$ . Finally, we can conclude that  $|\text{Adv}_{\mathcal{A}}^0 - \text{Adv}_{\mathcal{A}}^1| \leq \text{negl}(\lambda)$ , which completes the proof.

---

**Algorithm 5:**  $\widehat{F}^{0,1}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A, K_B$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
  - 2 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ,  $r_B = \text{Prf}(K_B, t - 1)$ ;
  - 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 4 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'}$ ;
  - 5 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'}$ ;
  - 6 If  $\alpha = \text{'-'}$  and  $t > t^*$  output **Reject**;
  - 7 If  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'}$ ;
  - 8 If  $\alpha = \text{'-'}$  output **Reject**;
  
  - 9 **if**  $\alpha = \text{'B'}$  **then**
  - 10    Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}})$
  - 11 **else**
  - 12    Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}})$
  - 13 **If**  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  
  - 14  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 15 **If**  $w^{\text{out}} = \text{Reject}$  output **Reject**;
  - 16 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 17 **If**  $v^{\text{out}} = \text{Reject}$  output **Reject**;
  - 18 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B, t)$ ;
  - 19 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 20 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 21 Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
  
  - 22 Output  $\tilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}$ ;
-



---

**Algorithm 6:**  $\widehat{F}^{0,2,i}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\text{A} \leftarrow \text{M}}^{\text{in}} = (a_{\text{A} \leftarrow \text{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\text{A} \leftarrow \text{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data:**  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A, K_B, \underline{m^i}$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
  - 2 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ,  $r_B = \text{Prf}(K_B, t - 1)$ ;
  - 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 4 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'}$  ;
  - 5 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'}$  ;
  - 6 If  $\alpha = \text{'-'}$  and  $(t > t^* \text{ or } t \leq i)$  output **Reject**;
  - 7 If  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'}$  ;
  - 8 If  $\alpha = \text{'-'}$  output **Reject**;
  
  - 9 **if**  $\alpha = \text{'B'}$  **or**  $t \leq i$  **then**
  - 10    Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
  - 11 **else**
  - 12    Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
  - 13 If  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  
  - 14  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 15 If  $w^{\text{out}} = \text{Reject}$  output **Reject**;
  - 16 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 17 If  $v^{\text{out}} = \text{Reject}$  output **Reject**;
  - 18 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B, t)$ ;
  - 19 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 20 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 21 **if**  $t = i$  **and**  $m^{\text{out}} = m^i$  **then**
  - 22    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
  - 23 **else if**  $t = i$  **and**  $m^{\text{out}} \neq m^i$  **then**
  - 24    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
  - 25 **else**
  - 26    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
  
  - 27 Output  $\tilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\text{M} \leftarrow \text{A}}^{\text{out}} = a_{\text{M} \leftarrow \text{A}}^{\text{out}}$  ;
-

---

**Algorithm 7:**  $\widehat{F}^{0,2',i}$ 

---

**Input** :  $\widetilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\widetilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A, K_B, m^i$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
  - 2 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ,  $r_B = \text{Prf}(K_B, t - 1)$ ;
  - 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 4 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'}$  ;
  - 5 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'}$  ;
  - 6 If  $\alpha = \text{'-'}$  and  $(t > t^* \text{ or } t \leq i + 1)$  output **Reject**;
  - 7 If  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'}$  ;
  - 8 If  $\alpha = \text{'-'}$  output **Reject**;
  
  - 9 **if**  $\alpha = \text{'B'}$  **or**  $t \leq i + 1$  **then**
  - 10     $\lfloor$  Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}})$
  - 11 **else**
  - 12     $\lfloor$  Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}})$
  - 13 If  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  
  - 14  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 15 If  $w^{\text{out}} = \text{Reject}$  output **Reject**;
  - 16 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 17 If  $v^{\text{out}} = \text{Reject}$  output **Reject**;
  - 18 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B, t)$ ;
  - 19 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 20 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 21 **if**  $t = i + 1$  **and**  $m^{\text{in}} = m^i$  **then**
  - 22     $\lfloor$  Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
  - 23 **else if**  $t = i + 1$  **and**  $m^{\text{in}} \neq m^i$  **then**
  - 24     $\lfloor$  Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
  - 25 **else**
  - 26     $\lfloor$  Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
  
  - 27 Output  $\widetilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\widetilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}$  ;
-

---

**Algorithm 8:**  $\widehat{F}^{0,3}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\text{M} \leftarrow \text{A}}^{\text{in}} = (a_{\text{A} \leftarrow \text{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\text{A} \leftarrow \text{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A, K_B, t^*$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
  - 2 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ,  $r_B = \text{Prf}(K_B, t - 1)$ ;
  - 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 4 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$ ;
  - 5 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 0$  output **Reject**;
  
  - 6 **if**  $t \leq t^*$  **then**
  - 7    Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
  - 8 **else**
  - 9    Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
  - 10 **If**  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  
  - 11  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 12 **If**  $w^{\text{out}} = \text{Reject}$  output **Reject**;
  - 13 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 14 **If**  $v^{\text{out}} = \text{Reject}$  output **Reject**;
  - 15 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B, t)$ ;
  - 16 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 17 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 18 **if**  $t = t^*$  **then**
  - 19    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
  - 20 **else**
  - 21    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
  
  - 22 Output  $\tilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\text{M} \leftarrow \text{A}}^{\text{out}} = a_{\text{M} \leftarrow \text{A}}^{\text{out}}$ ;
-

---

**Algorithm 9:**  $\widehat{F}^{0,4}$ 

---

**Input** :  $\tilde{\mathbf{st}}^{\text{in}} = (t, \mathbf{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}} = (a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A, K_B, t^*$

- 1 If  $t > t^*$  output Reject;
  - 2 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output Reject;
  - 3 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ,  $r_B = \text{Prf}(K_B, t - 1)$ ;
  - 4 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 5 Set  $m^{\text{in}} = (v^{\text{in}}, \mathbf{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$ ;
  - 6 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 0$  output Reject;
  
  - 7 if  $t \leq t^*$  then
    - 8 Compute  $(\mathbf{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^1(\mathbf{st}^{\text{in}}, a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}})$
    - 9 If  $\mathbf{st}^{\text{out}} = \text{Reject}$ , output Reject;
  - 10  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 11 If  $w^{\text{out}} = \text{Reject}$  output Reject;
  - 12 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\mathbf{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 13 If  $v^{\text{out}} = \text{Reject}$  output Reject;
  - 14 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B, t)$ ;
  - 15 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 16 Set  $m^{\text{out}} = (v^{\text{out}}, \mathbf{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 17 if  $t = t^*$  then
    - 18 Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
  - 19 else
    - 20 Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
  
  - 21 Output  $\tilde{\mathbf{st}}^{\text{out}} = (t + 1, \mathbf{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}$ ;
-

### 5.3.1 From $\text{Hyb}_{0,0}$ to $\text{Hyb}_{0,1}$ :

**Lemma 5.3.** *Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator, Prf be a selectively secure puncturable PRF and Spl be a secure splittable signature scheme. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^0 - \text{Adv}_{\mathcal{A}}^{0,1}| \leq \text{negl}(\lambda)$ .*

*Proof.* We define third layer hybrids  $\text{Hyb}_{0,0,i}$  where  $i \in \{0, 1, \dots, t^*\}$ .

---

#### Algorithm 10: $\widehat{F}_{0,0,i}$

---

**Input** :  $\widetilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\widetilde{a}_{\mathcal{M} \leftarrow \mathcal{M}}^{\text{in}} = (a_{\mathcal{M} \leftarrow \mathcal{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\mathcal{M} \leftarrow \mathcal{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A, K_B$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
  - 2 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ,  $r_B = \text{Prf}(K_B, t - 1)$ ;
  - 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 4 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'};$
  - 5 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'};$
  - 6 If  $\alpha = \text{'-'} and ( $t > t^*$  or  $t \leq i$ ) output **Reject**;$
  - 7 If  $\alpha = \text{'-'} and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'};$$
  - 8 If  $\alpha = \text{'-'} output **Reject**;$
  - 9 **if**  $\alpha = \text{'B'}$  **then**
  - 10    Compute  $(\text{st}^{\text{out}}, a_{\mathcal{M} \leftarrow \mathcal{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\mathcal{M} \leftarrow \mathcal{M}}^{\text{in}})$
  - 11 **else**
  - 12    Compute  $(\text{st}^{\text{out}}, a_{\mathcal{M} \leftarrow \mathcal{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\mathcal{M} \leftarrow \mathcal{M}}^{\text{in}})$
  - 13 **If**  $\text{st}^{\text{out}} = \text{Reject}$ , **output** **Reject**;
  - 14  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 15 **If**  $w^{\text{out}} = \text{Reject}$  **output** **Reject**;
  - 16 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 17 **If**  $v^{\text{out}} = \text{Reject}$  **output** **Reject**;
  - 18 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B, t)$ ;
  - 19 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 20 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 21 Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
  - 22 **Output**  $\widetilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\widetilde{a}_{\mathcal{M} \leftarrow \mathcal{A}}^{\text{out}} = a_{\mathcal{M} \leftarrow \mathcal{A}}^{\text{out}};$
- 

$\text{Hyb}_{0,0,i}$ . In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}_{0,0,i}$  defined in Algorithm 10. This program is similar to  $\widetilde{F}_0$  except that it has PRF key  $K_B$  hardwired, accepts both ‘A’ and ‘B’ type signatures for  $i < t \leq t^*$ . The type of the outgoing signature follows the type of the incoming signature.

We observe that hybrids  $\text{Hyb}_{0,0,0}$  and  $\text{Hyb}_{0,1}$  are identical. In addition, hybrids  $\text{Hyb}_{0,0,t^*}$  and  $\text{Hyb}_{0,0}$  are functionally identical, since the difference between these two hybrids is a dummy code which has never been executed. Therefore, it suffices to show that  $\text{Hyb}_{0,0,i}$  and  $\text{Hyb}_{0,0,i-1}$  are computationally indistinguishable for  $0 \leq i \leq t^*$ , which is implied by Lemma 5.4.

□

**Lemma 5.4.** *Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator, Prf be a selectively secure puncturable PRF and Spl be a secure splittable signature scheme. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,0,i} - \text{Adv}_{\mathcal{A}}^{0,0,i-1}| \leq \text{negl}(\lambda)$ .*

*Proof.* We define fourth-layer hybrids  $\mathbf{Hyb}_{0,0,i,a}, \dots, \mathbf{Hyb}_{0,0,i,f}$ .

**Hyb**<sub>0,0,i,a</sub>. In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,0,i,a}$  defined in Algorithm 11. This program is similar to  $\widehat{F}^{0,0,i}$  except that when  $t = i$ , it verifies the signature using  $\text{vk}_{B,\text{rej}}$  if it is not accepted as ‘A’ type signature.

**Hyb**<sub>0,0,i,b</sub>. In this hybrid, the challenger first punctures the PRF key  $K_B$  on input  $i - 1$  by computing  $K_B\{i - 1\} \leftarrow \text{Prf.Puncture}(K_B, i - 1)$ . Next, it computes  $r_C = \text{Prf}(K_B, i - 1)$  and  $(\text{sk}_C, \text{vk}_C, \text{vk}_{C,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_C)$ . It outputs an obfuscation of  $\widehat{F}^{0,0,i,b}$  defined in Algorithm 12. This program is similar to  $\widehat{F}^{0,0,i,a}$  except that it has  $K_B\{i - 1\}$  and  $\text{vk}_{C,\text{rej}}$  hardwired, and when  $t = i$ , it replaces  $\text{vk}_{B,\text{rej}}$  by  $\text{vk}_{C,\text{rej}}$ .

**Hyb**<sub>0,0,i,c</sub>. This hybrid is similar to **Hyb**<sub>0,0,i,b</sub>, except that  $r_C$  is now chosen uniformly at random from  $\{0, 1\}^\lambda$ .

**Hyb**<sub>0,0,i,d</sub>. This hybrid is similar to **Hyb**<sub>0,0,i,c</sub>, except that  $\text{vk}_C$  instead of  $\text{vk}_{C,\text{rej}}$  is hardwired to the program.

**Hyb**<sub>0,0,i,e</sub>. This hybrid is similar to **Hyb**<sub>0,0,i,d</sub>, except that  $r_C = \text{Prf}(K_B, i - 1)$  is now pseudorandom.

**Hyb**<sub>0,0,i,f</sub>. This hybrid is identical to **Hyb**<sub>0,0,i-1</sub>

**Analysis.** In the remaining we prove the following claims:

**Claim 5.5.** *Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,0,i} - \text{Adv}_{\mathcal{A}}^{0,0,i,a}| \leq \text{negl}(\lambda)$ .*

*Proof.* Observe that  $\widehat{F}^{0,0,i}$  and  $\widehat{F}^{0,0,i,a}$  have identical functionality. Therefore **Hyb**<sub>0,0,i</sub> and **Hyb**<sub>0,0,i,a</sub> are computationally indistinguishable under the assumption that  $i\mathcal{O}$  is a secure indistinguishability obfuscation scheme.  $\square$

**Claim 5.6.** *Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,0,i,a} - \text{Adv}_{\mathcal{A}}^{0,0,i,b}| \leq \text{negl}(\lambda)$ .*

*Proof.* Note that the only difference between  $\widehat{F}^{0,0,i,a}$  and  $\widehat{F}^{0,0,i,b}$  is that the later uses a punctured PRF key  $K_B\{i - 1\}$  to compute the verification key for time  $t - 1$  and the signing key for time  $t$ . For verification, the functionality is preserved since  $\text{vk}_{C,\text{rej}}$  is hardwired to the circuit. For signing, ‘B’ type key is never used to sign at time  $t = i - 1$ . Therefore **Hyb**<sub>0,0,i,a</sub> and **Hyb**<sub>0,0,i,b</sub> are computationally indistinguishable.  $\square$

**Claim 5.7.** *Let Prf be a selectively secure puncturable PRF. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,0,i,b} - \text{Adv}_{\mathcal{A}}^{0,0,i,c}| \leq \text{negl}(\lambda)$ .*

*Proof.* Since both  $\widehat{F}^{0,0,i,b}$  and  $\widehat{F}^{0,0,i,c}$  depend only on  $K_B\{i - 1\}$ , by the security of indistinguishability obfuscation, the value of  $\text{Prf}(K_B, i - 1)$  can be replaced by a random value. Therefore **Hyb**<sub>0,0,i,b</sub> and **Hyb**<sub>0,0,i,c</sub> are computationally indistinguishable under the assumption that Prf is selectively secure puncturable PRF.  $\square$



**Claim 5.8.** Let  $\text{Spl}$  be a splittable signature scheme which satisfies  $\text{vk}_{\text{rej}}$  indistinguishability (Definition 3.7). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,0,i,c} - \text{Adv}_{\mathcal{A}}^{0,0,i,d}| \leq \text{negl}(\lambda)$ .

*Proof.* Note that  $\text{sk}_C$  is not hardwired in either  $\widehat{F}^{0,0,i,c}$  or  $\widehat{F}^{0,0,i,d}$ . Based on the  $\text{vk}_{\text{rej}}$  indistinguishability property of splittable signature scheme  $\text{Spl}$ , given only  $\text{vk}_C$  or  $\text{vk}_{C,\text{rej}}$ , the two hybrids are computationally indistinguishable.  $\square$

**Claim 5.9.** Let  $\text{Prf}$  be a selectively secure puncturable PRF. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,0,i,d} - \text{Adv}_{\mathcal{A}}^{0,0,i,e}| \leq \text{negl}(\lambda)$ .

*Proof.* Since both  $\widehat{F}^{0,0,i,d}$  and  $\widehat{F}^{0,0,i,e}$  depend only on  $K_B\{i-1\}$ , by the security of indistinguishability obfuscation, the random value can be switched back to  $\text{Prf}(K_B, i-1)$ . Therefore  $\mathbf{Hyb}_{0,0,i,d}$  and  $\mathbf{Hyb}_{0,0,i,e}$  are computationally indistinguishable.  $\square$

**Claim 5.10.** Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,0,i,e} - \text{Adv}_{\mathcal{A}}^{0,0,i,f}| \leq \text{negl}(\lambda)$ .

*Proof.* Finally, observe that  $\widehat{F}^{0,0,i,e}$  and  $\widehat{F}^{0,0,i,f}$  have identical functionality.  $\square$

To conclude, we have for all PPT  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,0,i} - \text{Adv}_{\mathcal{A}}^{0,0,i-1}| \leq \text{negl}(\lambda)$  as required.  $\square$

---

**Algorithm 11:**  $\widehat{F}^{0,0,i,a}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\text{A} \leftarrow \text{M}}^{\text{in}} = (a_{\text{A} \leftarrow \text{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\text{A} \leftarrow \text{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A, K_B$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
  - 2 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ,  $r_B = \text{Prf}(K_B, t - 1)$ ;
  - 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 4 Set  $\text{vk} = \text{vk}_{B,\text{rej}}$ ;
  - 5 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'}$  ;
  - 6 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'}$  ;
  - 7 If  $\alpha = \text{'-'}$  and  $(t > t^*$  or  $t \leq i - 1)$  output **Reject**;
  - 8 If  $\alpha = \text{'-'}$  and  $t = i$  and  $\text{Spl.Verify}(\text{vk}, m^{\text{in}}, \sigma^{\text{in}}) = 0$  output **Reject**;
  - 9 If  $\alpha = \text{'-'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'}$  ;
  - 10 If  $\alpha = \text{'-'}$  output **Reject**;
  
  - 11 **if**  $\alpha = \text{'B'}$  **then**
  - 12    $\lfloor$  Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
  - 13 **else**
  - 14    $\lfloor$  Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
  - 15 **If**  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  
  - 16  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 17 **If**  $w^{\text{out}} = \text{Reject}$  output **Reject**;
  - 18 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 19 **If**  $v^{\text{out}} = \text{Reject}$  output **Reject**;
  - 20 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B, t)$ ;
  - 21 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 22 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 23 Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
  
  - 24 Output  $\tilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\text{M} \leftarrow \text{A}}^{\text{out}} = a_{\text{M} \leftarrow \text{A}}^{\text{out}}$  ;
-

---

**Algorithm 12:**  $\widehat{F}^{0,0,i,b}$ 

---

**Input** :  $\widetilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\widetilde{a}_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}} = (a_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data:**  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{ltr}}, K_A, K_B\{i-1\}, \text{vk}_{C,\text{rej}}$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
  - 2 Compute  $r_A = \text{Prf}(K_A, t-1)$ ;
  - 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ;
  - 4 **if**  $t \neq i$  **then**
  - 5     Compute  $r_B = \text{Prf}(K_B\{i-1\}, t-1)$ ;
  - 6     Compute  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 7     Set  $\text{vk} = \text{vk}_{B,\text{rej}}$ ;
  - 8 **else**
  - 9     Set  $\text{vk} = \text{vk}_{C,\text{rej}}$ ;
  - 10 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'}$  ;
  - 11 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'}$  ;
  - 12 If  $\alpha = \text{'-'}$  and  $(t > t^* \text{ or } t \leq i-1)$  output **Reject**;
  - 13 If  $\alpha = \text{'-'}$  and  $t = i$  and  $\text{Spl.Verify}(\text{vk}, m^{\text{in}}, \sigma^{\text{in}}) = 0$  output **Reject**;
  - 14 If  $\alpha = \text{'-'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'}$  ;
  - 15 If  $\alpha = \text{'-'}$  output **Reject**;
  - 16 **if**  $\alpha = \text{'B'}$  **then**
  - 17     Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}})$
  - 18 **else**
  - 19     Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}})$
  - 20 If  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  - 21  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 22 If  $w^{\text{out}} = \text{Reject}$  output **Reject**;
  - 23 Compute  $v^{\text{out}} = \text{ltr.Iterate}(\text{pp}_{\text{ltr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 24 If  $v^{\text{out}} = \text{Reject}$  output **Reject**;
  - 25 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B\{i-1\}, t)$ ;
  - 26 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 27 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 28 Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
  - 29 Output  $\widetilde{\text{st}}^{\text{out}} = (t+1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\widetilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}$  ;
-

### 5.3.2 From $\text{Hyb}_{0,2,i}$ to $\text{Hyb}_{0,2',i}$

**Lemma 5.11.** *Let  $1 \leq i < t^*$ . Assume  $i\mathcal{O}$  is a secure indistinguishability obfuscator,  $\text{Prf}$  is a selectively secure puncturable PRF,  $\text{Spl}$  is a secure splittable signature scheme, and  $\text{Acc}$  is a secure positional accumulator scheme. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i} - \text{Adv}_{\mathcal{A}}^{0,2',i}| \leq \text{negl}(\lambda)$ .*

*Proof.* We define fourth layer hybrids  $\text{Hyb}_{0,2,i,0}$ ,  $\text{Hyb}_{0,2,i,1}$ ,  $\dots$ ,  $\text{Hyb}_{0,2,i,13}$ . The first hybrid corresponds to  $\text{Hyb}_{0,2,i}$ , and the last one corresponds to  $\text{Hyb}_{0,2',i}$ .

**Hyb**<sub>0,2,i,0</sub>. This hybrid corresponds to **Hyb**<sub>0,2,i</sub>

**Hyb**<sub>0,2,i,1</sub>. In this experiment, the challenger punctures key  $K_A, K_B$  at input  $i$ , uses  $\text{Prf}(K_A, i)$  and  $\text{Prf}(K_B, i)$  to compute  $(\text{sk}_C, \text{vk}_C)$  and  $(\text{sk}_D, \text{vk}_D)$  respectively. More formally, it computes  $K_A\{i\} \leftarrow \text{Prf.Puncture}(K_A, i)$ ,  $r_C = \text{Prf}(K, i)$ ,  $(\text{sk}_C, \text{vk}_C, \text{vk}_{C,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_C)$  and  $K_B\{i\} \leftarrow \text{Prf.Puncture}(K_B, i)$ ,  $r_D = \text{Prf}(K, i)$ ,  $(\text{sk}_D, \text{vk}_D, \text{vk}_{D,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_D)$ .

In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,2,i,1}$  defined in Algorithm 14. Here  $\widehat{F}^{0,2,i,1}$  is identical to  $\widehat{F}^{0,2,i}$  defined in Algorithm 6 except that it uses a punctured PRF key  $K_A\{i\}$  instead of  $K_A$ , and  $K_B\{i\}$  instead of  $K_B$ .

**Hyb**<sub>0,2,i,2</sub>. In this hybrid, the challenger chooses  $r_C, r_D$  uniformly at random instead of computing them using  $\text{Prf}(K_A, i)$  and  $\text{Prf}(K_B, i)$ . In other words, the secret key/verification key pairs are sampled as  $(\text{sk}_C, \text{vk}_C) \leftarrow \text{Spl.Setup}(1^\lambda)$  and  $(\text{sk}_D, \text{vk}_D) \leftarrow \text{Spl.Setup}(1^\lambda)$ .

**Hyb**<sub>0,2,i,3</sub>. In this hybrid, the challenger computes constrained signing keys using the  $\text{Spl.Split}$  algorithm. As in the previous hybrids, the challenger first computes the  $i$ -th message  $m^i$ . Then, it computes the following:  $(\sigma_{C,\text{one}}, \text{vk}_{C,\text{one}}, \text{sk}_{C,\text{abo}}, \text{vk}_{C,\text{abo}}) = \text{Spl.Split}(\text{sk}_C, m^i)$  and  $(\sigma_{D,\text{one}}, \text{vk}_{D,\text{one}}, \text{sk}_{D,\text{abo}}, \text{vk}_{D,\text{abo}}) = \text{Spl.Split}(\text{sk}_D, m^i)$ .

In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,2,i,2}$  defined in Algorithm 15. Note that the only difference between  $\widehat{F}^{0,2,i,2}$  and  $\widehat{F}^{0,2,i,1}$  is that in  $\widehat{F}^{0,2,i,1}$ , on input corresponding to step  $i$ , signs the outgoing message  $m$  using  $\text{sk}_C$  if  $m = m^i$ , else it signs using  $\text{sk}_D$ . On the other hand, at step  $i$ ,  $\widehat{F}^{0,2,i,2}$  outputs  $\sigma_{C,\text{one}}$  if the outgoing message  $m = m^i$ , else it signs using  $\text{sk}_{C,\text{abo}}$ .

**Hyb**<sub>0,2,i,4</sub>. This hybrid is similar to the previous one, except that the challenger hardwires  $\text{vk}_{C,\text{one}}$  in  $\widehat{F}^{0,2,i,2}$  instead of  $\text{vk}_C$ .

**Hyb**<sub>0,2,i,5</sub>. This hybrid is similar to the previous one, except that the challenger hardwires  $\text{vk}_{D,\text{abo}}$  instead of  $\text{vk}_D$ . As in the previous hybrid, the challenger uses  $\text{Spl.Split}$  to compute  $(\sigma_{C,\text{one}}, \text{vk}_{C,\text{one}}, \text{sk}_{C,\text{abo}}, \text{vk}_{C,\text{abo}})$  and  $(\sigma_{D,\text{one}}, \text{vk}_{D,\text{one}}, \text{sk}_{D,\text{abo}}, \text{vk}_{D,\text{abo}})$  from  $\text{sk}_C$  and  $\text{sk}_D$  respectively.

**Hyb**<sub>0,2,i,6</sub>. In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,2,i,3}$  defined in Algorithm 16. This program performs extra checks before computing the signature. In particular, the program additionally checks if the input corresponds to step  $i + 1$ . If so, it checks whether  $m^{\text{in}} = m^i$  or not, and accordingly outputs either ‘A’ or ‘B’ type signature.

**Hyb**<sub>0,2,i,7</sub>. In this hybrid, the challenger makes the accumulator ‘read enforcing’. It computes the first  $i$  number of ‘correct inputs’ for the accumulator. Based on the initial configuration, we first obtain  $\left(\{(j, \text{mem}^0[j])\}_{j=1}^{|\text{mem}^0|}\right)$ . Then we run the following algorithm to obtain  $\{a_{M \leftarrow A}^j\}_{j=0}^i$ .

---

**Algorithm 13:** This algorithm is for **Hyb**<sub>0,2,i,7</sub>

---

```

1 for  $j \in \{1, \dots, i\}$  do
2   Compute  $(\text{st}^j, a_{M \leftarrow A}^j) \leftarrow F^0(\text{st}^{j-1}, a_{A \leftarrow M}^{j-1})$ ;           //  $a_{A \leftarrow M}^{j-1} = (\mathbf{I}^{j-1}, \mathbf{B}^{j-1})$ 
3    $(\text{mem}^j, a_{A \leftarrow M}^j) \leftarrow \text{access}(\text{mem}^{j-1}, a_{M \leftarrow A}^j)$ ;           //  $a_{M \leftarrow A}^j = (\mathbf{I}^j, \mathbf{B}^j)$ 

```

---

Let  $\ell = |\text{mem}^0|$ . Now we set

$$\mathbf{enf} = \left( (1, \text{mem}^0[1]), \dots, (\ell, \text{mem}^0[\ell]), (\mathbf{I}^0, \mathbf{B}^0), \dots, (\mathbf{I}^{i-1}, \mathbf{B}^{i-1}) \right)$$

Finally, the challenger computes  $(\text{pp}_{\text{Acc}}, \hat{w}_0, \hat{\text{store}}_0) \leftarrow \text{Acc.SetupEnforceRead}(1^\lambda; T, \mathbf{enf}, \mathbf{I}^i)$ .

**Hyb**<sub>0,2,i,8</sub>. In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,2,i,4}$  defined in Algorithm 17. This program runs  $F^1$  instead of  $F^0$ , if on  $(i+1)$ -st step, the input signature ‘A’ verifies. Note that the accumulator is ‘read enforced’ in this hybrid.

**Hyb**<sub>0,2,i,9</sub>. In this hybrid, the challenger uses normal setup for the accumulator related parameters; that is, it computes  $(\text{pp}_{\text{Acc}}, \hat{w}_0, \hat{\text{store}}_0) \leftarrow \text{Acc.Setup}(1^\lambda; T)$ . The remaining steps are exactly identical to the corresponding ones in the previous hybrid.

**Hyb**<sub>0,2,i,10</sub>. In this hybrid, the challenger computes  $(\sigma_{C,\text{one}}, \text{vk}_{C,\text{one}}, \text{sk}_{C,\text{abo}}, \text{vk}_{C,\text{abo}}) = \text{Spl.Split}(\text{sk}_C, m^i)$ , but does not compute  $(\text{sk}_D, \text{vk}_D)$ . Instead, it outputs an obfuscation of Note that the hardwired keys for verification/signing (that is,  $\sigma_{C,\text{one}}, \text{vk}_{C,\text{one}}, \text{sk}_{C,\text{abo}}, \text{vk}_{C,\text{abo}}$ ) are all derived from the same signing key  $\text{sk}_C$ , whereas in the previous hybrid, the first two components were derived from  $\text{sk}_C$  while the next two from  $\text{sk}_D$ .

**Hyb**<sub>0,2,i,11</sub>. In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,2,i,5}$  defined in Algorithm 15.

**Hyb**<sub>0,2,i,12</sub>. In this hybrid, the challenger chooses the randomness  $r_C$  used to compute  $(\text{sk}_C, \text{vk}_C)$  pseudo-randomly; that is, it sets  $r_C = \text{Prf}(K_A, i)$ .

**Hyb**<sub>0,2,i,13</sub>. This corresponds to **Hyb**<sub>0,2',i</sub>.

**Analysis.** In the remaining we prove the following claims.

**Claim 5.12.** Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i} - \text{Adv}_{\mathcal{A}}^{0,2,i,1}| \leq \text{negl}(\lambda)$ .

*Proof.* The only difference between **Hyb**<sub>0,2,i</sub> and **Hyb**<sub>0,2,i,1</sub> is that **Hyb**<sub>0,2,i</sub> uses program  $\widehat{F}^{0,2,i}$ , while **Hyb**<sub>0,2,i,1</sub> uses  $\widehat{F}^{0,2,i,1}$ . From the correctness of puncturable PRFs, it follows that both programs have identical functionality for  $t \neq i$ . For  $t = i$ , the two programs have identical functionality because  $(\text{sk}_C, \text{vk}_C)$  and  $(\text{sk}_D, \text{vk}_D)$  are correctly computed using  $\text{Prf}(K_A, i)$  and  $\text{Prf}(K_B, i)$  respectively. Therefore, by the security of  $i\mathcal{O}$ , it follows that the obfuscations of the two programs are computationally indistinguishable.  $\square$

**Claim 5.13.** Let  $\text{Prf}$  be a selectively secure puncturable PRF. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i,1} - \text{Adv}_{\mathcal{A}}^{0,2,i,2}| \leq \text{negl}(\lambda)$ .

*Proof.* We will construct an intermediate experiment **Hyb**, where  $r_C$  is chosen uniformly at random, while  $r_D = \text{Prf}(K_B, i)$ . Now, if an adversary can distinguish between **Hyb**<sub>0,2,i,1</sub> and **Hyb**, then we can construct a reduction algorithm that breaks the security of  $\text{Prf}$ . The reduction algorithm sends  $i$  as the challenge, and receives  $K_A\{i\}, r$ . It then uses  $r$  to compute  $(\text{sk}_C, \text{vk}_C) = \text{Spl.Setup}(1^\lambda; r)$ . Depending on whether  $r$  is truly random or not,  $\mathcal{B}$  simulates either hybrid **Hyb** or **Hyb**<sub>0,2,i,1</sub>. Clearly, if  $\mathcal{A}$  can distinguish between **Hyb**<sub>0,2,i,1</sub> and **Hyb** with advantage non-negl, then  $\mathcal{B}$  breaks the PRF security with advantage non-negl.  $\square$

**Claim 5.14.** Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i,2} - \text{Adv}_{\mathcal{A}}^{0,2,i,3}| \leq \text{negl}(\lambda)$ .

*Proof.* The correctness property of  $\text{Spl}$  ensures that  $\widehat{F}^{0,2,i,1}$  and  $\widehat{F}^{0,2,i,2}$  have identical functionality.  $\square$

**Claim 5.15.** Let  $\text{Spl}$  be a secure splittable signature scheme which satisfies  $\text{vk}_{\text{one}}$  indistinguishability (Definition 3.8). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i,3} - \text{Adv}_{\mathcal{A}}^{0,2,i,4}| \leq \text{negl}(\lambda)$ .

*Proof.* Suppose there exists an adversary  $\mathcal{A}$  such that  $|\text{Adv}_{\mathcal{A}}^{0,2,i,3} - \text{Adv}_{\mathcal{A}}^{0,2,i,4}| = \text{non-negl}$ . Then we can construct a reduction algorithm  $\mathcal{B}$  that breaks the  $\text{vk}_{\text{one}}$  indistinguishability of splittable signature scheme  $\text{Spl}$ .  $\mathcal{B}$  sends  $m^i$  to the challenger. The challenger chooses  $(\text{sk}_C, \text{vk}_C, \text{vk}_{C,\text{rej}}) \leftarrow \text{Spl.Setup}(1^\lambda)$ ,  $(\sigma_{C,\text{one}}, \text{vk}_{C,\text{one}}, \text{sk}_{D,\text{abo}}, \text{vk}_{D,\text{abo}})$  and receives  $(\sigma, \text{vk})$ , where  $\sigma = \sigma_{C,\text{one}}$  and  $\text{vk} = \text{vk}_C$  or  $\text{vk}_{C,\text{one}}$ . It chooses the remaining components (including  $\text{sk}_{D,\text{abo}}$  and  $\text{vk}_D$ ) and computes  $\widehat{F}^{0,2,i,2}$  where  $(T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A\{i\}, K_B\{i\}, \sigma_{C,\text{one}}, \text{sk}_{D,\text{abo}}, \text{vk}, \text{vk}_D, m^i)$  is hardwired.

Now, note that  $\mathcal{B}$  perfectly simulates either **Hyb**<sub>0,2,i,3</sub> or **Hyb**<sub>0,2,i,4</sub>, depending on whether the challenge message was  $(\sigma_{C,\text{one}}, \text{vk}_C)$  or  $(\sigma_{C,\text{one}}, \text{vk}_{C,\text{one}})$ .  $\square$

**Claim 5.16.** Let  $\text{Spl}$  be a secure splittable signature scheme which satisfies  $\text{vk}_{\text{abo}}$  indistinguishability (Definition 3.9). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i,4} - \text{Adv}_{\mathcal{A}}^{0,2,i,5}| \leq \text{negl}(\lambda)$ .

*Proof.* This proof is similar to the previous one. Suppose there exists an adversary  $\mathcal{A}$  such that  $|\text{Adv}_{\mathcal{A}}^{0,2,i,4} - \text{Adv}_{\mathcal{A}}^{0,2,i,5}| = \text{non-negl}$ . Then there exists a reduction algorithm  $\mathcal{B}$  that breaks the  $\text{vk}_{\text{abo}}$  security of  $\text{Spl}$  with advantage non-negl. In this case, the reduction algorithm uses the challenger's output to set up  $\text{sk}_{D,\text{abo}}$  and  $\text{vk}$ , which is either  $\text{vk}_D$  or  $\text{vk}_{D,\text{abo}}$ .  $\square$

**Claim 5.17.** Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i,5} - \text{Adv}_{\mathcal{A}}^{0,2,i,6}| \leq \text{negl}(\lambda)$ .

*Proof.* Let  $P_0$  be  $\widehat{F}^{0,2,i,2}$  and  $P_1$  be  $\widehat{F}^{0,2,i,3}$  respectively with identically computed constants  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A\{i\}, K_B\{i\}, \sigma_{C,\text{one}}, \text{sk}_{D,\text{abo}}, \text{vk}_{C,\text{one}}, \text{vk}_{D,\text{abo}}, m^i$ .

It suffices to show that  $P_0$  and  $P_1$  have identical functionality. Note that the only inputs where  $P_0$  and  $P_1$  can possibly differ correspond to step  $i + 1$ . Fix any input in step  $i + 1$ . Let us consider two cases:

- $m^{\text{in}} = m^i$ . In this case, using the correctness properties of  $\text{Spl}$  we can argue that for both programs,  $\alpha = \text{'A'}$ . Now,  $P_0$  outputs  $\text{Spl.Sign}(\text{sk}'_{\alpha}, m^{\text{out}})$ , while  $P_1$  is hardwired to output  $\text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ . Therefore, both programs have the same output in this case.
- $m^{\text{in}} \neq m^i$ . Here, we use the correctness properties of  $\text{Spl}$  to argue that  $\alpha \neq \text{'A'}$ , and conclude that  $\alpha = \text{'B'}$ .  $P_1$  is hardwired to output  $\text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ , while  $P_0$  outputs  $\text{Spl.Sign}(\text{sk}'_{\alpha}, m^{\text{out}})$ .

□

**Claim 5.18.** *Let Acc be a positional accumulator which satisfies indistinguishability of Read Setup (Definition 3.3). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i,6} - \text{Adv}_{\mathcal{A}}^{0,2,i,7}| \leq \text{negl}(\lambda)$ .*

*Proof.* Suppose there exists an adversary  $\mathcal{A}$  such that  $|\text{Adv}_{\mathcal{A}}^{0,2,i,6} - \text{Adv}_{\mathcal{A}}^{0,2,i,7}| = \text{non-negl}$ . We will construct an algorithm  $\mathcal{B}$  that uses  $\mathcal{A}$  to break the Read Setup indistinguishability of Acc. Here  $\mathcal{B}$  computes the first  $i$  tuples to be accumulated. It computes  $(\mathbf{B}^j, \mathbf{I}^j)$  for  $j \leq i$  as described in  $\mathbf{Hyb}_{0,2,i,7}$ , and sends  $(\mathbf{B}^j, \mathbf{I}^j)$  for  $j < i$ , and  $\mathbf{I}^i$  to the challenger, and receives  $(\text{pp}_{\text{Acc}}, \hat{w}_0, \text{store}_0)$ .  $\mathcal{B}$  uses these components to compute the encoding. Note that the remaining steps are identical in both hybrids, and therefore,  $\mathcal{B}$  can simulate them perfectly. Finally, using  $\mathcal{A}$ 's guess,  $\mathcal{B}$  guesses whether the setup was normal or read-enforced. □

**Claim 5.19.** *Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator, and  $F^0$  and  $F^1$  be functionally equivalent. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i,7} - \text{Adv}_{\mathcal{A}}^{0,2,i,8}| \leq \text{negl}(\lambda)$ .*

*Proof.* Let  $P_0$  be  $\hat{F}^{0,2,i,3}$  and  $P_1$  be  $\hat{F}^{0,2,i,4}$  respectively with identically computed constants  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A\{i\}, K_B\{i\}, \sigma_{C,\text{one}}, \text{sk}_{D,\text{abo}}, \text{vk}_C, \text{vk}_D, m^i$ .

We need to show that  $P_0$  and  $P_1$  have identical functionality. Note that in this case,  $F^0$  and  $F^1$  are used in  $\hat{F}^{0,2,i,3}$  and in  $\hat{F}^{0,2,i,4}$  to compute the output respectively. Based on the assumption that  $F^0$  and  $F^1$  are functionally equivalent, now the only difference could be in the case where  $t = i + 1$ . If  $\text{Spl.Verify}(\text{vk}_{C,\text{one}}, m^{\text{in}}, \sigma^{\text{in}}) = 1$  and  $\text{st}^{\text{out}} = \text{Reject}$ , the two programs could have different functionality. Next we argue this case cannot happen.

From the correctness of Spl, we have that if  $\text{Spl.Verify}(\text{vk}_{C,\text{one}}, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , then  $m^{\text{in}} = m^i$ . As a result,  $w^{\text{in}} = w^i, \mathbf{I}^{\text{in}} = \mathbf{I}^i, \text{st}^{\text{in}} = \text{st}^i$ . Therefore,  $(\mathbf{B}^{\text{in}} = \perp \text{ or } \text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, \mathbf{B}^{\text{in}}, w^i, \mathbf{I}^i, \pi) = 1) \Rightarrow \mathbf{B}^{\text{in}} = \mathbf{B}^i$ , which implies  $\text{st}^{\text{out}} = \text{st}^{i+1}$ . However,  $\text{st}^{i+1} \neq \text{Reject}$ . Therefore,  $t = i + 1$  and  $\text{Spl.Verify}(\text{vk}_{C,\text{one}}, m^{\text{in}}, \sigma^{\text{in}}) = 1$  and  $\text{st}^{\text{out}} = \text{Reject}$  cannot take place. □

**Claim 5.20.** *Let Acc be a positional accumulator which satisfies indistinguishability of Read Setup (Definition 3.3). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i,8} - \text{Adv}_{\mathcal{A}}^{0,2,i,9}| \leq \text{negl}(\lambda)$ .*

*Proof.* The proof is similar to that for Claim 5.18. □

**Claim 5.21.** *Let Spl be a secure splittable signature scheme which satisfies splitting indistinguishability (Definition 3.10). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i,9} - \text{Adv}_{\mathcal{A}}^{0,2,i,10}| \leq \text{negl}(\lambda)$ .*

*Proof.* Suppose there exists an adversary  $\mathcal{A}$  such that  $|\text{Adv}_{\mathcal{A}}^{0,2,i,9} - \text{Adv}_{\mathcal{A}}^{0,2,i,10}| = \text{non-negl}$ . We will construct an algorithm  $\mathcal{B}$  that uses  $\mathcal{A}$  to break the splitting indistinguishability of Spl.  $\mathcal{B}$  first receives as input from the challenger a tuple  $(\sigma_{\text{one}}, \text{vk}_{\text{one}}, \text{sk}_{\text{abo}}, \text{vk}_{\text{abo}})$ , where either all components are derived from the same secret key, or the first two are from one secret key, and the last two from another secret key. Using this tuple,  $\mathcal{B}$  can define the constants required for  $\hat{F}^{0,2,i,4}$ . It computes  $K_A\{i\}, K_B\{i\}, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, m^i$  as described in hybrid  $\mathbf{Hyb}_{0,2,i,9}$  and hardwires  $\sigma_{\text{one}}, \text{vk}_{\text{one}}, \text{sk}_{\text{abo}}, \text{vk}_{\text{abo}}$  in the program. In this way,  $\mathcal{B}$  can simulate either  $\mathbf{Hyb}_{0,2,i,9}$  or  $\mathbf{Hyb}_{0,2,i,10}$ , and therefore, use  $\mathcal{A}$ 's advantage to break the splitting indistinguishability. □

**Claim 5.22.** *Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i,10} - \text{Adv}_{\mathcal{A}}^{0,2,i,11}| \leq \text{negl}(\lambda)$ .*



*Proof.* This claim follows from correctness properties of Spl. Note that the programs  $\widehat{F}^{0,2,i,4}$  and  $\widehat{F}^{0,2,i,5}$  can possibly differ only if  $t = i + 1$ . We argue that in this case, the two programs are identical as follows:

First, if signatures verify and  $\text{st}^{\text{in}} = \text{Reject}$ , then both programs output  $\text{Reject}$ . Second, if  $\text{Spl.Verify}(\text{vk}_{C,\text{one}}, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , and  $\text{st}^{\text{out}} \neq \text{Reject}$ , then both programs output  $\text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ . Third, if  $\text{Spl.Verify}(\text{vk}_{C,\text{one}}, m^{\text{in}}, \sigma^{\text{in}}) = 0$  but  $\text{Spl.Verify}(\text{vk}_{C,\text{abo}}, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , then both programs output  $\text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ . Finally, if signatures do not verify at both steps, then both programs output  $\text{Reject}$ .  $\square$

**Claim 5.23.** *Let Prf be a selectively secure puncturable PRF. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i,11} - \text{Adv}_{\mathcal{A}}^{0,2,i,12}| \leq \text{negl}(\lambda)$ .*

*Proof.* The proof is similar to that for Claim 5.13.  $\square$

**Claim 5.24.** *Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,i,12} - \text{Adv}_{\mathcal{A}}^{0,2,i,13}| \leq \text{negl}(\lambda)$ .*

*Proof.* The proof is similar to that for Claim 5.12.  $\square$

$\square$

---

**Algorithm 14:**  $\widehat{F}^{0,2,i,1}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\mathcal{M} \leftarrow \mathcal{M}}^{\text{in}} = (a_{\mathcal{M} \leftarrow \mathcal{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\mathcal{M} \leftarrow \mathcal{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$   
**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A\{i\}, K_B\{i\}, \text{sk}_C, \text{sk}_D, \text{vk}_C, \text{vk}_D, m^i$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
- 2 **if**  $t \neq i + 1$  **then**
- 3     Compute  $r_A = \text{Prf}(K_A\{i\}, t - 1)$ ,  $r_B = \text{Prf}(K_B\{i\}, t - 1)$ ;
- 4     Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
- 5 **else**
- 6     Set  $\text{vk}_A = \text{vk}_C$ ,  $\text{vk}_B = \text{vk}_D$ ;
- 7 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'} ;$
- 8 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'} ;$
- 9 If  $\alpha = \text{'-'} and (t > t^* or t \leq i)$  output **Reject**;
- 10 If  $\alpha \neq \text{'A'} and \text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'} ;$
- 11 If  $\alpha = \text{'-'} output **Reject**;$
  
- 12 **if**  $\alpha = \text{'B'} or t \leq i$  **then**
- 13     Compute  $(\text{st}^{\text{out}}, a_{\mathcal{M} \leftarrow \mathcal{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\mathcal{M} \leftarrow \mathcal{M}}^{\text{in}})$
- 14 **else**
- 15     Compute  $(\text{st}^{\text{out}}, a_{\mathcal{M} \leftarrow \mathcal{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\mathcal{M} \leftarrow \mathcal{M}}^{\text{in}})$
- 16 If  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  
- 17  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
- 18 If  $w^{\text{out}} = \text{Reject}$  output **Reject**;
- 19 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
- 20 If  $v^{\text{out}} = \text{Reject}$  output **Reject**;
- 21 **if**  $t \neq i$  **then**
- 22     Set  $r'_A = \text{Prf}(K_A\{i\}, t)$ ,  $r'_B = \text{Prf}(K_B\{i\}, t)$ ;
- 23     Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24 **else**
- 25     Set  $\text{sk}'_A = \text{sk}_C$ ,  $\text{sk}'_B = \text{sk}_D$ ;
- 26 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
- 27 **if**  $t = i$  and  $m^{\text{out}} = m^i$  **then**
- 28     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 29 **else if**  $t = i$  and  $m^{\text{out}} \neq m^i$  **then**
- 30     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
- 31 **else**
- 32     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 33 Output  $\tilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\mathcal{M} \leftarrow \mathcal{A}}^{\text{out}} = a_{\mathcal{M} \leftarrow \mathcal{A}}^{\text{out}}$ ;

---

---

**Algorithm 15:**  $\widehat{F}^{0,2,i,2}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}} = (a_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$   
**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A\{i\}, K_B\{i\}, \sigma_{C,\text{one}}, \text{sk}_{D,\text{abo}}, \text{vk}_C, \text{vk}_D, m^i$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
- 2 **if**  $t \neq i + 1$  **then**
- 3     Compute  $r_A = \text{Prf}(K_A\{i\}, t - 1)$ ,  $r_B = \text{Prf}(K_B\{i\}, t - 1)$ ;
- 4     Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
- 5 **else**
- 6     Set  $\text{vk}_A = \text{vk}_C$ ,  $\text{vk}_B = \text{vk}_D$ ;
- 7 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'}$  ;
- 8 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'}$  ;
- 9 If  $\alpha = \text{'-'}$  and  $(t > t^*$  or  $t \leq i)$  output **Reject**;
- 10 If  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'}$  ;
- 11 If  $\alpha = \text{'-'}$  output **Reject**;
  
- 12 **if**  $\alpha = \text{'B'}$  or  $t \leq i$  **then**
- 13     Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}})$
- 14 **else**
- 15     Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}})$
- 16 If  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  
- 17  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
- 18 If  $w^{\text{out}} = \text{Reject}$  output **Reject**;
- 19 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
- 20 If  $v^{\text{out}} = \text{Reject}$  output **Reject**;
- 21 **if**  $t \neq i$  **then**
- 22     Set  $r'_A = \text{Prf}(K_A\{i\}, t)$ ,  $r'_B = \text{Prf}(K_B\{i\}, t)$ ;
- 23     Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24 **else**
- 25     Set  $\text{sk}'_A = \sigma_{C,\text{one}}$ ,  $\text{sk}'_B = \text{sk}_{D,\text{abo}}$ ;
- 26 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
- 27 **if**  $t = i$  and  $m^{\text{out}} = m^i$  **then**
- 28     Compute  $\sigma^{\text{out}} = \sigma_{C,\text{one}}$ ;
- 29 **else if**  $t = i$  and  $m^{\text{out}} \neq m^i$  **then**
- 30     Compute  $\sigma^{\text{out}} = \text{Spl.AboSign}(\text{sk}'_{D,\text{abo}}, m^{\text{out}})$ ;
- 31 **else**
- 32     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 33 Output  $\tilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}$ ;

---

---

**Algorithm 16:**  $\widehat{F}^{0,2,i,3}$ 

---

**Input** :  $\widetilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\widetilde{a}_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}} = (a_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A\{i\}, K_B\{i\}, \sigma_{C,\text{one}}, \text{sk}_{D,\text{abo}}, \text{vk}_C, \text{vk}_D, m^i$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
- 2 **if**  $t \neq i + 1$  **then**
- 3     Compute  $r_A = \text{Prf}(K_A\{i\}, t - 1), r_B = \text{Prf}(K_B\{i\}, t - 1)$ ;
- 4     Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A), (\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
- 5 **else**
- 6     Set  $\text{vk}_A = \text{vk}_C, \text{vk}_B = \text{vk}_D$ ;
- 7 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'} ;$
- 8 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'} ;$
- 9 If  $\alpha = \text{'-'} and (t > t^* or t \leq i) output \text{Reject} ;$
- 10 If  $\alpha \neq \text{'A'} and \text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'} ;$
- 11 If  $\alpha = \text{'-'} output \text{Reject} ;$
- 12 **if**  $\alpha = \text{'B'}$  or  $t \leq i$  **then**
- 13     Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}})$
- 14 **else**
- 15     Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}})$
- 16 If  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
- 17  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
- 18 If  $w^{\text{out}} = \text{Reject}$  output **Reject**;
- 19 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
- 20 If  $v^{\text{out}} = \text{Reject}$  output **Reject**;
- 21 **if**  $t \neq i$  **then**
- 22     Set  $r'_A = \text{Prf}(K_A\{i\}, t), r'_B = \text{Prf}(K_B\{i\}, t)$ ;
- 23     Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A), (\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24 **else**
- 25     Set  $\text{sk}'_A = \sigma_{C,\text{one}}, \text{sk}'_B = \text{sk}_{D,\text{abo}}$ ;
- 26 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
- 27 **if**  $t = i$  and  $m^{\text{out}} = m^i$  **then**
- 28     Compute  $\sigma^{\text{out}} = \sigma_{C,\text{one}}$ ;
- 29 **else if**  $t = i$  and  $m^{\text{out}} \neq m^i$  **then**
- 30     Compute  $\sigma^{\text{out}} = \text{Spl.AboSign}(\text{sk}'_{D,\text{abo}}, m^{\text{out}})$ ;
- 31 **else if**  $t = i + 1$  and  $m^{\text{in}} = m^i$  **then**
- 32     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 33 **else if**  $t = i + 1$  and  $m^{\text{in}} \neq m^i$  **then**
- 34     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
- 35 **else**
- 36     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 37 Output  $\widetilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\widetilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} ;$

---

---

**Algorithm 17:**  $\widehat{F}^{0,2,i,4}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\text{A} \leftarrow \text{M}}^{\text{in}} = (a_{\text{A} \leftarrow \text{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\text{A} \leftarrow \text{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$   
**Data:**  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A\{i\}, K_B\{i\}, \sigma_{C,\text{one}}, \text{sk}_{D,\text{abo}}, \text{vk}_C, \text{vk}_D, m^i$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
- 2 **if**  $t \neq i + 1$  **then**
- 3     Compute  $r_A = \text{Prf}(K_A\{i\}, t - 1)$ ,  $r_B = \text{Prf}(K_B\{i\}, t - 1)$ ;
- 4     Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
- 5 **else**
- 6     Set  $\text{vk}_A = \text{vk}_C$ ,  $\text{vk}_B = \text{vk}_D$ ;
- 7 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'}$  ;
- 8 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'}$  ;
- 9 If  $\alpha = \text{'-'}$  and  $(t > t^*$  or  $t \leq i)$  output **Reject**;
- 10 If  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'}$  ;
- 11 If  $\alpha = \text{'-'}$  output **Reject**;
- 12 **if**  $\alpha = \text{'B'}$  or  $t \leq i + 1$  **then**
- 13     Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
- 14 **else**
- 15     Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
- 16 If  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
- 17  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
- 18 If  $w^{\text{out}} = \text{Reject}$  output **Reject**;
- 19 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
- 20 If  $v^{\text{out}} = \text{Reject}$  output **Reject**;
- 21 **if**  $t \neq i$  **then**
- 22     Set  $r'_A = \text{Prf}(K_A\{i\}, t)$ ,  $r'_B = \text{Prf}(K_B\{i\}, t)$ ;
- 23     Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24 **else**
- 25     Set  $\text{sk}'_A = \sigma_{C,\text{one}}$ ,  $\text{sk}'_B = \text{sk}_{D,\text{abo}}$ ;
- 26 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
- 27 **if**  $t = i$  and  $m^{\text{out}} = m^i$  **then**
- 28     Compute  $\sigma^{\text{out}} = \sigma_{C,\text{one}}$ ;
- 29 **else if**  $t = i$  and  $m^{\text{out}} \neq m^i$  **then**
- 30     Compute  $\sigma^{\text{out}} = \text{Spl.AboSign}(\text{sk}'_{D,\text{abo}}, m^{\text{out}})$ ;
- 31 **else if**  $t = i + 1$  and  $m^{\text{in}} = m^i$  **then**
- 32     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 33 **else if**  $t = i + 1$  and  $m^{\text{in}} \neq m^i$  **then**
- 34     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
- 35 **else**
- 36     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 37 Output  $\tilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\text{M} \leftarrow \text{A}}^{\text{out}} = a_{\text{M} \leftarrow \text{A}}^{\text{out}}$ ;

---

---

**Algorithm 18:**  $\widehat{F}^{0,2,i,5}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\text{A} \leftarrow \text{M}}^{\text{in}} = (a_{\text{A} \leftarrow \text{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\text{A} \leftarrow \text{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$   
**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A\{i\}, K_B\{i\}, \text{sk}_C, \text{vk}_C, m^i$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
- 2 **if**  $t \neq i + 1$  **then**
- 3     Compute  $r_A = \text{Prf}(K_A\{i\}, t - 1)$ ,  $r_B = \text{Prf}(K_B\{i\}, t - 1)$ ;
- 4     Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
- 5 **else**
- 6     Set  $\text{vk}_A = \text{vk}_C$ ;
- 7 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'} ;$
- 8 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'} ;$
- 9 If  $\alpha = \text{'-'} and (t > t^* or t \leq i + 1)$  output **Reject**;
- 10 If  $\alpha \neq \text{'A'} and \text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'} ;$
- 11 If  $\alpha = \text{'-'} output **Reject**;$
- 12 **if**  $\alpha = \text{'B'}$  or  $t \leq i + 1$  **then**
- 13     Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
- 14 **else**
- 15     Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
- 16 If  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
- 17  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
- 18 If  $w^{\text{out}} = \text{Reject}$  output **Reject**;
- 19 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
- 20 If  $v^{\text{out}} = \text{Reject}$  output **Reject**;
- 21 **if**  $t \neq i$  **then**
- 22     Set  $r'_A = \text{Prf}(K_A\{i\}, t)$ ,  $r'_B = \text{Prf}(K_B\{i\}, t)$ ;
- 23     Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24 **else**
- 25     Set  $\text{sk}'_A = \text{sk}_C$ ;
- 26 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
- 27 **if**  $t = i$  **then**
- 28     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 29 **else if**  $t = i + 1$  and  $m^{\text{in}} = m^i$  **then**
- 30     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 31 **else if**  $t = i + 1$  and  $m^{\text{in}} \neq m^i$  **then**
- 32     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
- 33 **else**
- 34     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 35 Output  $\tilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\text{M} \leftarrow \text{A}}^{\text{out}} = a_{\text{M} \leftarrow \text{A}}^{\text{out}}$ ;

---

### 5.3.3 From $\mathbf{Hyb}_{0,2',i}$ to $\mathbf{Hyb}_{0,2,i+1}$

**Lemma 5.25.** *Let  $i \in \{0, \dots, t^* - 1\}$ . Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator,  $\text{Prf}$  be a selectively secure puncturable PRF and  $\text{Spl}$  be a secure splittable signature scheme. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',i} - \text{Adv}_{\mathcal{A}}^{0,2,i+1}| \leq \text{negl}(\lambda)$ .*

*Proof.* We define fourth layer hybrids  $\mathbf{Hyb}_{0,2',i,0}, \mathbf{Hyb}_{0,2',i,1}, \dots, \mathbf{Hyb}_{0,2',i,8}$ . The first hybrid corresponds to  $\mathbf{Hyb}_{0,2',i}$ , and the last one corresponds to  $\mathbf{Hyb}_{0,2,i+1}$ .

**$\mathbf{Hyb}_{0,2',i,0}$ .** This hybrid corresponds to  $\mathbf{Hyb}_{0,2',i}$

**$\mathbf{Hyb}_{0,2',i,1}$ .** In this hybrid, the challenger makes the accumulator ‘read enforcing’.

Based on the initial configuration, we first obtain  $\left(\{(j, \text{mem}^0[j])\}_{j=1}^{|\text{mem}^0|}\right)$ . Let  $\ell = |\text{mem}^0|$ . It computes the first  $\ell + i$  ‘correct inputs’ for the accumulator. Then we run the following algorithm to obtain  $\{a_{\mathbf{M} \leftarrow \mathbf{A}}^j\}_{j=0}^i$ .

---

**Algorithm 19:** This algorithm is for  $\mathbf{Hyb}_{0,2',i,1}$

---

```

1 for  $j \in \{1, \dots, i\}$  do
2   Compute  $(\text{st}^j, a_{\mathbf{M} \leftarrow \mathbf{A}}^j) \leftarrow F^0(\text{st}^{j-1}, a_{\mathbf{A} \leftarrow \mathbf{M}}^{j-1})$ ; //  $a_{\mathbf{A} \leftarrow \mathbf{M}}^{j-1} = (\mathbf{I}^{j-1}, \mathbf{B}^{j-1})$ 
3    $(\text{mem}^j, a_{\mathbf{A} \leftarrow \mathbf{M}}^j) \leftarrow \text{access}(\text{mem}^{j-1}, a_{\mathbf{M} \leftarrow \mathbf{A}}^j)$ ; //  $a_{\mathbf{M} \leftarrow \mathbf{A}}^j = (\mathbf{I}^j, \mathbf{B}^j)$ 

```

---

Now we set

$$\mathbf{enf} = \left( (1, \text{mem}^0[1]), \dots, (\ell, \text{mem}^0[\ell]), (\mathbf{I}^0, \mathbf{B}^0), \dots, (\mathbf{I}^{i-1}, \mathbf{B}^{i-1}) \right)$$

Finally, the challenger computes  $(\text{pp}_{\text{Acc}}, \hat{w}_0, \hat{\text{store}}_0) \leftarrow \text{Acc.SetupEnforceRead}(1^\lambda; T, \mathbf{enf}, \mathbf{I}^i)$ .

**$\mathbf{Hyb}_{0,2',i,2}$ .** In this hybrid, the challenger uses program  $\hat{F}^{0,2',i,2}$  (defined in Algorithm 22), which is similar to  $\hat{F}^{0,2,i}$ . However, in addition to checking if  $m^i = m^{\text{in}}$ , it also checks if  $(v^{\text{out}}, \text{st}^{\text{out}}, \mathbf{I}^{\text{out}}) = (v^{i+1}, \text{st}^{i+1}, \mathbf{I}^{i+1})$ .

**$\mathbf{Hyb}_{0,2',i,3}$ .** In this experiment, the challenger uses normal setup instead of ‘read enforced’ setup for the accumulator.

**$\mathbf{Hyb}_{0,2',i,4}$ .** In this hybrid, the challenger ‘write enforces’ the accumulator. As in  $\mathbf{Hyb}_{0,2',i,1}$ , based on the initial configuration, we first obtain  $\left(\{(j, \text{mem}^0[j])\}_{j=1}^{|\text{mem}^0|}\right)$ . But now it computes the first  $\ell + i + 1$  ‘correct inputs’ for the accumulator. We run the following algorithm to obtain  $\{a_{\mathbf{M} \leftarrow \mathbf{A}}^j\}_{j=0}^{i+1}$ .

---

**Algorithm 20:** This algorithm is for  $\mathbf{Hyb}_{0,2',i,4}$

---

```

1 for  $j \in \{1, \dots, i\}$  do
2   Compute  $(\text{st}^j, a_{\mathbf{M} \leftarrow \mathbf{A}}^j) \leftarrow F^0(\text{st}^{j-1}, a_{\mathbf{A} \leftarrow \mathbf{M}}^{j-1})$ ; //  $a_{\mathbf{A} \leftarrow \mathbf{M}}^{j-1} = (\mathbf{I}^{j-1}, \mathbf{B}^{j-1})$ 
3    $(\text{mem}^j, a_{\mathbf{A} \leftarrow \mathbf{M}}^j) \leftarrow \text{access}(\text{mem}^{j-1}, a_{\mathbf{M} \leftarrow \mathbf{A}}^j)$ ; //  $a_{\mathbf{M} \leftarrow \mathbf{A}}^j = (\mathbf{I}^j, \mathbf{B}^j)$ 

```

---

Now we set

$$\mathbf{enf} = \left( (1, \text{mem}^0[1]), \dots, (\ell, \text{mem}^0[\ell]), (\mathbf{I}^0, \mathbf{B}^0), \dots, (\mathbf{I}^i, \mathbf{B}^i) \right)$$

Finally, the challenger computes  $(\text{pp}_{\text{Acc}}, \hat{w}_0, \hat{\text{store}}_0) \leftarrow \text{Acc.SetupEnforceRead}(1^\lambda; T, \mathbf{enf})$ .



**Hyb**<sub>0,2',i,5</sub>. In this experiment, the challenger outputs an obfuscation of  $\widehat{F}^{0,2',i,5}$  in Algorithm 23, which is very similar to  $\widehat{F}^{0,2',i,2}$ . However, on input where  $t = i + 1$ , before computing signature, it also checks if  $w^{\text{out}} = w^{i+1}$ . Therefore, it checks whether  $m^{\text{in}} = m^i$  and  $m^{\text{out}} = m^{i+1}$ .

**Hyb**<sub>0,2',i,6</sub>. This experiment is similar to the previous one, except that the challenger uses normal setup for accumulator instead of ‘enforcing write’.

**Hyb**<sub>0,2',i,7</sub>. This experiment is similar to the previous one, except that the challenger uses enforced setup for iterator instead of normal setup. It first computes  $\text{pp}_{\text{Acc}}, w^0, \text{store}^0$  as in the previous hybrid. Next, it computes the first  $i + 1$  ‘correct messages’ for the iterator.

Based on the initial configuration  $\text{mem}^0, \text{st}^0, a_{\text{A} \leftarrow \text{M}}^0 = \perp, a_{\text{M} \leftarrow \text{A}}^0 = \perp$ ), the challenger computes  $\text{enf} = ((\text{st}^0, w^0, \mathbf{I}^0), (\text{st}^1, w^1, \mathbf{I}^1), \dots, (\text{st}^i, w^i, \mathbf{I}^i))$  as follows:

---

**Algorithm 21:** This algorithm is for **Hyb**<sub>0,2',i,7</sub>

---

```

1 for  $j \in \{1, \dots, i + 1\}$  do
2   Compute  $(\text{st}^j, a_{\text{M} \leftarrow \text{A}}^j) \leftarrow F^0(\text{st}^{j-1}, a_{\text{A} \leftarrow \text{M}}^{j-1})$ ; //  $a_{\text{A} \leftarrow \text{M}}^{j-1} = (\mathbf{I}^{j-1}, \mathbf{B}^{j-1})$ 
3    $(a_{\text{M} \leftarrow \text{A}}^j, \pi^j) \leftarrow \text{Acc.PrepRead}(\text{pp}_{\text{Acc}}, \text{store}^j, \mathbf{I}^j)$ 
4    $w^j \leftarrow \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{j-1}, a_{\text{M} \leftarrow \text{A}}^j, \pi^j)$ 
5    $\text{store}^j \leftarrow \text{Acc.WriteStore}(\text{pp}_{\text{Acc}}, \text{store}^{j-1}, a_{\text{M} \leftarrow \text{A}}^j)$ 

```

---

Then the challenger computes  $(\text{pp}_{\text{Itr}}, v^0) \leftarrow \text{Itr.SetupEnforcerIterate}(1^\lambda; T, \text{enf})$ .

**Hyb**<sub>0,2',i,8</sub>. In this experiment, the challenger outputs an obfuscation of  $\widehat{F}^{0,2',i,8}$  in Algorithm 24, which is similar to  $\widehat{F}^{0,2',i,5}$ , except that it only checks if  $m^{\text{out}} = m^{i+1}$ .

**Hyb**<sub>0,2',i,9</sub>. This corresponds to **Hyb**<sub>0,2,i+1</sub>. The only difference between this experiment and the previous one is that this uses normal Setup for iterator.

## Analysis.

**Claim 5.26.** Let *Acc* be a positional accumulator which satisfies indistinguishability of Read Setup (Definition 3.3). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',i} - \text{Adv}_{\mathcal{A}}^{0,2',i,1}| \leq \text{negl}(\lambda)$ .

*Proof.* The proof is very similar that for Claim 5.18. □

**Claim 5.27.** Let *Acc* be a positional accumulator which is Read-enforcing (Definition 3.5), and *iO* be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',i,1} - \text{Adv}_{\mathcal{A}}^{0,2',i,2}| \leq \text{negl}(\lambda)$ .

*Proof.* In order to prove the claim, it suffices to show that  $P_0 = \widehat{F}^{0,2',i}$  and  $P_1 = \widehat{F}^{0,2',i,b}$  are functionally equivalent. These two programs are functionally identical iff  $m^{\text{in}} = m^i \Rightarrow (v^{\text{out}}, \mathbf{I}^{\text{out}}, \text{st}^{\text{out}}) = (v^{i+1}, \mathbf{I}^{i+1}, \text{st}^{i+1})$ , which is implied by the read-enforcing property of the accumulator. □

**Claim 5.28.** Let *Acc* be a positional accumulator which satisfies indistinguishability of Read Setup (Definition 3.3). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',i,2} - \text{Adv}_{\mathcal{A}}^{0,2',i,3}| \leq \text{negl}(\lambda)$ .

*Proof.* The proof is very similar that for Claim 5.18. □

**Claim 5.29.** *Let Acc be a positional accumulator which satisfies indistinguishability of Write Setup (Definition 3.4). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',i,3} - \text{Adv}_{\mathcal{A}}^{0,2',i,4}| \leq \text{negl}(\lambda)$ .*

*Proof.* Suppose there exists an adversary  $\mathcal{A}$  such that  $|\text{Adv}_{\mathcal{A}}^{0,2',i,3} - \text{Adv}_{\mathcal{A}}^{0,2',i,4}| = \text{non-negl}$ . We will construct an algorithm  $\mathcal{B}$  that uses  $\mathcal{A}$  to break the Write Setup indistinguishability of Acc. Here  $\mathcal{B}$  computes the first  $\ell_{\text{input}} + i + 1$  tuples to be accumulated, i.e.,  $\text{enf}$ . It then sends  $\text{enf}$  to the challenger, and receives  $(\text{pp}_{\text{Acc}}, \hat{w}_0, \text{store}_0)$ . Note that the remaining steps are identical in both hybrids, and therefore,  $\mathcal{B}$  can simulate them perfectly. Finally, using  $\mathcal{A}$ 's guess,  $\mathcal{B}$  guesses whether the setup was normal or write-enforced. □

**Claim 5.30.** *Let Acc be a positional accumulator which is Write-enforcing (Definition 3.6), and  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',i,4} - \text{Adv}_{\mathcal{A}}^{0,2',i,5}| \leq \text{negl}(\lambda)$ .*

*Proof.* In order to prove the claim, it suffices to show that  $\hat{F}^{0,2,i,b}$  and  $\hat{F}^{0,2,i,c}$  are functionally equivalent. These two programs are functionally identical iff  $m^{\text{in}} = m^i$  and  $(v^{\text{out}}, \mathbf{I}^{\text{out}}, \text{st}^{\text{out}}) = (v^{i+1}, \mathbf{I}^{i+1}, \text{st}^{i+1}) \Rightarrow w^{\text{out}} = w^{i+1}$ , which is implied by the read-enforcing property of the accumulator. □

**Claim 5.31.** *Let Acc be a positional accumulator which satisfies indistinguishability of Write Setup (Definition 3.4). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',i,5} - \text{Adv}_{\mathcal{A}}^{0,2',i,6}| \leq \text{negl}(\lambda)$ .*

*Proof.* The proof is very similar that for Claim 5.29. □

**Claim 5.32.** *Let ltr be an iterator which satisfies indistinguishability of Setup (Definition 3.1). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',i,6} - \text{Adv}_{\mathcal{A}}^{0,2',i,7}| \leq \text{negl}(\lambda)$ .*

*Proof.* Suppose there exists an adversary  $\mathcal{A}$  such that  $|\text{Adv}_{\mathcal{A}}^{0,2',i,6} - \text{Adv}_{\mathcal{A}}^{0,2',i,7}| = \text{non-negl}$ . We will construct an algorithm  $\mathcal{B}$  that uses  $\mathcal{A}$  to break the Setup indistinguishability of ltr. Here  $\mathcal{B}$  computes the first  $i + 1$  tuples to be iterated on, i.e.,  $\text{enf} = \left( (\text{st}^0, w^0, \mathbf{I}^0), (\text{st}^1, w^1, \mathbf{I}^1), \dots, (\text{st}^i, w^i, \mathbf{I}^i) \right)$ . It then sends  $\text{enf}$  to the challenger, and receives  $(\text{pp}_{\text{ltr}}, v_0)$ . Note that the remaining steps are identical in both hybrids, and therefore,  $\mathcal{B}$  can simulate them perfectly. Finally, using  $\mathcal{A}$ 's guess,  $\mathcal{B}$  guesses whether the setup was normal or enforced. □

**Claim 5.33.** *Let ltr be an iterator which is enforcing (Definition 3.2), and  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',i,7} - \text{Adv}_{\mathcal{A}}^{0,2',i,8}| \leq \text{negl}(\lambda)$ .*

*Proof.* In order to prove the claim, it suffices to show that  $P_0 = \hat{F}^{0,2',i,5}$  and  $P_1 = \hat{F}^{0,2',i,8}$  are functionally equivalent. Note that the only difference between  $P_0$  and  $P_1$  is that, in  $P_0$  we check if  $(m^{\text{in}} = m^i)$  and  $(m^{\text{out}} = m^{i+1})$ , while in  $P_1$  we only check if  $(m^{\text{out}} = m^{i+1})$ . Therefore, we need to show that  $m^{\text{out}} = m^{i+1} \Rightarrow m^{\text{in}} = m^i$ . This follows directly from the enforcing property of the iterator. □

**Claim 5.34.** *Let ltr be an iterator which satisfies indistinguishability of Setup (Definition 3.1). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',i,8} - \text{Adv}_{\mathcal{A}}^{0,2',i,9}| \leq \text{negl}(\lambda)$ .*

*Proof.* The proof is very similar that for Claim 5.32. □

□

□

---

**Algorithm 22:**  $\widehat{F}^{0,2',i,2}$ 

---

**Input** :  $\widetilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\widetilde{a}_{\text{M} \leftarrow \text{M}}^{\text{in}} = (a_{\text{A} \leftarrow \text{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\text{A} \leftarrow \text{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A, K_B, m^i, v^{i+1}, \text{st}^{i+1}, \mathbf{I}^{i+1}$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
  - 2 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ,  $r_B = \text{Prf}(K_B, t - 1)$ ;
  - 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 4 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'} ;$
  - 5 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'} ;$
  - 6 If  $\alpha = \text{'-'} and (t > t^* or t \leq i + 1)$  output **Reject**;
  - 7 If  $\alpha \neq \text{'A'} and \text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'} ;$
  - 8 If  $\alpha = \text{'-'} output **Reject**;$
  
  - 9 **if**  $\alpha = \text{'B'}$  or  $t \leq i + 1$  **then**
  - 10    Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
  - 11 **else**
  - 12    Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
  - 13 If  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  
  - 14  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 15 If  $w^{\text{out}} = \text{Reject}$  output **Reject**;
  - 16 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 17 If  $v^{\text{out}} = \text{Reject}$  output **Reject**;
  - 18 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B, t)$ ;
  - 19 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 20 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 21 **if**  $t = i + 1$  and  $(m^{\text{in}} = m^i$  and  $(v^{\text{out}}, \text{st}^{\text{out}}, \mathbf{I}^{\text{out}}) = (v^{i+1}, \text{st}^{i+1}, \mathbf{I}^{i+1}))$  **then**
  - 22    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
  - 23 **else if**  $t = i + 1$  and  $(m^{\text{in}} \neq m^i$  or  $(v^{\text{out}}, \text{st}^{\text{out}}, \mathbf{I}^{\text{out}}) \neq (v^{i+1}, \text{st}^{i+1}, \mathbf{I}^{i+1}))$  **then**
  - 24    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
  - 25 **else**
  - 26    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
  
  - 27 Output  $\widetilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\widetilde{a}_{\text{M} \leftarrow \text{A}}^{\text{out}} = a_{\text{M} \leftarrow \text{A}}^{\text{out}} ;$
-

---

**Algorithm 23:**  $\widehat{F}^{0,2',i,5}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\text{M} \leftarrow \text{M}}^{\text{in}} = (a_{\text{M} \leftarrow \text{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\text{M} \leftarrow \text{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data:**  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A, K_B, m^i, \underline{m^{i+1}}$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
  - 2 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ,  $r_B = \text{Prf}(K_B, t - 1)$ ;
  - 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 4 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'} ;$
  - 5 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'} ;$
  - 6 If  $\alpha = \text{'-'} and (t > t^* or t \leq i + 1)$  output **Reject**;
  - 7 If  $\alpha \neq \text{'A'} and \text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'} ;$
  - 8 If  $\alpha = \text{'-'} output **Reject**;$
  
  - 9 **if**  $\alpha = \text{'B'}$  or  $t \leq i + 1$  **then**
  - 10    Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\text{M} \leftarrow \text{M}}^{\text{in}})$
  - 11 **else**
  - 12    Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\text{M} \leftarrow \text{M}}^{\text{in}})$
  - 13 If  $\text{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  
  - 14  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 15 If  $w^{\text{out}} = \text{Reject}$  output **Reject**;
  - 16 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 17 If  $v^{\text{out}} = \text{Reject}$  output **Reject**;
  - 18 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B, t)$ ;
  - 19 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 20 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 21 **if**  $t = i + 1$  and  $(\underline{m^{\text{in}} = m^i and m^{\text{out}} = m^{i+1}})$  **then**
  - 22    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
  - 23 **else if**  $t = i + 1$  and  $(\underline{m^{\text{in}} \neq m^i or m^{\text{out}} \neq m^{i+1}})$  **then**
  - 24    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
  - 25 **else**
  - 26    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
  
  - 27 Output  $\tilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\text{M} \leftarrow \text{A}}^{\text{out}} = a_{\text{M} \leftarrow \text{A}}^{\text{out}} ;$
-

---

**Algorithm 24:**  $\widehat{F}^{0,2',i,8}$ 

---

**Input** :  $\tilde{\mathbf{st}}^{\text{in}} = (t, \mathbf{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{M}}^{\text{in}} = (a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data:**  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{ltr}}, K_A, K_B, \underline{m^{i+1}}$

- 1 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output **Reject**;
  - 2 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ,  $r_B = \text{Prf}(K_B, t - 1)$ ;
  - 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 4 Set  $m^{\text{in}} = (v^{\text{in}}, \mathbf{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$  and  $\alpha = \text{'-'}$  ;
  - 5 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'A'}$  ;
  - 6 If  $\alpha = \text{'-'}$  and  $(t > t^* \text{ or } t \leq i + 1)$  output **Reject**;
  - 7 If  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$  set  $\alpha = \text{'B'}$  ;
  - 8 If  $\alpha = \text{'-'}$  output **Reject**;
  
  - 9 **if**  $\alpha = \text{'B'}$  **or**  $t \leq i + 1$  **then**
  - 10    $\lfloor$  Compute  $(\mathbf{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^1(\mathbf{st}^{\text{in}}, a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}})$
  - 11 **else**
  - 12    $\lfloor$  Compute  $(\mathbf{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^0(\mathbf{st}^{\text{in}}, a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}})$
  - 13 **If**  $\mathbf{st}^{\text{out}} = \text{Reject}$ , output **Reject**;
  
  - 14  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 15 **If**  $w^{\text{out}} = \text{Reject}$  output **Reject**;
  - 16 Compute  $v^{\text{out}} = \text{ltr.Iterate}(\text{pp}_{\text{ltr}}, v^{\text{in}}, (\mathbf{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 17 **If**  $v^{\text{out}} = \text{Reject}$  output **Reject**;
  - 18 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B, t)$ ;
  - 19 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 20 Set  $m^{\text{out}} = (v^{\text{out}}, \mathbf{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 21 **if**  $t = i + 1$  **and**  $(\underline{m^{\text{out}} = m^{i+1}})$  **then**
  - 22    $\lfloor$  Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
  - 23 **else if**  $t = i + 1$  **and**  $(\underline{m^{\text{out}} \neq m^{i+1}})$  **then**
  - 24    $\lfloor$  Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
  - 25 **else**
  - 26    $\lfloor$  Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
  
  - 27 **Output**  $\tilde{\mathbf{st}}^{\text{out}} = (t + 1, \mathbf{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}$  ;
-

### 5.3.4 From $\text{Hyb}_{0,2',t^*-1}$ to $\text{Hyb}_{0,3}$

**Lemma 5.35.** *Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator, and  $\text{Acc}$  be a secure positional accumulator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2,t^*-1} - \text{Adv}_{\mathcal{A}}^{0,3}| \leq \text{negl}(\lambda)$ .*

**Hyb** $_{0,2',t^*-1,1}$ . In this hybrid, the challenger makes the accumulator ‘read enforcing’. Based on the initial configuration, we first obtain  $\left(\{(j, \text{mem}^0[j])\}_{j=1}^{|\text{mem}^0|}\right)$ . Let  $\ell = |\text{mem}^0|$ . It computes the first  $t^* - 1$  ‘correct inputs’ for the accumulator. Then we run the following algorithm to obtain  $\{a_{\text{M} \leftarrow \text{A}}^j\}_{j=0}^{t^*-1}$ .

---

**Algorithm 25:** This algorithm is for **Hyb** $_{0,2',t^*-1,1}$

---

```

1 for  $j \in \{1, \dots, t^* - 1\}$  do
2   Compute  $(\text{st}^j, a_{\text{M} \leftarrow \text{A}}^j) \leftarrow F^0(\text{st}^{j-1}, a_{\text{A} \leftarrow \text{M}}^{j-1})$ ; //  $a_{\text{A} \leftarrow \text{M}}^{j-1} = (\mathbf{I}^{j-1}, \mathbf{B}^{j-1})$ 
3    $(\text{mem}^j, a_{\text{A} \leftarrow \text{M}}^j) \leftarrow \text{access}(\text{mem}^{j-1}, a_{\text{M} \leftarrow \text{A}}^j)$ ; //  $a_{\text{M} \leftarrow \text{A}}^j = (\mathbf{I}^j, \mathbf{B}^j)$ 

```

---

Now we set

$$\mathbf{enf} = \left( (1, \text{mem}^0[1]), \dots, (\ell, \text{mem}^0[\ell]), (\mathbf{I}^0, \mathbf{B}^0), \dots, (\mathbf{I}^{t^*-2}, \mathbf{B}^{t^*-2}) \right)$$

Finally, the challenger computes  $(\text{pp}_{\text{Acc}}, \hat{w}_0, \hat{\text{store}}_0) \leftarrow \text{Acc.SetupEnforceRead}(1^\lambda; T, \mathbf{enf}, \mathbf{I}^{t^*-1})$ .

**Hyb** $_{0,2',t^*-1,2}$ . In this hybrid, the challenger outputs an obfuscation of  $\hat{F}^{0,3}$ .

**Hyb** $_{0,2',t^*-1,3}$ . In this hybrid, the challenger uses  $\text{Acc.Setup}$  instead of using  $\text{Acc.SetupEnforceRead}$

**Claim 5.36.** *Let  $\text{Acc}$  be an accumulator which satisfies indistinguishability of Read Setup (Definition 3.3). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',t^*-1} - \text{Adv}_{\mathcal{A}}^{0,2',t^*-1,1}| \leq \text{negl}(\lambda)$ .*

*Proof.* This proof is similar to that for Claim 5.18. □

**Claim 5.37.** *Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',t^*-1,1} - \text{Adv}_{\mathcal{A}}^{0,2',t^*-1,2}| \leq \text{negl}(\lambda)$ .*

**Claim 5.38.** *Let  $\text{Acc}$  be an accumulator which satisfies indistinguishability of Read Setup (Definition 4.1). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,2',t^*-1,2} - \text{Adv}_{\mathcal{A}}^{0,2',t^*-1,3}| \leq \text{negl}(\lambda)$ .*

*Proof.* This proof is similar to that for Claim 5.18. □

### 5.3.5 From $\text{Hyb}_{0,3}$ to $\text{Hyb}_{0,4}$

**Lemma 5.39.** *Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator,  $\text{Prf}$  be a selectively secure puncturable PRF and  $\text{Spl}$  be a secure splitting signature scheme. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,3} - \text{Adv}_{\mathcal{A}}^{0,4}| \leq \text{negl}(\lambda)$ .*

*Proof.* We will define  $T - t^* + 1$  hybrids, and show they are computationally indistinguishable.

**Hyb**<sub>0,3,i</sub>. In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,3,i}$  defined in Algorithm 26 for  $t^* \leq i \leq T$ .

Clearly, programs  $\widehat{F}_{0,3}$  and  $\widehat{F}_{0,3,t^*}$  are functionally identical, and therefore **Hyb**<sub>0,3</sub> and **Hyb**<sub>0,3,t\*</sub> are computationally indistinguishable. In addition, hybrids **Hyb**<sub>0,3,T</sub> and **Hyb**<sub>0,4</sub> are functionally identical, since the difference between these two hybrids is a dummy code which has never been executed. In order to show that **Hyb**<sub>0,3,i</sub> and **Hyb**<sub>0,3,i+1</sub> are computationally indistinguishable, we define intermediate hybrid experiments **Hyb**<sub>0,3,i,a</sub>, **Hyb**<sub>0,3,i,a'</sub>, ..., **Hyb**<sub>0,3,i,f</sub> as follows. Note that **Hyb**<sub>0,3,i,a</sub> corresponds to **Hyb**<sub>0,3,i</sub> and **Hyb**<sub>0,3,i,f</sub> corresponds to **Hyb**<sub>0,3,i+1</sub>.

**Hyb**<sub>0,3,i,a</sub>. This hybrid corresponds to **Hyb**<sub>0,3,i</sub>.

**Hyb**<sub>0,3,i,b</sub>. In this hybrid, the challenger first punctures the PRF key  $K_A$  on input  $i$  by computing  $K_A\{i\} \leftarrow \text{Prf.Puncture}(K_A, i)$ . Next, it computes  $r_C = \text{Prf}(K_A, i)$  and  $(\text{sk}_C, \text{vk}_C, \text{vk}_{C,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_C)$ . It outputs an obfuscation of  $\widehat{F}^{0,3,i,b}$  defined in Algorithm 27. This program is similar to  $\widehat{F}^{0,3,i,a}$  except that it has  $K_A\{i\}$  and  $\text{vk}_{C,\text{rej}}$  hardwired, and when  $t = i$ , it replaces  $\text{vk}_{A,\text{rej}}$  by  $\text{vk}_{C,\text{rej}}$ .

**Hyb**<sub>0,3,i,c</sub>. This hybrid is similar to **Hyb**<sub>0,3,i,b</sub>, except that  $r_C$  is now chosen uniformly at random from  $\{0, 1\}^\lambda$ .

**Hyb**<sub>0,3,i,d</sub>. This hybrid is similar to **Hyb**<sub>0,3,i,c</sub>, except that  $\text{vk}_{C,\text{rej}}$  is hardwired to the program.

**Hyb**<sub>0,3,i,e</sub>. This hybrid is similar to **Hyb**<sub>0,3,i,d</sub>, except that  $r_C = \text{Prf}(K_B, i)$  is now pseudorandom.

**Hyb**<sub>0,3,i,f</sub>. This hybrid corresponds to **Hyb**<sub>0,3,i+1</sub>.

**Claim 5.40.** Let  $\text{iO}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,3,i} - \text{Adv}_{\mathcal{A}}^{0,3,i,a}| \leq \text{negl}(\lambda)$ .

*Proof.* Observe that  $\widehat{F}^{0,3,i}$  and  $\widehat{F}^{0,3,i,a}$  have identical functionality. Therefore **Hyb**<sub>0,3,i</sub> and **Hyb**<sub>0,3,i,a</sub> are computationally indistinguishable under the assumption that  $\text{iO}$  is a secure indistinguishability obfuscation scheme.  $\square$

**Claim 5.41.** Let  $\text{iO}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,3,i,a} - \text{Adv}_{\mathcal{A}}^{0,3,i,b}| \leq \text{negl}(\lambda)$ .

*Proof.* Note that the only difference between  $\widehat{F}^{0,3,i,a}$  and  $\widehat{F}^{0,3,i,b}$  is that the later uses a punctured PRF key  $K_A\{i\}$  to compute the verification key for time  $t - 1$  and the signing key for time  $t$ . For verification, the functionality is preserved since  $\text{vk}_{C,\text{rej}}$  is hardwired to the circuit. For signing, 'B' type key is never used to sign at time  $t = i$ . Therefore **Hyb**<sub>0,3,i,a</sub> and **Hyb**<sub>0,3,i,b</sub> are computationally indistinguishable.  $\square$

**Claim 5.42.** Let  $\text{Prf}$  be a selectively secure puncturable PRF. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,3,i,b} - \text{Adv}_{\mathcal{A}}^{0,3,i,c}| \leq \text{negl}(\lambda)$ .

*Proof.* Since both  $\widehat{F}^{0,3,i,b}$  and  $\widehat{F}^{0,3,i,c}$  depend only on  $K_A\{i\}$ , by the security of indistinguishability obfuscation, the value of  $\text{Prf}(K_A, i)$  can be replaced by a random value. Therefore **Hyb**<sub>0,3,i,b</sub> and **Hyb**<sub>0,3,i,c</sub> are computationally indistinguishable under the assumption that  $\text{Prf}$  is selectively secure puncturable PRF.  $\square$

**Claim 5.43.** Let  $\text{Spl}$  be a splittable signature scheme which satisfies  $\text{vk}_{\text{rej}}$  indistinguishability (Definition 3.7). Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,3,i,c} - \text{Adv}_{\mathcal{A}}^{0,3,i,d}| \leq \text{negl}(\lambda)$ .

*Proof.* Note that  $\text{sk}_C$  is not hardwired in either  $\widehat{F}^{0,3,i,c}$  or  $\widehat{F}^{0,3,i,d}$ . Based on the  $\text{vk}_{\text{rej}}$  indistinguishability property of splittable signature scheme  $\text{Spl}$ , given only  $\text{vk}_C$  or  $\text{vk}_{C,\text{rej}}$ , the two hybrids are computationally indistinguishable.  $\square$

**Claim 5.44.** Let  $\text{Prf}$  be a selectively secure puncturable PRF. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,3,i,d} - \text{Adv}_{\mathcal{A}}^{0,3,i,e}| \leq \text{negl}(\lambda)$ .

*Proof.* Since both  $\widehat{F}^{0,3,i,d}$  and  $\widehat{F}^{0,3,i,e}$  depend only on  $K_B\{i\}$ , by the security of indistinguishability obfuscation, the random value can be switched back to  $\text{Prf}(K_B, i)$ . Therefore  $\mathbf{Hyb}_{0,3,i,d}$  and  $\mathbf{Hyb}_{0,3,i,e}$  are computationally indistinguishable.  $\square$

**Claim 5.45.** Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,3,i,e} - \text{Adv}_{\mathcal{A}}^{0,3,i,f}| \leq \text{negl}(\lambda)$ .

*Proof.* Observe that  $\widehat{F}^{0,3,i,e}$  and  $\widehat{F}^{0,3,i,f}$  have identical functionality. Therefore  $\mathbf{Hyb}_{0,3,i,e}$  and  $\mathbf{Hyb}_{0,3,i,f}$  are computationally indistinguishable under the assumption that  $i\mathcal{O}$  is a secure indistinguishability obfuscation scheme.  $\square$

**Claim 5.46.** Let  $i\mathcal{O}$  be a secure indistinguishability obfuscator. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,3,i,f} - \text{Adv}_{\mathcal{A}}^{0,3,i+1}| \leq \text{negl}(\lambda)$ .

*Proof.* Observe that  $\widehat{F}^{0,3,i,f}$  and  $\widehat{F}^{0,3,i+1}$  have identical functionality. Therefore  $\mathbf{Hyb}_{0,3,i,f}$  and  $\mathbf{Hyb}_{0,3,i+1}$  are computationally indistinguishable under the assumption that  $i\mathcal{O}$  is a secure indistinguishability obfuscation scheme.  $\square$

To conclude, we have for all PPT  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,3,i} - \text{Adv}_{\mathcal{A}}^{0,3,i+1}| \leq \text{negl}(\lambda)$  as required.  $\square$



---

**Algorithm 26:**  $\widehat{F}^{0,3,i}$ 

---

**Input** :  $\widetilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\widetilde{a}_{\text{A} \leftarrow \text{M}}^{\text{in}} = (a_{\text{A} \leftarrow \text{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\text{A} \leftarrow \text{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, K_A, K_B, t^*$

- 1 If  $t^* < t \leq i$ , output Reject;
  - 2 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output Reject;
  - 3 Compute  $r_A = \text{Prf}(K_A, t - 1)$ ,  $r_B = \text{Prf}(K_B, t - 1)$ ;
  - 4 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 5 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$ ;
  - 6 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 0$  output Reject;
  
  - 7 **if**  $t \leq t^*$  **then**
  - 8    Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
  - 9 **else**
  - 10    Compute  $(\text{st}^{\text{out}}, a_{\text{M} \leftarrow \text{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\text{A} \leftarrow \text{M}}^{\text{in}})$
  - 11 If  $\text{st}^{\text{out}} = \text{Reject}$ , output Reject;
  
  - 12  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 13 If  $w^{\text{out}} = \text{Reject}$  output Reject;
  - 14 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 15 If  $v^{\text{out}} = \text{Reject}$  output Reject;
  - 16 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B, t)$ ;
  - 17 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 18 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 19 **if**  $t = t^*$  **then**
  - 20    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
  - 21 **else**
  - 22    Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
  
  - 23 Output  $\widetilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\widetilde{a}_{\text{M} \leftarrow \text{A}}^{\text{out}} = a_{\text{M} \leftarrow \text{A}}^{\text{out}}$ ;
-

---

**Algorithm 27:**  $\widehat{F}^{0,3,i,b}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (t, \text{st}^{\text{in}}, v^{\text{in}}, w^{\text{in}}, \sigma^{\text{in}})$ ,  $\tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}}, \pi^{\text{in}})$  where  $a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$

**Data**:  $T, \text{pp}_{\text{Acc}}, \text{pp}_{\text{Itr}}, \underline{K_A\{i\}}, K_B, t^*, \underline{\text{vk}}$

- 1 If  $t^* < t \leq i$ , output Reject;
  - 2 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}}, \pi^{\text{in}}) = 0$  output Reject;
  - 3 **if**  $t \neq i + 1$  **then**
  - 4     Compute  $r_A = \text{Prf}(K_A\{i\}, t - 1)$ ,  $r_B = \text{Prf}(K_B, t - 1)$ ;
  - 5     Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ,  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
  - 6 **else**
  - 7     Set  $\text{vk}_A = \text{vk}$ ;
  - 8 Set  $m^{\text{in}} = (v^{\text{in}}, \text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}})$ ;
  - 9 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 0$  output Reject;
  
  - 10 **if**  $t \leq t^*$  **then**
  - 11     Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^1(\text{st}^{\text{in}}, a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}})$
  - 12 **else**
  - 13     Compute  $(\text{st}^{\text{out}}, a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}) \leftarrow F^0(\text{st}^{\text{in}}, a_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}})$
  - 14 If  $\text{st}^{\text{out}} = \text{Reject}$ , output Reject;
  
  - 15  $w^{\text{out}} = \text{Acc.Update}(\text{pp}_{\text{Acc}}, w^{\text{in}}, \mathbf{B}^{\text{out}}, \pi^{\text{in}})$ ;
  - 16 If  $w^{\text{out}} = \text{Reject}$  output Reject;
  - 17 Compute  $v^{\text{out}} = \text{Itr.Iterate}(\text{pp}_{\text{Itr}}, v^{\text{in}}, (\text{st}^{\text{in}}, w^{\text{in}}, \mathbf{I}^{\text{in}}))$ ;
  - 18 If  $v^{\text{out}} = \text{Reject}$  output Reject;
  - 19 Compute  $r'_A = \text{Prf}(K_A, t)$ ,  $r'_B = \text{Prf}(K_B, t)$ ;
  - 20 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ,  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
  - 21 Set  $m^{\text{out}} = (v^{\text{out}}, \text{st}^{\text{out}}, w^{\text{out}}, \mathbf{I}^{\text{out}})$ ;
  - 22 **if**  $t = t^*$  **then**
  - 23     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
  - 24 **else**
  - 25     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
  
  - 26 Output  $\tilde{\text{st}}^{\text{out}} = (t + 1, \text{st}^{\text{out}}, v^{\text{out}}, w^{\text{out}}, \sigma^{\text{out}})$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = a_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}}$ ;
-

## 6 Constructing $\text{CiO}$ in the PRAM Model ( $\text{CiO-PRAM}$ )

In this section we construct a computation-trace indistinguishability obfuscation scheme  $\text{CiO}$  in the PRAM model. Our final scheme  $\text{CiO-PRAM}$  is quite technical, and thus for facilitating presentation, we will illustrate our main ideas gradually via three attempts.

First, as a *naive attempt*, we directly extend our  $\text{CiO-RAM}$  scheme into that in the PRAM model. However, we face two technical challenges: **(i)** In our  $\text{CiO-RAM}$  construction, memory accumulator has been used. We therefore need a new strategy to efficiently compute the memory accumulator digest in the parallel setting. **(ii)** In the PRAM model, for each CPU step, its output depends on all previous CPU steps (and further depends on their own previous steps). We therefore need to track these dependencies in the security proof. This is a significant challenge since we are not able to hardwire too much information for efficiency. In Section 6.1, we will formalize the *dependency problem*.

In our *second attempt*, we focus on the dependency problem that raised in the naive attempt above. Instead of directly providing a solution in the standard PRAM model, we here consider a special model, memoryless PRAM model  $\text{PRAM}^-$  which has no memory component but allows communications between CPUs. We remark that to construct  $\text{CiO}$  in the  $\text{PRAM}^-$  model, there exists the dependency issue in this model. To solve the issue, we introduce “branch-and-combine” technique, which allows us to maintain an accumulator that stores  $m$  CPU states and messages, without scarifying efficiency too much. In Section 6.5, we will present this technique.

Finally, in our *full-fledged attempt*, we extend the above  $\text{PRAM}^-$  model solution to construct  $\text{CiO}$  in the standard PRAM model. In addition to adopting the branch-and-combine technique, we here also use parallel accumulator to compute accumulator digest in the standard  $\text{PRAM}$  model. See Section 6.7 for more details.

**Section Outline.** In the next subsection (Section 6.1), we will describe the naive attempt based on  $\text{CiO}$  for RAM and briefly discuss the reason why it fails. In addition, we show that there exists the dependency problem in parallel setting. The remainder of this section will be organized as follows. For completeness we list the building blocks for our constructions in Section 6.2. Among the building blocks, we will introduce in Section 6.3, a new primitive named *Topological Iterators*, which will replace the (ordinary) iterator in our construction. Then, we will present parallel accumulator as the solution to the first challenge **(i)** in Section 6.4. Next, as a warm-up to overcome the second challenge **(ii)**, a construction of  $\text{CiO}$  for memoryless model  $\text{PRAM}^-$  is shown by using a new branch-and-combine technique in Section 6.5, with its security proof in Section 6.6. Finally, in Section 6.7, we will show the full-fledged construction of  $\text{CiO}$  for (standard) PRAM, with its security proof sketched in Section 6.8.

### 6.1 Generalizing $\text{CiO-RAM}$ for $\text{CiO-PRAM}$ : A “Pebble Game” Illustration

To construct  $\text{CiO}$  for PRAM, a trivial solution is to convert PRAM computation  $\Pi$  to RAM computation  $\Pi'$  and to obfuscate  $\Pi'$  with  $\text{CiO}$  for RAM in a black-box manner. However, this convert-to-RAM solution is not acceptable because it has  $O(m)$  parallel time overhead multiplicatively, which does not benefit from parallelization. To utilize the benefits of parallel computation, our goal is to construct an efficient  $\text{CiO}$  for PRAM such that minimize the parallel time overhead. In general, we require the parallel time overhead to be  $\omega(m)$ .

An attempt to build efficient  $\text{CiO}$  for PRAM is through the generalization of  $\text{CiO}$  for RAM directly. Let  $\Pi$  be a PRAM computation composed of an  $m$ -CPU PRAM program  $P$  and an input  $x$ . The program  $P$  takes CPU id  $i$  as input and emulates the  $i$ -th CPU. Then we can obfuscate  $P$  associated with  $i$  and the input  $x$  by the same way of  $\text{CiO}$  for RAM. Finally, the evaluation algorithm runs  $m$  copies of the obfuscated program in parallel with different CPU id to emulate the PRAM computation. It preserves the parallel runtime of the evaluation algorithm.

The construction of  $\text{CiO}$  for RAM (presented in Section 5) follows K LW construction, which utilizes split-table signature, iterator, and accumulator. To realize  $\text{CiO}$  for PRAM, we need to address the issue of updating accumulator digest in the parallel setting.  $m$  CPUs can perform parallel writes to different memory cells, and they need to obtain updated accumulator digest in some way. However, we face the following distributed algorithm problem for updating the accumulator digest: There are  $m$  CPU agents, where each CPU  $i$  holds the same accumulator digest  $w$ , memory cell index  $\ell_i$ , write value  $val_i$ , and an authentication path  $\pi_i$  for  $\ell_i$  (received from the evaluation algorithm) as its inputs, with the goal of computing the updated accumulator digest  $w'$  with respect to write instructions  $\{(\ell_i, val_i)\}_{i \in [m]}$ . We need a distributed algorithm to solve this problem with oblivious communication pattern,  $\text{poly log}(m)$  rounds, and per-CPU space complexity  $\text{poly log}(m)$ , where oblivious communication requires the sender and receiver of any message be public information and independent from the input. With oblivious communication, a message can be signed and verified with a fixed pair of signature keys, which authenticates this message just by signatures to CPU states. This is a non-trivial problem, but not too difficult. Our solution (the parallel accumulator) is to rely on an oblivious update protocol with desired complexity based on oblivious aggregation and oblivious multicasting protocols constructed in [BCP14b]. For more details, we will introduce the parallel accumulator in Section 6.4.

With the above update protocol, each CPU can concurrently obtain the correct accumulator digest, and then we have a construction that emulates the PRAM execution with  $\text{poly log}(m)$  overhead in both CPU program size and parallel time complexity. Then, it seems that we can directly generalize the proof techniques of  $\text{CiO}$  for RAM to prove the security of  $\text{CiO}$  for PRAM. However, if we were to prove the security of the above construction, in the proof, we will still need to hardwire *all*  $m$  CPU states (at some time step  $t$ ) in some intermediate hybrids. As a result, the obfuscated program must be padded to size  $\Omega(m)$ , which leads to inefficient constructions because each step takes time  $\Omega(m)$  and the total parallel time is multiplied by a factor of  $\Omega(m)$ . The reason why hardwiring  $\Omega(m)$  information in the program is necessary is illustrated in the following “pebble game”.

**Pebble Game Illustration.** A pebble game is a type of mathematical game played by moving pebbles on a directed graph. The pebble game that involves placing pebbles on the nodes of a directed acyclic graph  $DAG$  according to certain rules which are given as follows.

- A step of the game is either placing a pebble on an empty node of  $DAG$  or removing a pebble from a previously pebbled node.
- A pebble can be added to node  $v$  only if either (1) all its predecessors  $u$ , such that  $u \rightarrow v$ , have pebbles, or (2)  $v$  is a source node.
- The pebble on a node  $v$  can be removed only if all its successors  $u'$ , such that  $v \rightarrow u'$ , had been traversed by some other pebbles.
- The winning condition of the game is to successively put pebbles each node to traverse the whole graph (in any order) while minimizing the number of pebbles that are ever on the graph simultaneously.

We rely on an (oversimplified) interpretation of the security proof as a pebble game, to show why hardwiring  $m$  CPU states is necessary. Firstly, we show that the pebble game illustration is applicable to the K LW proof techniques in proving the security of  $\text{CiO}$  for RAM, where a formal proof has already presented in Section 5.3. Conceptually, we can interpret each time step  $t$  as a node and the connection of two time steps as an edge. The computation will be transformed into a line path, and thus the K LW proof techniques ( $\text{Hyb}_{0,2,i}$  and  $\text{Hyb}_{0,2',i}$ ) can be viewed as a way to put and move a *check point* (pebble) on the nodes. When the pebble is placed on a node  $t$ , we obtain an information theoretical guarantee of the correctness of the input/output of the  $t$ -th step computation, such that the input/output values from an honest evaluation must pass the verification. This allows us to locally change the program code at time step  $t$ , so that the pebble can be moved forward

or backward along the computation path. Very interestingly, although the computation path is long, moving a pebble corresponds to hardwiring only  $O(1)$  information in the hybrids, independent to the time bound  $T$ . In Section 5.3, the security proof of CiO for RAM has shown how to replace program  $P_0$  to  $P_1$  gradually in this way.

However, in the PRAM setting, the computation trace becomes a directed layered graph with width  $m$ , where each layer corresponds to a time step and

- each node is indexed by a time  $t$  and a CPU id  $i$ ,
- there is a directed edge  $(u, v)$  if node  $u$  outputs either a CPU state or a communication message as input to node  $v$ .

Note that an edge only exists between the nodes in *neighboring* layers, which means that an edge denotes some dependency between the two nodes in the actual computation. In particular, nodes  $u$  and  $v$  can be either the same CPU depends on its previous state or different CPUs such that  $v$  receives a message from  $u$ <sup>22</sup>.

Suppose that we generalize the proof techniques of KLV to this setting in a straightforward manner, which is analogous to putting and moving check points along the graph. By moving check points, we have the check condition to check the output  $m^{\text{out}}$  of a computation step  $u$  against the hardwired value  $m^u$ . The general pebble game rules bring a constraint that we can only put one pebble on a node  $v$  if, for every  $u$  such that  $(u, v) \in E$ , the pebbles are put on all nodes  $u$ , which is analogous to adding another hardwired value  $m^v$  must depends on all its input. As such, we can only remove a check point after we have put check points on all its outgoing neighbors, which is analogous to the hybrid removing the hardwired signing key and CPU output state  $m^u$ . In general, placing (or removing) a pebble on node  $u$  is analogous to hardwiring (or un-hardwiring) the output of computation step  $u$  in a intermediate hybrid program. Let the security proof correspond to the pebble game. Our goal of the security proof is to traverse all computation steps and to locally change the program with minimizing the total number of hardwired values for any intermediate hybrid. Accordingly, in the corresponding pebble game abstraction, the goal is to traverse the whole graph with minimizing the total number of pebbles (a.k.a. *pebble complexity*) on the graph.

Using this pebble game, the graph of OUpdate is partially depicted in Figure 2. To win this pebble game, the straightforward solution is to put  $m$  pebbles on all  $m$  CPUs of the first column, and then placing pebbles to the next column while removing from the first greedily whenever possible. We can remove all pebbles on the first column when its next is filled with pebbles, since any column only depends on its previous one. The pebble complexity is at most  $2m$ . Unfortunately, we have not found a solution yet to winning this pebble game with pebble complexity less than the number of CPUs  $m$ . The straightforward solution implies an inefficient CiO scheme with encoding of size  $\Omega(m)$ . However, we provide a generic transformation that converts any PRAM program with oblivious communication to a special class of PRAM program with  $\log m$  pebble complexity (with  $\log m$  parallel time overhead in addition). Such transformation allows us to construct efficient CiO for PRAM programs.

**Branch and Combine Transformation** Here we very briefly describe the transformation. It is motivated by the observation that a hardwired value (and thus a pebble) is corresponding to the signature signing and verifying a CPU state or communication, and in a sense we can replace such verification with an additional accumulation structure. Furthermore, computing the digest of the CPU accumulator is much simpler than that of memory accumulator, since each CPU computes directly with its fixed neighbor without additional communication. We divide it into two stages: *branch* and *combine*.

<sup>22</sup> We assume here we have the protocol to update the memory accumulator digest (Section 6.4) in the parallel setting. Although memory accesses lead to dependencies between two steps, they are verified by memory accumulators, and thus are not hardwired in hybrid programs. Therefore we do not consider memory accesses in this pebble game.




Figure 2: A graph showing partially the computation dependencies of OUpdate with 4 CPUs, which need 4+2 pebbles to traverse. Solid black arrows denote CPU state transitions, and dashed blue arrows denote communications between two CPUs.

At the beginning, all  $m$  input CPU states and messages are stored in a random access buffer  $buff$ , and then the evaluator is required to provide each state  $st_i$  and message  $com_i$  with a proof  $\pi_i$  to each CPU. All CPUs receive as input the same signed accumulator digest  $w_{buff}$  of the  $buff$ , their corresponding states and messages with proofs. Each CPU then verifies accumulator digest with signature, verifies state and message with accumulator digest and proof, computes its output state and message, and sign the output with signature scheme. In this *branch* stage, these procedures have one signature as input but  $m$  different signatures as output.

Now the evaluator has  $m$  new signed states and messages, but CPU steps at the next branch stage require a new signed accumulator digest  $w'_{buff}$ . Our next goal is to design a series of CPU steps to compute such digest and its signature, which should be verifiable at the next stage by CPUs but unforgeable for the evaluator. Intuitively, we construct a CPU program follows the Merkle-tree-like structure, which takes a pair of signed inputs and output one signed output in each step (Figure 1). From a leaf to the root, the program indeed computes the whole tree structure of  $buff'$  including the tree root, which is exactly the accumulator digest  $w'_{buff}$ , and each step has output signed with signature. Now we have this new signed accumulator digest, and the evaluator can start the next branch stage iteratively. In this *combine* stage, there are  $m$  leaf signatures at the beginning but only one root signature as final output.

To analyze our *branch and combine* technique, we observe those states and communications in the original program are transformed into  $buff$ , and dependencies are simple. In the pebble game abstraction, it is easy to traverse from a root in a combine stage to the next root via post order, where its pebble complexity is  $\log m$ . Specifically, our strategy is to merge two sibling pebbles to their parent node as soon as possible. There is an invariant that each layer in the binary tree has at most 2 pebbles. Multiplying  $\log m$  overhead of branch and combine transformation with  $\log m$  pebble complexity, the overall overhead is  $O(\log^2 m)$  in parallel time. As a result, it significantly improves the naive solution. Also note that the evaluation of branch and combine program is parallel, but the pebble game (and thus the series of hybrids) is sequential because it is not possible to traverse  $Tm$  nodes with only  $\log m$  pebbles in  $T$  moves. We will describe branch-and-combine construction in Section 6.5, and then prove its security in Section 6.6 for more details.

## 6.2 Building Blocks

In our CiO construction in Section 6.5, we will use several building blocks: accumulator, topological iterator, splittable signature, puncturable PRF, and indistinguishability obfuscation. Topological iterator is a new building block and we will investigate it in detail in next subsection. The formal definitions for other building

blocks can be found in Section 3. We next define the parameters for the building blocks we will use in our  $\text{CiO}$  construction.

- Accumulator scheme  $\text{Acc} = \text{Acc}.\{\text{Setup}, \text{SetupEnforceRead}, \text{SetupEnforceWrite}, \text{PrepRead}, \text{PrepWrite}, \text{VerifyRead}, \text{WriteStore}, \text{Update}\}$  with message space  $\{0, 1\}^{\ell_{\text{msg}}}$  and accumulated value space  $\{0, 1\}^{\ell_{\text{Acc}}}$ .
- Topological Iterator scheme  $\text{Tltr} = \text{Tltr}.\{\text{Setup}, \text{SetupEnforcerIterate}, \text{Iterate}\}$  with message space  $\{0, 1\}^{\ell_{\text{Acc}} + \ell_{\text{msg}}}$  and iterated value space  $\{0, 1\}^{\ell_{\text{tr}}}$  bits. (Section 6.3)
- Splittable signature scheme  $\text{Spl} = \text{Spl}.\{\text{Setup}, \text{Sign}, \text{Verify}, \text{Split}, \text{AboSign}\}$  with message space  $\{0, 1\}^{\ell_{\text{tr}} + \ell_{\text{Acc}} + \ell_{\text{msg}}}$ ; we will assume  $\text{Spl.Setup}$  uses  $\ell_{\text{rnd}}$  bits of randomness.
- Puncturable PRF scheme  $\text{PPRF} = \text{PPRF}.\{\text{Setup}, \text{Puncture}, \text{Eval}\}$  with key space  $\mathcal{K}$ , punctured key space  $\mathcal{K}_{\text{punct}}$ , domain  $[T]$ , and range  $\{0, 1\}^{\ell_{\text{rnd}}}$ .
- Indistinguishability obfuscation scheme  $\text{iO}$ .
- Parallel Accumulator scheme. (Section 6.4)

### 6.3 Topological Iterators

In this section, we will define a primitive named *Topological Iterators* based on the original KLV Iterator (Section 3.3.1). We will demonstrate a construction for this new primitive by using PKE, puncturable Prf and  $\text{iO}$ , and then prove its security. The main difference between our Topological Iterators and KLV Iterator is that, we allow iterating two states, instead of one, into a new state.

**Syntax.** Let  $\text{poly}$  be any polynomial. An iterator  $\text{Tltr}$  with message space  $\mathcal{M}_\lambda = \{0, 1\}^{\text{poly}(\lambda)}$  and state space  $\mathcal{S}_\lambda$  consists of three algorithms -  $\text{Tltr.Setup}$ ,  $\text{Tltr.SetupEnf}$ ,  $\text{Tltr.Iterate}$ , and  $\text{Tltr.Iterate2to1}$  defined below.

- $\text{Tltr.Setup}(1^\lambda, N)$ : The setup algorithm takes as input the security parameter  $\lambda$  (in unary), and an integer bound  $N$  (in binary) on the number of iterations. It outputs public parameters  $\text{pp}_{\text{tr}}$  and an initial state  $v \in \mathcal{S}_\lambda$ .
- $\text{Tltr.SetupEnf}(1^\lambda, N, \mathbf{DAG})$ : The enforced setup algorithm takes as input the security parameter  $\lambda$  (in unary), an integer bound  $T$  (in binary) and messages in  $\mathbf{DAG}$ , which has following properties:
  1.  $\mathbf{DAG} = (\mathcal{N}, \mathcal{E}, \text{source}, \text{sink})$  is a directed acyclic graph with  $|\mathcal{N}| < N$ , and
  2. Single “source” node and single “sink” node, and
  3. Each node (except source) has in-degree 1 or 2, and
  4. Each node  $n$  has a *unique* message value  $m_n \in \mathcal{M}_\lambda$ . This property is important in the security of enforcing.

It outputs public parameters  $\text{pp}_{\text{tr}}$  and an initial state  $v \in \mathcal{S}_\lambda$ .

- $\text{Tltr.Iterate}(\text{pp}_{\text{tr}}, v, m)$ : The iterate algorithm takes as input the public parameters  $\text{pp}_{\text{tr}}$ , a state  $v$ , and a message  $m \in \mathcal{M}_\lambda$ . It outputs a state  $v_{\text{out}} \in \mathcal{S}_\lambda$ .
- $\text{Tltr.Iterate2to1}(\text{pp}_{\text{tr}}, v_l, v_r, m)$ : The iterate algorithm takes as input the public parameters  $\text{pp}_{\text{tr}}$ , two states  $(v_l, v_r)$ , and a *unique* message  $m \in \mathcal{M}_\lambda$ . It outputs a state  $v_{\text{out}} \in \mathcal{S}_\lambda$ .



**Security.** Let  $\text{Tltr} = \text{Tltr}.\{\text{Setup}, \text{SetupEnforceIterate}, \text{Iterate}, \text{Iterate2to1}\}$  be an iterator with message space  $\mathcal{M}_\lambda$  and state space  $\mathcal{S}_\lambda$ . We require the following notions of security.

**Definition 6.1** (Indistinguishability of Setup). *An iterator  $\text{Tltr}$  is said to satisfy indistinguishability of Setup phase if any PPT adversary  $\mathcal{A}$ 's advantage in the security game  $\text{Exp-Setup-Itr}(1^\lambda, \text{Tltr}, \mathcal{A})$  is at most negligible in  $\lambda$ , where  $\text{Exp-Setup-Itr}$  is defined as follows.*

$\text{Exp-Setup-Itr}(1^\lambda, \text{Tltr}, \mathcal{A})$

1. The adversary  $\mathcal{A}$  chooses a bound  $N \in \Theta(2^\lambda)$  and sends it to challenger.
2.  $\mathcal{A}$  sends  $\mathbf{DAG} = (\mathcal{N}, \mathcal{E}, \text{source}, \text{sink})$  to the challenger.
3. The challenger chooses a bit  $b$ . If  $b = 0$ , the challenger outputs  $(\text{pp}_{\text{Tltr}}, v) \leftarrow \text{Tltr.Setup}(1^\lambda, N)$ . Else, it outputs  $(\text{pp}_{\text{Tltr}}, v) \leftarrow \text{Tltr.SetupEnf}(1^\lambda, N, \mathbf{DAG})$ .
4.  $\mathcal{A}$  sends a bit  $b'$ .

$\mathcal{A}$  wins the security game if  $b = b'$ .

**Definition 6.2** (Enforcing). *Consider any  $\lambda \in \mathbb{N}$ ,  $N \in \Theta(2^\lambda)$ ,  $\mathbf{DAG} = (\mathcal{N}, \mathcal{E}, \text{source}, \text{sink})$ . Let  $(\text{pp}_{\text{Tltr}}, v) \leftarrow \text{Tltr.SetupEnf}(1^\lambda, N, \mathbf{DAG})$  and  $v_n = \text{Tltr.Iterate2to1}(\text{pp}_{\text{Tltr}}, v_{(l,n)}, v_{(r,n)}, m_n)$  for all  $n \in \mathcal{N} \setminus \{\text{source}\}$ . Then,  $\text{Tltr} = (\text{Tltr.Setup}, \text{Tltr.SetupEnf}, \text{Tltr.Iterate2to1})$  is said to be enforcing if*

$$v_{\text{sink}} = \text{Tltr.Iterate2to1}(\text{pp}_{\text{Tltr}}, v_l, v_r, m) \Rightarrow (v_l, v_r, m) = (v_{l,\text{sink}}, v_{r,\text{sink}}, m_{\text{sink}})$$

Note that this is an information-theoretic property.

### 6.3.1 Construction

- $\text{Tltr.Setup}(1^\lambda, T)$ : The setup algorithm chooses  $(PK, SK) \leftarrow \text{PKE.Gen}(1^\lambda)$  and puncturable PRF key  $K \leftarrow \text{Prf.Setup}(1^\lambda)$ . It sets  $\text{pp}_{\text{Tltr}} \leftarrow \text{iO}(\text{prog}\{K, PK\})$ , where  $\text{prog}$  is defined in Algorithm 28. Let  $\text{ct} \leftarrow \text{PKE.Encrypt}(PK, 0)$ . The initial state  $v = \text{ct}$ . It outputs  $(\text{pp}_{\text{Tltr}}, v)$ .

---

**Algorithm 28:** prog

---

**Input** :  $v_l, v_r, m \in \mathcal{M}_\lambda$

**Data:** Puncturable PRF key  $K$ , PKE public key  $PK$

- 1 Compute  $r \leftarrow \text{Prf}(K, (v_l, v_r, m))$ ;
  - 2 Let  $\text{ct} \leftarrow \text{PKE.Encrypt}(PK, 0; r)$ ;
  - 3 Output  $v_{\text{out}} = \text{ct}$ ;
- 

- $\text{Tltr.SetupEnf}(1^\lambda, T, \mathbf{DAG})$ : The setup algorithm chooses  $(PK, SK) \leftarrow \text{PKE.Gen}(1^\lambda)$  and puncturable PRF key  $K \leftarrow \text{Prf.Setup}(1^\lambda)$ . Let  $\mathbf{DAG} = (\mathcal{N}, \mathcal{E}, \text{source}, \text{sink})$ .  $\forall n \in \mathcal{N}$ , compute  $v_n$  by following steps.
  1.  $\forall n \in \mathcal{N}, v_n \leftarrow \perp$ .
  2. The initial state  $v_{\text{source}} = \text{PKE.Encrypt}(PK, 0)$ .
  3.  $\forall n \in \mathcal{N}$  such that has definite in-edge, compute  $v_n$ . That is,

$$\forall n \in \mathcal{N}, (v_n = \perp) \wedge (\exists (l, n), (r, n) \in \mathcal{E}) \wedge (v_l \neq \perp) \wedge (v_r \neq \perp),$$

$$r_n \leftarrow \text{Prf}(K, (v_l, v_r, m_n)), \text{ and } v_n \leftarrow \text{PKE.Encrypt}(PK, 0; r_n).$$



4. Repeat previous step until  $\forall n \in \mathcal{N}, v_n \neq \perp$ .

Let  $(l_{\text{sink}}, \text{sink}), (r_{\text{sink}}, \text{sink}) \in \mathcal{E}$  be the two edges those direct to sink. It computes a punctured key  $K' \leftarrow \text{Prf.Puncture}(K, (v_{l,\text{sink}}, v_{r,\text{sink}}, m_{\text{sink}}))$ , chooses  $r \leftarrow \{0, 1\}^r$  and sets  $\text{ct}_{\text{sink}} = \text{PKE.Encrypt}(PK, 1; r)$ . Finally, it computes the public parameters  $\text{pp}_{\text{ltr}} \leftarrow \text{iO}(\text{progEnforce}\{\text{sink}, (v_{l,\text{sink}}, v_{r,\text{sink}}, m_{\text{sink}}), \text{ct}_{\text{sink}}, K', PK\})$ , where  $\text{progEnforce}$  is defined in Algorithm 29. It outputs  $(\text{pp}_{\text{ltr}}, v_{\text{source}})$ .

---

**Algorithm 29:** progEnforce

---

**Input** :  $v_l, v_r, m \in \mathcal{M}_\lambda$

**Data:** sink, states  $(v_{l,\text{sink}}, v_{r,\text{sink}})$ , message  $m_{\text{sink}}$ ,  $\text{ct}_{\text{sink}}$ , Puncturable PRF key  $K'$ , PKE public key  $PK$

1 **if**  $(v_l, v_r, m) = (v_{l,\text{sink}}, v_{r,\text{sink}}, m_{\text{sink}})$  **then**

2    $\perp$  Output  $\text{ct}_{\text{sink}}$ ;

3   Compute  $r \leftarrow \text{Prf}(K, (v_l, v_r, m))$ ;

4   Let  $\text{ct} \leftarrow \text{PKE.Encrypt}(PK, 0; r)$ ;

5   Output  $v_{\text{out}} = \text{ct}$ ;

---

- $\text{Tltr.Iterate}(\text{pp}_{\text{ltr}}, v, m)$ : simply outputs  $\text{pp}_{\text{ltr}}(v, \perp, m)$ .
- $\text{Tltr.Iterate2to1}(\text{pp}_{\text{ltr}}, v_l, v_r, m)$ : simply outputs  $\text{pp}_{\text{ltr}}(v_l, v_r, m)$ .

### 6.3.2 Security

We show that the construction described in Section 6.3.1 satisfies Indistinguishability of Setup (Definition 6.1) and Enforcing (Definition 6.2).

**Lemma 6.3** (Indistinguishability of Setup). *Assuming  $\text{iO}$  is a secure indistinguishable obfuscator,  $\text{Prf}$  is a selectively secure puncturable PRF, and PKE is a semantically-secure public key encryption scheme, any PPT adversary  $\mathcal{A}$  has only negligible advantage in the **Exp-Setup-Itr** game.*

*Proof.* To prove this lemma, we define **Hyb**<sub>0</sub>, . . . , **Hyb**<sub>3</sub>.

**Hyb**<sub>0</sub> In this experiment, the Challenger always sends the normal setup,  $(\text{pp}_{\text{ltr}}, v) \leftarrow \text{Tltr.Setup}(1^\lambda, N)$ , to  $\mathcal{A}$ .

**Hyb**<sub>1</sub> In this experiment, the Challenger computes the normal setup  $\text{Tltr.Setup}(1^\lambda, N)$  and the enforced setup with the sink point  $\text{ct}^*$  hard-wired  $(\text{pp}_{\text{ltr}}\{\text{ct}^*, K\{v_{l,\text{sink}}, v_{r,\text{sink}}, m_{\text{sink}}\}\}, v) \leftarrow \text{Tltr.SetupEnf}(1^\lambda, N, \text{DAG})$ , and it sends one of the two to  $\mathcal{A}$ .

**Hyb**<sub>2</sub> In this experiment, the Challenger computes the normal setup  $\text{Tltr.Setup}(1^\lambda, N)$  and the enforced setup with the sink point  $\text{ct}^*$  (encrypted with a fresh randomness) hard-wired  $(\text{pp}_{\text{ltr}}\{\text{ct}^*, K\{v_{l,\text{sink}}, v_{r,\text{sink}}, m_{\text{sink}}\}\}, v) \leftarrow \text{Tltr.SetupEnf}(1^\lambda, N, \text{DAG})$ , and it sends one of the two to  $\mathcal{A}$ .

**Hyb**<sub>3</sub> In this experiment, the Challenger computes the normal setup  $\text{Tltr.Setup}(1^\lambda, N)$  and the enforced setup and it sends one of the two to  $\mathcal{A}$ .

**Claim 6.4.** *Hyb*<sub>3</sub> has only negligible advantage over *Hyb*<sub>0</sub>.

*Proof.* Given that  $\text{Tltr.SetupEnf}$  requires each node  $n$  has a *unique* message value  $m_n \in \mathcal{M}_\lambda$ ,  $\text{progEnforce}$  only differs from  $\text{prog}$  at the input  $(v_{l,\text{sink}}, v_{r,\text{sink}}, m_{\text{sink}})$ . Thus we focused on the sink point in following hybrid steps. Assuming  $\text{iO}$  is a secure indistinguishable obfuscator, **Hyb**<sub>0</sub>  $\approx$  **Hyb**<sub>1</sub> because  $\text{pp}_{\text{ltr}}$  and  $\text{pp}_{\text{ltr}}\{\text{ct}^*, K\{v_{l,\text{sink}}, v_{r,\text{sink}}, m_{\text{sink}}\}\}$  are functionally equivalent. **Hyb**<sub>1</sub>  $\approx$  **Hyb**<sub>2</sub> by the selective security of puncturable PRF (because the only difference is the randomness at the punctured point). **Hyb**<sub>2</sub>  $\approx$  **Hyb**<sub>3</sub> by the semantic security of PKE.  $\square$

The adversary  $\mathcal{A}$  has no advantage in  $\mathbf{Hyb}_0$ , and  $\mathbf{Hyb}_3$  (which is the **Exp-Setup-Itr** game) has only negligible advantage over  $\mathbf{Hyb}_0$ . Therefore, any PPT adversary  $\mathcal{A}$  has only negligible advantage in the **Exp-Setup-Itr** game.  $\square$

**Lemma 6.5** (Enforcing). *Assuming PKE is a perfectly correct public key encryption scheme, then  $\text{Tltr} = (\text{Tltr.Setup}, \text{Tltr.SetupEnf}, \text{Tltr.Iterate}, \text{Tltr.Iterate2to1})$  is enforcing.*

*Proof.* This follows directly from the correctness of PKE because the sink node has  $v_{\text{sink}}$  be an encryption of 1 but all other nodes are encryption of 0.  $\square$

## 6.4 Parallel Accumulator

Consider the (standard) PRAM model in which  $m$  CPUs have random access to a shared memory at  $m$  locations at each time step. An intuitive approach is to extend the construction of  $\text{CiO}$  for RAM into the PRAM model, where each bit read by each CPU is verified against the accumulator value (a.k.a. digest)  $w$ . The verification is straightforward and can be run in parallel. The problem, however, is that the digest  $w$  must be updated correctly after each bit written by each CPU (in order to verify the next bit to be read). Therefore, as long as  $m$  writes the new digest  $w$  depends on all  $m$  newly written bits, which may take roughly  $m$  (total) steps to update  $w$ . The trivial solution which sequentially update  $w$  with each  $m$  bits obviously introduces an unacceptable  $O(m)$  multiplicative parallel time overhead. To retain the benefits of using  $m$  CPUs, we must design a clever update mechanism with  $O(\log m)$  overhead at most.

Recall that by our assumption the  $m$  CPUs read and write synchronously and alternatively. Consider a time step when  $m$  synchronized writes occur. Our goal here is to let each CPU, with their own bits to be written, exchange information with each others and concurrently compute the same digest  $w$ . Ignoring the steps where the bits are actually written to the memory, the procedures for computing the digest alone form a memory-less PRAM computation, which can be obfuscated using techniques in the construction of  $\text{CiO}$  for memory-less PRAM.

To argue the security of this approach, we observe that the whole accumulator tree structure is accessible to the malicious evaluator/adversary, and thus it is not necessary to hide any intermediates while updating. In fact, the CPUs compute and communicate with their sequences forming a binary tree bottom-up, and leak a partially updated memory to the decoder at each level of the tree. However, any partially updated memory does not give the adversarial decoder additional information because it can always compute these values from the previous memory contents and the newly written bits. For correctness, as long as the CPU states and messages are authenticated by  $\text{CiO}$ , any adversary is not able to forge a malicious message or digest, and hence the CPUs will eventually agree on the same digest  $w$  correctly.

The construction of  $\text{CiO}$  for memory-less PRAM requires the communication pattern between CPUs to be oblivious, which means the receiver of each communication is uniquely determined by the iteration counter  $t$  and the sender CPU id. In the following Section 6.4.1, we recall the oblivious aggregation and oblivious multicasting protocols from [BCP14b] to build oblivious communication between the CPUs. We then use these protocols to construct the mechanism for computing the digest  $w$  in Section 6.4.2.

### 6.4.1 Oblivious Aggregation and Multicasting

To simplify the “updating” algorithm, we apply two PRAM primitives, namely *oblivious aggregation* and *oblivious multicasting*, which are introduced in [BCP14b] and described below for completeness. Both primitive are deterministic PRAM algorithms that run with only CPU states and oblivious communication. By oblivious communication, we say that the source and destination of all messages are specified by algorithm but not depended on the input. The functionality and complexity are specified in the following definitions.

**Oblivious Aggregation.** OblivAgg is a procedure satisfying the following aggregation goal with communication patterns independent of the input, using only  $\tilde{O}(\text{poly log}(m))$  local memory and communication per CPU, in only  $\tilde{O}(\text{poly log}(m))$  sequential time steps.

**Input:** Each CPU  $i \in [m]$  holds  $(\text{key}_i, \text{data}_i)$ . Let  $\mathbb{K} = \bigcup\{\text{key}_i\}$  denote the set of distinct keys. We assume that any (subset of) data associated with the same key can be aggregated by an aggregation function  $\text{Agg}$  to a short digest of size at most  $\text{poly}(|\text{data}_i|, \log m)$ .

**Goal:** Each CPU  $i$  outputs  $\text{out}_i$  such that the following holds.

- for every key  $\text{key} \in \mathbb{K}$ , there exists unique agent  $i$  with  $\text{key}_i = \text{key}$  such that  $\text{out}_i = (\text{rep}, \text{key}, \text{agg}_{\text{key}})$ , where  $\text{agg}_{\text{key}} = \text{Agg}(\{\text{data}_j : \text{key}_j = \text{key}\})$ .
- for every remaining agent  $i$ ,  $\text{out}_i = (\text{dummy}, \perp, \perp)$ .

**Oblivious Multicasting.** OblivMCast is a procedure satisfying the following multicasting goal with communication patterns independent of the inputs, using only  $\tilde{O}(\text{poly log}(m))$  local memory and communication per CPU, in only  $\tilde{O}(\text{poly log}(m))$  sequential time steps. Namely, a subset of CPUs must deliver information to (unknown) collections of other CPUs who request it. This is abstractly modelled as follows, where  $\text{key}_i$  denotes which data item is requested by each CPU  $i$ .

**Input:** Each CPU  $i$  holds  $(\text{key}_i, \text{data}_i)$  with the following promise. Let  $\mathbb{K} = \bigcup\{\text{key}_i\}$  denote the set of distinct keys. For every key  $\text{key} \in \mathbb{K}$ , there exists a unique agent  $i$  with  $\text{key}_i = \text{key}$  such that  $\text{data}_i \neq \perp$ ; let  $\text{data}_{\text{key}}$  denote such  $\text{data}_i$ .

**Goal:** Each agent  $i$  outputs  $\text{out}_i = (\text{key}_i, \text{data}_{\text{key}_i})$ .

#### 6.4.2 OUpdate Algorithm

In the following, we construct a distributed Acc.OUpdate algorithm (Algorithm 30) to be run with  $m$  CPUs. Each CPU  $i$  takes  $i, \text{loc}_i, b_i, \pi_i$  as input, communicates with other CPUs obliviously using OblivAgg and OblivMCast defined above, and outputs the same digest  $w$  of the whole updated memory, where for CPU  $i$

- $\text{loc}_i, b_i$  are the writing location and value, and
- $\pi_i$  is the authentication path (proof) of the writing location  $\text{loc}_i$ .

Acc.OUpdate introduces a multiplicative  $O(\log S)$  parallel time overhead in the worst case where all CPUs write  $m$  different values at distinct locations of the memory with size  $S$  in parallel. Acc.OUpdate traverses each authentication path  $\pi_i$  in a bottom-up approach. For each node in  $\pi_i$ , it checks if another CPU possesses a fresh sibling node by the OblivAgg protocol, which exchanges information between all CPUs and yields a pair of fresh nodes  $(n_l, n_r)$  that may depend on one or more CPUs, to the representative CPU (Algorithm 31). All CPUs then share the pair of fresh nodes by OblivMCast from those representative CPUs, and each CPU computes the updated parent node of the updated pair directly by the public parameter  $\text{pp}_{\text{Acc}}$ . With the updated parent node, the procedure is able to continue with the next node in  $\pi_i$  iteratively. The procedure is finished when the root node of  $\pi_i$  is updated.

Some additional notations used in Acc.OUpdate is listed in Table 2.

---

**Algorithm 30: Acc.OUdate**

---

**Input** :  $i, \text{loc}, b, \pi$   
**Output**:  $w$   
**Data**:  $\text{pp}_{\text{Acc,mem}}$

- 1 Parse  $\pi = (\text{root}, (n_l, n_r)_0, \dots, (n_l, n_r)_{\text{MemAccDepth}-1})$ ;
- 2 Let the leaf node  $\pi[\text{MemAccDepth} - 1][\text{loc}[\text{MemAccDepth} - 1]] \leftarrow b$ ;
- 3 **for** ( $\text{MemAccDepth} > z \geq 0$ ) **do**
- 4      $\text{key}_i \leftarrow \text{loc}_{z-1}$ ;
- 5      $(\text{rep}, \text{key}_i, \text{aggdata}) \leftarrow \text{Run OblivAgg}$  with input  $(i, \text{key}_i, (\text{loc}[z], \pi[z][0], \pi[z][1]))$  and aggregation function  $\text{Agg}$ ;
- 6      $(\text{flag}, n_l, n_r) \leftarrow \text{Run OblivMCast}$  with input  $(\text{key}_i, \text{aggdata})$ ;
- 7      $\pi[z - 1][\text{loc}[z - 1]] \leftarrow \text{Acc.Combine}(\text{pp}_{\text{Acc,mem}}, n_l, n_r, \text{loc}_{z-1})$ ;
- 8 **return**  $\text{root}$ ;

---

---

**Algorithm 31: Agg**

---

**Input** :  $\text{datatemp}_1, \text{datatemp}_2$   
**Output**:  $\text{aggdata}$

- 1 **if**  $\text{datatemp}_1$  has the form  $(\text{Done}, n_l, n_r)$  **then**
- 2     // If any data has already done, return it.
- 3     **return**  $\text{datatemp}_1$ ;
- 4 **if**  $\text{datatemp}_2$  has the form  $(\text{Done}, n_l, n_r)$  **then**
- 5     **return**  $\text{datatemp}_2$ ;
- 6 **if**  $\text{datatemp}_1 = \text{datatemp}_2$  has the form  $(\text{loc}[z], n_l, n_r)$  **then**
- 7     // If both data is identical, keep any one.
- 8     **return**  $\text{datatemp}_1$ ;
- 9 **if**  $\text{datatemp}_1$  has the form  $(\text{loc}[z]_1, n_{l,1}, n_{r,1})$  and  $\text{datatemp}_2$  has the form  $(\text{loc}[z]_2, n_{l,2}, n_{r,2})$  **then**
- 10     // If two data differs, merge by their freshness and mark as done.
- 11     **if**  $(\text{loc}[z]_1 > \text{loc}[z]_2)$  **then**
- 12         Swap  $(\text{loc}[z]_1, n_{l,1}, n_{r,1}), (\text{loc}[z]_2, n_{l,2}, n_{r,2})$ ;
- 13     **return**  $(\text{Done}, n_{l,1}, n_{r,2})$ ;

---

Table 2: Additional notations for the OUpdate protocol. We omit subscription  $i$  and use  $\text{loc}$ ,  $b$  and  $\pi$  in OUpdate (Algorithm 30).

Notations	
$z$	The depth of node to be update in $\pi$
$\text{loc}_x$	The $x$ bit prefix of $\text{loc}$
$\text{loc}[x]$	The $x$ -th bit of $\text{loc}$ such that $\text{loc}[-1] := \epsilon$
$\text{loc}[x] = 0$ ( $\text{loc}[x] = 1$ )	Implies that the left (right) node should be updated
$\pi[x]$	The pair of nodes $(n_l, n_r)_x$ at depth $x$ such that $\pi[-1] := \text{root}$
$\pi[x][0]$ ( $\pi[x][1]$ )	The left node $n_l$ (right node $n_r$ ) in the pair $(n_l, n_r)_x$ such that $\pi[-1][\epsilon] := \text{root}$
$\text{flag} = \text{Done}$	Implies that both node $(n_l, n_r)$ is fresh in $\text{aggdata}$

### 6.4.3 Notation of OUpdate Compiler

In this sub-section, we describe the notations to compile a PRAM computation into a *memory checking* PRAM computation with protocol OUpdate described above. Without loss of generality, we assume that there is a step function  $F_{\text{OUpdate}}$  which runs the protocol OUpdate.

Given a PRAM computation system  $\Pi$  with synchronous and alternative READ and WRITE,

$$\Pi = \left( (\text{mem}^0, \{\text{st}_k^0, a_{k \leftarrow M}^0, a_{M \leftarrow k}^0\}_{k=1}^m), F \right),$$

and step function  $F_{\text{OUpdate}}$  described above, we define  $\Pi_{\text{check}} = \text{AccCompile}(\Pi, \text{Acc.OUpdate}\{\text{pp}_{\text{Acc,mem}}\})$ , which verifies data read from memory with accumulator and computes new accumulator digest through  $\text{Acc.OUpdate}$ . By the assumption of synchronous and alternative READ and WRITE, we simply assume  $F$  always reads at even rounds and writes at odd rounds, and thus  $\Pi_{\text{check}}$  has a straightforward construction: repeatedly invokes (i) step function  $F$  one reading round, (ii) step function  $F$  one writing round, (iii) step function  $F_{\text{OUpdate}}$  a fixed number  $D_{\text{Acc}}$  of rounds. Specifically,

$$\Pi_{\text{check}} = \left( (\text{mem}^0, \{\check{\text{st}}_k^0, \check{a}_{k \leftarrow M}^0, \check{a}_{M \leftarrow k}^0\}_{k=1}^m), F_{\text{check}} \right),$$

where  $F_{\text{check}}$  is defined in Algorithm 32,  $\check{\text{st}}$  and  $\check{a}$  are defined by augmenting the corresponding  $\text{st}$  and  $a$  from  $\Pi$ . We can use  $F_{\text{check}} = \text{AccCompile}(F, \text{Acc.OUpdate}\{\text{pp}_{\text{Acc,mem}}\})$  to specify the compilation.

$F_{\text{check}}$  has three major stages, which is READ, WRITE, and OUpdate.

- In a READ state, it has no memory input and just invokes  $F$ , which issues a READ command.
- In a WRITE state, the previous state must be READ. Therefore,  $F_{\text{check}}$  verifies the value read from memory and invokes  $F$ , which issues a WRITE command.
- In OUpdate states,  $F_{\text{check}}$  first verifies the proof  $\pi^{\text{in}}$  against old accumulator digest. Then, it initializes  $F_{\text{OUpdate}}$  with the correct proof  $\pi^{\text{in}}$  and runs  $F_{\text{OUpdate}}$  stepwise to obtain the new accumulator digest.

These stages are controlled by the simple counter  $d_{\text{Acc}}$  and the fixed running time  $D_{\text{Acc}}$ , which is defined implicitly by OUpdate.

---

**Algorithm 32:**  $F_{\text{check}}$ 

---

**Input** :  $id, \check{st}^{\text{in}}, \check{a}^{\text{in}} = (b^{\text{in}}, \text{com}^{\text{in}}, \pi^{\text{in}})$   
**Data:**  $D_{\text{Acc}}$

- 1 Parse  $\check{st}^{\text{in}}$  as  $((st_{\text{II}}^{\text{in}}, st_{\text{Acc}}^{\text{in}}), d_{\text{Acc}}, b, w, \text{loc})$ ;
- 2 **if**  $(d_{\text{Acc}} = \text{Read or } d_{\text{Acc}} = \text{Write})$  **then**
- 3      $(st_{\text{Acc}}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow (\perp, \perp)$ ;
- 4     **if**  $d_{\text{Acc}} = \text{Read}$  **then**
- 5         Compute  $(st_{\text{II}}^{\text{out}}, (\text{loc}^{\text{out}}, b^{\text{out}})) \leftarrow F(id, st_{\text{II}}^{\text{in}}, b^{\text{in}})$ ;
- 6         **If**  $st_{\text{II}}^{\text{out}} = \text{Reject}$ , **then output**  $\text{Reject}$ ;
- 7         Set  $\check{st}^{\text{out}} = ((st_{\text{II}}^{\text{out}}, st_{\text{Acc}}^{\text{out}}), \text{Write}, b^{\text{out}}, w, \text{loc}^{\text{out}})$ ;
- 8     **else**
- 9         **If**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc,mem}}, w, (\text{loc}, b^{\text{in}}), \pi^{\text{in}}) = 0$  **output**  $\text{Reject}$ ;
- 10         Compute  $(st_{\text{II}}^{\text{out}}, (\text{loc}^{\text{out}}, b^{\text{out}})) \leftarrow F(id, st_{\text{II}}^{\text{in}}, b^{\text{in}})$ ;
- 11         **If**  $st_{\text{II}}^{\text{out}} = \text{Reject}$ , **then output**  $\text{Reject}$ ;
- 12         Set  $\check{st}^{\text{out}} \leftarrow ((st_{\text{II}}^{\text{out}}, st_{\text{Acc}}^{\text{out}}), 0, b^{\text{out}}, w, \text{loc}^{\text{out}})$ ;
- 13     Set  $\check{a}^{\text{out}} \leftarrow (\text{com}^{\text{out}}, (\text{loc}^{\text{out}}, b^{\text{out}}))$ ;
- 14 **else**
- 15     **if**  $d_{\text{Acc}} = 0$  **then**
- 16         **If**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc,mem}}, w, (\text{loc}, b^{\text{in}}), \pi^{\text{in}}) = 0$  **output**  $\text{Reject}$ ;
- 17         Initialize  $st_{\text{Acc}}^{\text{in}}$  with  $(\text{loc}, b, \pi^{\text{in}})$ ;
- 18      $(st_{\text{Acc}}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F_{\text{OUpdate}}(id, st_{\text{Acc}}^{\text{in}}, \text{com}^{\text{in}})$ ;     // Execute  $F_{\text{OUpdate}}$  iteratively
- 19      $d_{\text{Acc}} \leftarrow d_{\text{Acc}} + 1$ ;
- 20     **if**  $d_{\text{Acc}} = D_{\text{Acc}}$  **then**
- 21         Parse  $st_{\text{Acc}}^{\text{out}}$  to obtain new accumulator digest  $w^{\text{out}}$ ;
- 22          $d_{\text{Acc}} \leftarrow \text{Read}$ ;
- 23     **else**
- 24         Let  $w^{\text{out}} = w$ ;
- 25     Set  $\check{st}^{\text{out}} \leftarrow ((st_{\text{II}}^{\text{in}}, st_{\text{Acc}}^{\text{out}}), d_{\text{Acc}}, \perp, w^{\text{out}}, \perp)$ ;
- 26     Set  $\check{a}^{\text{out}} \leftarrow (\text{com}^{\text{out}}, (\perp, \perp))$ ;
- 27 **return**  $(\check{st}^{\text{out}}, \check{a}^{\text{out}})$ ;

---

## 6.5 Warm-up: Construction for $\text{CiO-PRAM}^-$

As a warm-up, we construct  $\text{CiO}$  in the memoryless PRAM ( $\text{PRAM}^-$ ) model. Recall in Section 3.1.3 that the  $\text{PRAM}^-$  model is similar to the PRAM model except that it has no external memory, but oblivious communication between pairs of CPUs is allowed. Formally, the class of distributed computation for  $\text{PRAM}^-$ , denoted by  $\mathcal{P}_{\text{PRAM}^-}$ , is defined as follows:

**Definition 6.6** ( $\text{PRAM}^-$  Computation Class).  $\mathcal{P}_{\text{PRAM}^-}$  is a class of distributed computation for  $\text{PRAM}^-$  with  $m$  agents without external memory where

- the terminating time  $t^*$  is bounded by  $2^\lambda$ ,
- the communication between agents are restricted in the sense that in each round  $t$ , each agent  $k$  is only allowed to receive a single message  $c_k^t$  from agent  $\text{src}(t, k)$  where  $\text{src}$  is a public function, and the agent  $k$  is allowed to at most send one message to other agent,
- for all  $k \in [m]$ , the state size  $|\text{st}_k|$  is bounded by  $\text{poly}(\log(\lambda))$ ,
- for all  $k \in [m]$ , the access commands are restricted to  $a_{M \leftarrow k}^t := \perp$  and  $a_{k \leftarrow M}^t := \perp$ ,
- for all  $k \in [m]$ , the initial communication messages are restricted to  $c_k^0 := \perp$ .

Notations	Table 3: Additional notations for $\text{CiO}$ in $\text{PRAM}^-$ model
$m$	The total number of CPUs in a PRAM program
node	A node contains $(t, \text{index}, w_{\text{st}}, w_{\text{com}}, v, \sigma)$
$\text{src}(\cdot, \cdot)$	A function decides an oblivious communication (e.g., at time $t$ , $\text{id}_{\text{cpu}}(b)$ sends to $\text{id}_{\text{cpu}}(a)$ , then $\text{src}(t, \text{id}_{\text{cpu}}(a)) \rightarrow \text{id}_{\text{cpu}}(b)$ )
$\text{max-cpu}(\cdot)$	A mapping function, defined on $\text{index}$ , outputs a leaf node: If $\text{index}$ is a leaf, $\text{max-cpu}(\text{index}) = \text{index}$ . If not, outputs the <i>maximum</i> leaf index from $\text{index}$ 's descendants.
$\text{min-cpu}(\cdot)$	A mapping function, defined on $\text{index}$ , outputs a leaf node: If $\text{index}$ is a leaf, $\text{min-cpu}(\text{index}) = \text{index}$ . If not, outputs the <i>minimum</i> leaf index from $\text{index}$ 's descendants:
$\mathbf{C}_{i,j}$	A set of indices of <i>internal</i> nodes defined by an index $j$ for $t = i$ . (For all $\text{index} \in \mathbf{C}_{i,j}$ , $\text{index} < j$ and $\text{index}$ 's parent $\notin \mathbf{C}_{i,j}$ )
$\mathbf{M}_{i,j}$	A set of hardwired output messages corresponding to indices of $\mathbf{C}_{i,j}$

We now describe our scheme  $\text{CiO} = \text{CiO}.\{\text{Obf}, \text{Eval}\}$  in the  $\text{PRAM}^-$  model. For readability, we first introduce additional notations in Table 3. Our construction of  $\text{CiO}$  for  $\text{PRAM}^-$  follows the structure of the construction of  $\text{CiO}$  for RAM, except for the following differences. First, since there is no memory access in the  $\text{PRAM}^-$  model, no accumulator is needed for storing the memory content. However, we do need two new accumulators to store the states and messages, as we wish to compress  $m$  states and messages into their corresponding digests respectively. In order to compute these digests, the next step function  $\tilde{F}$  of the obfuscated program is split into the branch stage and the combine stage. The branch stage is essentially the first half of  $\tilde{F}$  in the construction of  $\text{CiO}$  for RAM, where the function verifies its inputs and performs the actual computation. The steps for computing the digests are deferred to the combine stage, where the  $m$  CPUs collaboratively updates the digests for their states and messages.

The compilation procedure  $\text{CiO.Obf}$  can transform a given computation system  $\Pi$  in the memoryless PRAM model, i.e.,  $\Pi \in \mathcal{P}_{\text{PRAM}^-}$ , into an obfuscated computation system  $\tilde{\Pi}$ . Here

$$\begin{aligned}\Pi &= (\{\text{st}_k^0\}_{k=1}^m, F) \\ \tilde{\Pi} &= ((\widetilde{\text{mem}}^0, \{\tilde{\text{st}}_k^0\}_{k=1}^m), \tilde{F})\end{aligned}$$

We note that in  $\Pi \in \mathcal{P}_{\text{PRAM}^-}$ , the variables  $\text{mem}$ ,  $a_{k \leftarrow M}$ ,  $a_{M \leftarrow k}$  are not defined.

**Compilation procedure  $\tilde{\Pi} \leftarrow \text{CiO.Obf}(1^\lambda, \Pi)$ :** The compilation procedure  $\text{Obf}()$  consists of several steps.

Step 1: Generating parameters. A set of parameters will be generated:

$$\begin{aligned}K_A &\leftarrow \text{Prf.Setup}(1^\lambda), \\ (\text{pp}_{\text{Acc, st}}, \hat{w}_{\text{st}, 0}, \hat{\text{store}}_{\text{st}, 0}) &\leftarrow \text{Acc.Setup}(m), \\ (\text{pp}_{\text{Acc, com}}, \hat{w}_{\text{com}, 0}, \hat{\text{store}}_{\text{com}, 0}) &\leftarrow \text{Acc.Setup}(m), \\ (\text{pp}_{\text{Itr}}, v^0) &\leftarrow \text{TItr.Setup}(T).\end{aligned}$$

Step 2: Generating stateful algorithms  $\tilde{F}$ . Based on the parameters  $T$ ,  $\text{pp}_{\text{Acc, st}}$ ,  $\text{pp}_{\text{Acc, com}}$ ,  $\text{pp}_{\text{Itr}}$ ,  $K_A$  generated above, as well as program  $F$ , we define the program  $\hat{F}$  in Algorithm 33. Here  $\hat{F}$  executes internal programs  $F_{\text{branch}}$  (Algorithm 34), which in turn executes  $F$ , or  $F_{\text{combine}}$  (Algorithm 35) depending on its input.

Similar to the program  $\hat{F}$  (Algorithm 1) in the construction of  $\text{CiO}$  for RAM,  $F_{\text{branch}}$  first verifies its input, perform the actual computation of  $F$ , and authenticates its output. The communication commands of  $F$  is interpreted as access commands in the obfuscated program, and will be accumulated to the corresponding memory accumulator. The difference is that here updating the accumulator is deferred to the combine stage of  $\hat{F}$  defined in  $F_{\text{combine}}$ , and the obfuscated CPU state  $\tilde{\text{st}}$  is never signed or verified by signature.

$m$  copies of  $F_{\text{combine}}$  will be executed multiple rounds so as to combine the  $m$  newly accumulated value into a common digest. At the first iteration of  $F_{\text{combine}}$ , each pair of neighboring CPUs form a group to combine their accumulated access commands into a common value in the parent node. Then, each pair of neighboring groups will form a larger group to combine their values into a common parent node. This process will continue until a common root node is reached, so that the program  $\hat{F}$  will resume to the branch stage.

The compilation procedure then computes an obfuscation of the program  $\hat{F}$ . That is,  $\tilde{F} \leftarrow \text{iO.Gen}(\hat{F})$ .

---

**Algorithm 33:**  $\hat{F}$

// for simplicity, we drop the subscripts from  $\tilde{a}_{id_{\text{cpu}} \leftarrow M}^{\text{in}}$  and  $\tilde{a}_{M \leftarrow id_{\text{cpu}}}^{\text{out}}$ , and use  $\tilde{a}^{\text{in}}$  and  $\tilde{a}^{\text{out}}$  respectively

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \text{root\_node}), \tilde{a}^{\text{in}}$

- 1 **if**  $\text{st}^{\text{in}} = (\text{halt}, \cdot)$  **then**
- 2   | Output `Reject`;
- 3 **else if**  $\text{root\_node} \neq \perp$  **then**
- 4   | Compute  $(\tilde{\text{st}}^{\text{out}}, \tilde{a}^{\text{out}}) = F_{\text{branch}}(\tilde{\text{st}}^{\text{in}}, \tilde{a}^{\text{in}})$ ;
- 5 **else**
- 6   | Compute  $(\tilde{\text{st}}^{\text{out}}, \tilde{a}^{\text{out}}) = F_{\text{combine}}(\tilde{\text{st}}^{\text{in}}, \tilde{a}^{\text{in}})$ ;
- 7 Output  $(\tilde{\text{st}}^{\text{out}}, \tilde{a}^{\text{out}})$ ;

---



---

**Algorithm 34:**  $F_{\text{branch}}$ 

// for simplicity, we drop the subscripts from  $\tilde{a}_{id_{\text{cpu}} \leftarrow M}^{\text{in}}$  and  $\tilde{a}_{M \leftarrow id_{\text{cpu}}}^{\text{out}}$ , and use  $\tilde{a}^{\text{in}}$  and  $\tilde{a}^{\text{out}}$  respectively

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \text{root\_node})$ ,  $\tilde{a}^{\text{in}} = (\text{com}^{\text{in}}, \pi_{\text{st}}^{\text{in}}, \pi_{\text{com}}^{\text{in}})$   
**Data:**  $\text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A$

- 1 Parse  $\text{root\_node}$  as  $(t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}}, \sigma^{\text{in}})$ ;
- 2 Let  $r_A = \text{Prf}(K_A, (t, \text{root\_index}))$ ;
- 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$ ;
- 4 Let  $m^{\text{in}} = (t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}})$ ;
- 5 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 0$  output **Reject**;
- 6 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, st}}, w_{\text{st}}^{\text{in}}, (id_{\text{cpu}}, \text{st}^{\text{in}}), \pi_{\text{st}}^{\text{in}}) = 0$  output **Reject**;
- 7 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, com}}, w_{\text{com}}^{\text{in}}, (\text{src}(t, id_{\text{cpu}}), \text{com}^{\text{in}}), \pi_{\text{com}}^{\text{in}}) = 0$  output **Reject**;
- 8 Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F(id_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 9 Compute  $v^{\text{out}} = \text{ltr.Iterate}(\text{pp}_{\text{ltr}}, v^{\text{in}}, (t + 1, id_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}))$ ;
- 10 **if**  $\text{st}^{\text{out}} = \text{Reject}$  **then**
- 11   | Output **Reject**;
- 12 **else**
- 13   | Let  $r'_A = \text{Prf}(K_A, (t + 1, id_{\text{cpu}}))$ ;
- 14   | Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ;
- 15   | Let  $m^{\text{out}} = (t + 1, id_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}})$  and  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 16   | Let  $\text{node}^{\text{out}} = (t + 1, id_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}}, \sigma^{\text{out}})$ ;
- 17   | Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{out}} = \text{node}^{\text{out}}$ ;

---

*Step 3: Generating the initial configuration* ( $\widetilde{\text{mem}}^0, \{\tilde{\text{st}}_k^0\}_{k=1}^m$ ). Recall that  $c_k^0 = \perp$ . Based on given  $\text{st}_1^0, \dots, \text{st}_m^0$ , the compilation procedure computes the initial configuration for the compiled computation system as follows.

- For each  $j \in \{1, \dots, m\}$ , it computes iteratively:

$$\begin{aligned} \pi_j &\leftarrow \text{Acc.PrepWrite}(\text{pp}_{\text{Acc, st}}, \hat{\text{store}}_{\text{st}, j-1}, j-1) \\ \hat{w}_{\text{st}, j} &\leftarrow \text{Acc.Update}(\text{pp}_{\text{Acc, st}}, \hat{w}_{\text{st}, j-1}, j-1, \text{st}_j^0, \pi_j) \\ \hat{\text{store}}_{\text{st}, j} &\leftarrow \text{Acc.WriteStore}(\text{pp}_{\text{Acc, st}}, \hat{\text{store}}_{\text{st}, j-1}, j-1, \text{st}_j^0) \end{aligned}$$

Set  $w_{\text{st}}^0 := \hat{w}_{\text{st}, m}$ , and  $\text{store}_{\text{st}}^0 := \hat{\text{store}}_{\text{st}, m}$ .

Set  $w_{\text{com}}^0 = \perp$  and  $\text{store}_{\text{com}}^0 = \hat{\text{store}}_{\text{com}, 0}$  ( $w_{\text{com}}^0$  is computed similarly as  $w_{\text{st}}^0$ . However, since  $\text{com}_j^0 = \perp$  for all CPU  $j$ ,  $w_{\text{com}}^0 = \perp$ .)

- Compute  $\text{root\_node}^0 = (t, \text{root\_index}, w_{\text{st}}^0, w_{\text{com}}^0, v^0, \sigma^0)$  where  $t = 0$ ,  $\text{root\_index} = \epsilon$ , and  $w_{\text{st}}^0, w_{\text{com}}^0, v^0$  are computed above.  $\sigma^0$  is computed as follows:

$$\begin{aligned} r_A &\leftarrow \text{Prf}(K_A, 0) \\ (\text{sk}^0, \text{vk}^0) &\leftarrow \text{Spl.Setup}(1^\lambda; r_A) \\ \sigma^0 &\leftarrow \text{Spl.Sign}(\text{sk}^0, (t, \text{root\_index}, w_{\text{st}}^0, w_{\text{com}}^0, v^0)) \end{aligned}$$

- Now we compute the initial configuration as

$$\begin{aligned} \widetilde{\text{mem}}^0 &= (\text{store}_{\text{st}}^0, \text{store}_{\text{com}}^0) \\ \tilde{\text{st}}_j^0 &= (\text{st}_j^0, j, \text{root\_node}^0) \end{aligned}$$

---

**Algorithm 35:**  $F_{\text{combine}}$ 

// for simplicity, we drop the subscripts from  $\tilde{a}_{id_{\text{cpu}} \leftarrow \mathbb{M}}^{\text{in}}$  and  $\tilde{a}_{\mathbb{M} \leftarrow id_{\text{cpu}}}^{\text{out}}$ , and use  $\tilde{a}^{\text{in}}$  and  $\tilde{a}^{\text{out}}$  respectively

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{in}} = (\text{node}_1, \text{node}_2)$   
**Data**:  $T, \text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A$

- 1 Parse  $\text{node}_\zeta$  as  $(t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta, \sigma_\zeta)$  for  $\zeta = 1, 2$ ;
- 2 If  $t_1 \neq t_2$ , output **Reject**. Else, let  $t = t_1$ ;
- 3 If  $t < 1$ , output **Reject**;
- 4 If  $\text{index}_1$  and  $\text{index}_2$  are not siblings, output **Reject**;
- 5 Set  $\text{parent\_index}$  as the parent of  $\text{index}_1$  and  $\text{index}_2$ ;
- 6 **for**  $\zeta = 1, 2$  **do**
- 7     Let  $r_{A, \zeta} = \text{Prf}(K_A, (t_\zeta, \text{index}_\zeta))$ ;
- 8     Compute  $(\text{sk}_{A, \zeta}, \text{vk}_{A, \zeta}, \text{vk}_{A, \text{rej}, \zeta}) = \text{Spl.Setup}(1^\lambda; r_{A, \zeta})$ ;
- 9     Let  $m_\zeta = (t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta)$ ;
- 10    If  $\text{Spl.Verify}(\text{vk}_{A, \zeta}, m_\zeta, \sigma_\zeta) = 0$  output **Reject**;
- 11 Compute  $w'_{\text{st}} = \text{Acc.Combine}(\text{pp}_{\text{Acc, st}}, w_{\text{st}, 1}, w_{\text{st}, 2}, \text{parent\_index})$ ;
- 12 Compute  $w'_{\text{com}} = \text{Acc.Combine}(\text{pp}_{\text{Acc, com}}, w_{\text{com}, 1}, w_{\text{com}, 2}, \text{parent\_index})$ ;
- 13 Compute  $v' = \text{ltr.Iterate2to1}(\text{pp}_{\text{ltr}}, (v_1, v_2), (t, \text{parent\_index}, w_{\text{st}, 1}, w_{\text{com}, 1}, w_{\text{st}, 2}, w_{\text{com}, 2}))$ ;
- 14 Let  $r'_A = \text{Prf}(K_A, (t, \text{parent\_index}))$ ;
- 15 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ;
- 16 Let  $m' = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v')$ ;
- 17 Compute  $\sigma' = \text{Spl.Sign}(\text{sk}'_A, m')$ ;
- 18 Let  $\text{parent\_node} = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v', \sigma')$ ;
- 19 **if**  $\text{parent\_index} = \epsilon$  **then**
- 20    Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \text{parent\_node})$ ,  $\tilde{a}^{\text{out}} = \perp$ ;
- 21 **else**
- 22    Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{out}} = \text{parent\_node}$ ;

---

Final step. Finally the compilation procedure returns the value  $\tilde{\Pi} = ((\widetilde{\text{mem}}^0, \{\widetilde{\text{st}}_k^0\}_{k=1}^m), \tilde{F})$  as output.

**Evaluation algorithm**  $\text{conf} := \text{Eval}(\tilde{\Pi})$ : Upon receiving an obfuscated system  $\tilde{\Pi}$ , the evaluator runs Algorithm 36 and carries out the result

$$(\widetilde{\text{mem}}^{t^*}, \{\widetilde{\text{st}}_k^{t^*}, \widetilde{a}_{M \leftarrow k}^{t^*}\}_{k=1}^m)$$

at the halting time  $t^*$ .

- For each  $1 \leq k \leq m$ , parse:

$$\widetilde{\text{st}}_k^{t^*} = (\text{st}_k^{t^*}, k, \cdot)$$

$$\widetilde{a}_{M \leftarrow k}^{t^*} = (\text{com}_k^{t^*})$$

- Return  $\text{conf} = \{\text{st}_k^{t^*}, c_k^{t^*} = \text{com}_k^{t^*}\}_{k=1}^m$ .



**Efficiency.** Let  $m$  be the number of CPUs,  $|F|$  be the description size of program  $F$ ,  $n/m$  be the size of each initial states  $st_k^0$  for  $k \in [m]$ , computation system  $\Pi$  proceeds with time bound  $T$ . We first note the circuit size of  $\widehat{F}$  is  $|F| + O(\log m)$ , where  $\log m$  is the amount of hardwired information in some hybrid programs that required in security proof. Please refer to Section 6.6.2 for details. Assuming  $i\mathcal{O}$  is a circuit obfuscator with circuit size  $|i\mathcal{O}(C)| \leq \text{poly}|C|$  for given circuit  $C$ . Our  $\text{Ci}\mathcal{O}$  for  $\text{PRAM}^-$  has following complexity:

- Compilation time is  $O(\text{poly}(|F| + \log m) + n \log m)$ , where term  $n \log m$  is the time to write  $m$  initial states to memory.
- Compilation size is  $O(\text{poly}(|F| + \log m) + n)$ , where term  $n$  is the size of  $\widehat{\text{mem}}^0$ .
- Parallel evaluation time is  $O(T \text{poly} \log m)$ , where the  $\text{poly} \log m$  factor is comprised from the circuit size of  $i\mathcal{O}(\widehat{F})$  and  $\log m$  steps to proceed “branch and combine.”
- Evaluation space is  $O(m)$ , where  $m$  term is to keep CPU states of  $F$  while branch and combine.

**Theorem 6.7.** *Assuming  $i\mathcal{O}$  is a secure indistinguishability obfuscator,  $\text{Prf}$  is a selectively secure puncturable PRF,  $\text{Tltr}$  is a secure topological iterator,  $\text{Acc}$  is a secure accumulator,  $\text{Spl}$  is a secure splittable signature scheme. Then  $\text{Ci}\mathcal{O}$  is a secure computation-trace indistinguishability obfuscation with respect to  $\mathcal{P}_{\text{PRAM}^-}$ .*

Proof can be found in Section 6.6.

## 6.6 Proof of Theorem 6.7 (Security for CiO-PRAM<sup>-</sup>)

We now prove the security for our CiO in the PRAM<sup>-</sup> model. The proof idea is essentially similar to that for CiO for RAM. We first allow the program to accept ‘B’ signatures, so to do this we can straightly use the sequence of hybrids backward from time  $i = t^*$  to 0. Then, we slowly switch  $F^0$  by  $F^1$  from  $t = 0$  to  $t = t^*$ . Recall that now both  $F^0$  and  $F^1$  include the branch and combine stages. The branch stage takes care of using the same techniques in the proof of CiO for RAM. In particular, the main challenge here is the combine stage. We will show how this is tackled by hardwiring  $\log m$  amount of information in the intermediate steps of the combine stage.

*Proof.* To show the contradiction, we suppose the theorem statement is false, and then there exists a security parameter  $1^\lambda$ , computation systems  $\Pi^0, \Pi^1$  with the identical computation trace, and a PPT adversary  $\mathcal{A}$  such that  $|\Pr[\mathcal{A}(1^\lambda, \widehat{\Pi}^\beta) = 1] - \frac{1}{2}|$  is non-negligible.

Before proceeding to the proof, we first define some notations and conventions used in the following proof.

- We use  $\widehat{F}' = F_1 \boxplus F_2$  to denote a program which is identical to  $\widehat{F}$  except that  $F_{\text{branch}}$  in  $\widehat{F}$  is replaced by  $F_1$  and  $F_{\text{combine}}$  is replaced by  $F_2$ .
- Unless specified, the challenger in each hybrid replaces  $\widehat{F}$  by some  $\widehat{F}'$ , so that the computation system  $\widehat{\Pi}$  defined by  $\widehat{F}$  is replaced by another computation system  $\widehat{\Pi}'$  that defined by  $\widehat{F}'$  and outputs the obfuscated computation  $\widehat{\Pi}' \leftarrow \text{Obf}(1^\lambda, \widehat{\Pi}'; \rho)$

We first define the first-layer hybrids  $\mathbf{Hyb}_\beta$  for  $\beta \in \{0, 1\}$ .

**Hyb<sub>β</sub>.** In this hybrid, the challenger replaces  $\widehat{F}$  by  $\widehat{F}^\beta = F_{\text{branch}}^\beta \boxplus F_{\text{combine}}$ , where  $F_{\text{branch}}^\beta$  is similar to  $F_{\text{branch}}$  except that  $F$  is replaced by  $F^\beta$ .

Let us assume that the program  $\widehat{F}^\beta$  terminates at time  $t^* < T$ . To argue that  $|\text{Adv}_{\mathcal{A}}^0 - \text{Adv}_{\mathcal{A}}^1| \leq \text{negl}(\lambda)$ , we define the second- and third-layer hybrids  $\mathbf{Hyb}_{0,0}$ ,  $\mathbf{Hyb}_{0,0,i}$ ,  $\mathbf{Hyb}_{0,1}$ ,  $\mathbf{Hyb}_{0,1,i}$ ,  $\mathbf{Hyb}_{0,2}$ , and  $\mathbf{Hyb}_{0,3}$  for  $0 \leq i \leq t^* - 1$ .

**Hyb<sub>0,0</sub>.** This hybrid is identical to  $\mathbf{Hyb}_0$  in the first layer.

**Hyb<sub>0,0,i</sub>.** In this hybrid, the challenger replaces  $\widehat{F}$  by  $\widehat{F}^{0,0,i} = F_{\text{branch}}^{0,0,i} \boxplus F_{\text{combine}}^{0,0,i}$  defined in Algorithms 37 and 38.  $\widehat{F}^{0,0,i}$  is similar to  $\widehat{F}^{0,0}$  except the following differences.

- $F_{\text{branch}}^{0,0,i}$  uses  $F^1$  to compute the output if the incoming signature is ‘B’ type.
- At  $i + 1 \leq t \leq t^* - 1$ ,  $F_{\text{branch}}^{0,0,i}$  and  $F_{\text{combine}}^{0,0,i}$  accept ‘B’ type signatures.
- At  $i + 1 \leq t \leq t^* - 1$ ,  $F_{\text{branch}}^{0,0,i}$  and  $F_{\text{combine}}^{0,0,i}$  follow the type of the incoming signature to generate the type of the outgoing signature.

**Hyb<sub>0,1</sub>.** In this hybrid, the challenger replaces  $\widehat{F}$  by  $\widehat{F}^{0,1} = F_{\text{branch}}^{0,1} \boxplus F_{\text{combine}}^{0,1}$  defined in Algorithms 39 and 40. This program is similar to  $\widehat{F}^0$  except that it has PRF key  $K_B$  hardwired, accepts both ‘A’ and ‘B’ type signatures at time  $t < t^*$ . The type of the outgoing signature follows the type of the incoming signature. In addition, if the incoming signature is ‘B’ type and  $t < t^*$ , then  $F_{\text{branch}}^{0,1}$  uses  $F^1$  to compute the output.

**Hyb<sub>0,1,i</sub>**. In this hybrid, the challenger replaces  $\widehat{F}$  by  $\widehat{F}^{0,1,i} = F_{\text{branch}}^{0,1,i} \boxplus F_{\text{combine}}^{0,1,i}$  defined in Algorithms 41 and 42.  $\widehat{F}^{0,1,i}$  is similar to  $\widehat{F}^{0,1}$  except the following differences.

- At  $t \leq i$ ,  $F_{\text{branch}}^{0,1,i}$  uses  $F^1$  to compute the output; otherwise, uses  $F^0$ .
- At  $t = i$ ,  $F_{\text{branch}}^{0,1,i}$  has the correct input message  $m_i$  hardwired.
- At  $t = i$ ,  $F_{\text{branch}}^{0,1,i}$  outputs an ‘A’ type signature if  $m_{\text{out}} = m_i$ , ‘B’ type otherwise.
- At  $i + 1 \leq t \leq t^* - 1$ ,  $F_{\text{branch}}^{0,1,i}$  and  $F_{\text{combine}}^{0,1,i}$  accept ‘B’ type signatures.
- At  $i + 1 \leq t \leq t^* - 1$ ,  $F_{\text{branch}}^{0,1,i}$  and  $F_{\text{combine}}^{0,1,i}$  follow the type of the incoming signature to generate the type of the outgoing signature.

**Hyb<sub>0,2</sub>**. This hybrid is similar to **Hyb<sub>0,1,t^\*-1</sub>** except that  $F_{\text{branch}}^{0,2}$  does not hardwire the input message  $m_{t^*-1}$ .

**Hyb<sub>0,3</sub>**. This hybrid is similar to **Hyb<sub>0,2</sub>** except that  $F_{\text{branch}}^{0,3}$  uses  $F^1$  to compute the output if  $t > t^*$  instead.

**Analysis.** Let  $\text{Adv}_{\mathcal{A}}^z$  denote the advantage of adversary  $\mathcal{A}$  in **Hyb<sub>z</sub>**.

**Lemma 6.8.** *Assuming  $i\mathcal{O}$  is a secure indistinguishability obfuscator, Prf is a selectively secure puncturable PRF, Tltr is an topological iterator satisfying Definitions 6.1 and 6.2, Acc is a secure accumulator, Spl is a secure splittable signature scheme. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^0 - \text{Adv}_{\mathcal{A}}^{0,1}| \leq \text{negl}(\lambda)$ .*

*Proof.* • **Hyb<sub>0</sub>** is identical to **Hyb<sub>0,0</sub>**

- **Hyb<sub>0,0</sub>** is identical to **Hyb<sub>0,0,t^\*-1</sub>**
- **Hyb<sub>0,0,i</sub>**  $\approx$  **Hyb<sub>0,0,i-1</sub>** for  $1 \leq i \leq t^*$  will be proven in Section 6.6.1
- **Hyb<sub>0,0,0</sub>** is identical to **Hyb<sub>0,1</sub>**

□

**Lemma 6.9.** *Assuming  $i\mathcal{O}$  is a secure indistinguishability obfuscator,  $|\text{Adv}_{\mathcal{A}}^{0,1} - \text{Adv}_{\mathcal{A}}^{0,2}| \leq \text{negl}(\lambda)$ .*

*Proof.* • **Hyb<sub>0,1</sub>**  $\approx$  **Hyb<sub>0,1,0</sub>** since the programs  $\widehat{F}^{0,1}$  and  $\widehat{F}^{0,1,0}$  are functionally identical

- **Hyb<sub>0,1,i</sub>**  $\approx$  **Hyb<sub>0,1,i+1</sub>** for  $0 \leq i \leq t^* - 1$  will be proven in Section 6.6.2
- **Hyb<sub>0,1,t^\*-1</sub>**  $\approx$  **Hyb<sub>0,2</sub>** since the programs  $\widehat{F}^{0,1,t^*-1}$  and  $\widehat{F}^{0,2}$  are functionally identical

□

**Lemma 6.10.** *Assuming  $i\mathcal{O}$  is a secure indistinguishability obfuscator,  $|\text{Adv}_{\mathcal{A}}^{0,2} - \text{Adv}_{\mathcal{A}}^{0,3}| \leq \text{negl}(\lambda)$ .*

*Proof.* The programs  $\widehat{F}^{0,2}$  and  $\widehat{F}^{0,3}$  are functionally identical, since they run neither  $F^0$  nor  $F^1$  at time  $t > t^*$ . □

**Lemma 6.11.** *Assuming  $i\mathcal{O}$  is a secure indistinguishability obfuscator, Prf is a selectively secure puncturable PRF, Tltr is an topological iterator satisfying Definitions 6.1 and 6.2, Acc is a secure positional accumulator, Spl is a secure splittable signature scheme. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,3} - \text{Adv}_{\mathcal{A}}^1| \leq \text{negl}(\lambda)$ .*

The proof of this lemma is identical to the previous proof technique of  $\text{Ci}\mathcal{O}$  for RAM. □

---

**Algorithm 37:**  $F_{\text{branch}}^{0,0,i}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, \text{id}_{\text{cpu}}, \text{root\_node}), \tilde{a}^{\text{in}} = (\text{com}^{\text{in}}, \pi_{\text{st}}^{\text{in}}, \pi_{\text{com}}^{\text{in}})$   
**Data:**  $\text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A$

- 1 Parse  $\text{root\_node}$  as  $(t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}}, \sigma^{\text{in}})$ ;
- 2 Let  $r_A = \text{Prf}(K_A, (t, \text{root\_index}))$  and  $r_B = \text{Prf}(K_B, (t, \text{root\_index}))$ ;
- 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$  and  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
- 4 Let  $\alpha = \text{'-'}$  and  $m^{\text{in}} = (t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}})$ ;
- 5 **if**  $t \leq i$  **then**
- 6     **If**  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 7     **Else**, output **Reject**;
- 8 **else**
- 9     **If**  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 10    **If**  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'B'}$ ;
- 11    **If**  $\alpha = \text{'-'}$ , output **Reject**;
- 12 **If**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, st}}, w_{\text{st}}^{\text{in}}, (\text{id}_{\text{cpu}}, \text{st}^{\text{in}}), \pi_{\text{st}}^{\text{in}}) = 0$  output **Reject**;
- 13 **If**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, com}}, w_{\text{com}}^{\text{in}}, (\text{src}(t, \text{id}_{\text{cpu}}), \text{com}^{\text{in}}), \pi_{\text{com}}^{\text{in}}) = 0$  output **Reject**;
- 14 **if**  $\alpha = \text{'B'}$  **then**
- 15     **Compute**  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^1(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 16 **else**
- 17     **Compute**  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^0(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 18 **Compute**  $v^{\text{out}} = \text{ltr.Iterate}(\text{pp}_{\text{ltr}}, v^{\text{in}}, (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}))$ ;
- 19 **if**  $\text{st}^{\text{out}} = \text{Reject}$  **then**
- 20     **Output** **Reject**;
- 21 **else**
- 22     Let  $r'_A = \text{Prf}(K_A, (t + 1, \text{id}_{\text{cpu}}))$  and  $r'_B = \text{Prf}(K_B, (t + 1, \text{A}))$ ;
- 23     **Compute**  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24     Let  $m^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}})$ ;
- 25     **Compute**  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 26     Let  $\text{node}^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}}, \sigma^{\text{out}})$ ;
- 27     **Output**  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, \text{id}_{\text{cpu}}, \perp), \tilde{a}^{\text{out}} = \text{node}^{\text{out}}$ ;

---



---

**Algorithm 38:**  $F_{\text{combine}}^{0,0,i}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, \text{id}_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{in}} = (\text{node}_1, \text{node}_2)$   
**Data**:  $T, \text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A$

- 1 Parse  $\text{node}_\zeta$  as  $(t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta, \sigma_\zeta)$  for  $\zeta = 1, 2$ ;
- 2 If  $t_1 \neq t_2$ , output **Reject**. Else, let  $t = t_1$ ;
- 3 If  $t < 1$ , output **Reject**.;
- 4 If  $\text{index}_1$  and  $\text{index}_2$  are not siblings, output **Reject**;
- 5 Set  $\text{parent\_index}$  as the parent of  $\text{index}_1$  and  $\text{index}_2$ ;
- 6 **for**  $\zeta = 1, 2$  **do**
- 7     Let  $r_{A, \zeta} = \text{Prf}(K_A, (t_\zeta, \text{index}_\zeta))$  and  $r_{B, \zeta} = \text{Prf}(K_B, (t_\zeta, \text{index}_\zeta))$ ;
- 8     Compute  $(\text{sk}_{A, \zeta}, \text{vk}_{A, \zeta}, \text{vk}_{A, \text{rej}, \zeta}) = \text{Spl.Setup}(1^\lambda; r_{A, \zeta})$  and  
       $(\text{sk}_{B, \zeta}, \text{vk}_{B, \zeta}, \text{vk}_{B, \text{rej}, \zeta}) = \text{Spl.Setup}(1^\lambda; r_{B, \zeta})$ ;
- 9     Let  $\alpha_\zeta = \text{'-'}$  and  $m_\zeta = (t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta)$ ;
- 10    **if**  $t \leq i$  **then**
- 11     | If  $\text{Spl.Verify}(\text{vk}_A, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'A'}$ ;
- 12     | Else, output **Reject**;
- 13    **else**
- 14     | If  $\text{Spl.Verify}(\text{vk}_A, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'A'}$ ;
- 15     | If  $\alpha_\zeta \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'B'}$ ;
- 16     | If  $\alpha_\zeta = \text{'-'}$ , output **Reject**;
- 17 If  $\alpha_1 = \text{'A'}$  and  $\alpha_2 = \text{'A'}$ , set  $\alpha = \text{'A'}$ ;
- 18 Else, set  $\alpha = \text{'B'}$ ;
- 19 Compute  $w'_{\text{st}} = \text{Acc.Combine}(\text{pp}_{\text{Acc, st}}, w_{\text{st}, 1}, w_{\text{st}, 2})$ ;
- 20 Compute  $w'_{\text{com}} = \text{Acc.Combine}(\text{pp}_{\text{Acc, com}}, w_{\text{com}, 1}, w_{\text{com}, 2})$ ;
- 21 Compute  $v' = \text{ltr.Iterate2to1}(\text{pp}_{\text{ltr}}, (v_1, v_2), (t, \text{parent\_index}, w_{\text{st}, 1}, w_{\text{com}, 1}, w_{\text{st}, 2}, w_{\text{com}, 2}))$ ;
- 22 Let  $r'_A = \text{Prf}(K_A, (t, \text{parent\_index}))$  and  $r'_B = \text{Prf}(K_B, (t, \text{parent\_index}))$ ;
- 23 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24 Let  $m' = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v')$ ;
- 25 **if**  $t \leq i$  **then**
- 26     | Compute  $\sigma' = \text{Spl.Sign}(\text{sk}'_A, m')$ ;
- 27 **else**
- 28     | Compute  $\sigma' = \text{Spl.Sign}(\text{sk}'_\alpha, m')$ ;
- 29 Let  $\text{parent\_node} = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v', \sigma')$ ;
- 30 **if**  $\text{parent\_index} = \epsilon$  **then**
- 31     | Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{in}}, \text{id}_{\text{cpu}}, \text{parent\_node})$ ,  $\tilde{a}^{\text{out}} = \perp$ ;
- 32 **else**
- 33     | Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{in}}, \text{id}_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{out}} = \text{parent\_node}$ ;

---

---

**Algorithm 39:**  $F_{\text{branch}}^{0,1}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, \text{id}_{\text{cpu}}, \text{root\_node}), \tilde{a}^{\text{in}} = (\text{com}^{\text{in}}, \pi_{\text{st}}^{\text{in}}, \pi_{\text{com}}^{\text{in}})$   
**Data:**  $\text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A$

- 1 Parse  $\text{root\_node}$  as  $(t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}}, \sigma^{\text{in}})$ ;
- 2 Let  $r_A = \text{Prf}(K_A, (t, \text{root\_index}))$  and  $r_B = \text{Prf}(K_B, (t, \text{root\_index}))$ ;
- 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$  and  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
- 4 Let  $\alpha = \text{'-'}$  and  $m^{\text{in}} = (t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}})$ ;
- 5 If  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 6 If  $\alpha = \text{'-'}$  and  $t > t^*$ , output **Reject**;
- 7 If  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'B'}$ ;
- 8 If  $\alpha = \text{'-'}$ , output **Reject**;
- 9 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, st}}, w_{\text{st}}^{\text{in}}, (\text{id}_{\text{cpu}}, \text{st}^{\text{in}}), \pi_{\text{st}}^{\text{in}}) = 0$  output **Reject**;
- 10 If  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, com}}, w_{\text{com}}^{\text{in}}, (\text{src}(t, \text{id}_{\text{cpu}}), \text{com}^{\text{in}}), \pi_{\text{com}}^{\text{in}}) = 0$  output **Reject**;
- 11 **if**  $\alpha = \text{'B'}$  **then**
- 12     Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^1(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 13 **else**
- 14     Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^0(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 15 Compute  $v^{\text{out}} = \text{ltr.Iterate}(\text{pp}_{\text{ltr}}, v^{\text{in}}, (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}))$ ;
- 16 **if**  $\text{st}^{\text{out}} = \text{Reject}$  **then**
- 17     Output **Reject**;
- 18 **else**
- 19     Let  $r'_A = \text{Prf}(K_A, (t + 1, \text{id}_{\text{cpu}}))$  and  $r'_B = \text{Prf}(K_B, (t + 1, \text{A}))$ ;
- 20     Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 21     Let  $m^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}})$ ;
- 22     Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 23     Let  $\text{node}^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}}, \sigma^{\text{out}})$ ;
- 24     Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, \text{id}_{\text{cpu}}, \perp), \tilde{a}^{\text{out}} = \text{node}^{\text{out}}$ ;

---

---

**Algorithm 40:**  $F_{\text{combine}}^{0,1}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{in}} = (\text{node}_1, \text{node}_2)$   
**Data**:  $T, \text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A$

- 1 Parse  $\text{node}_\zeta$  as  $(t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta, \sigma_\zeta)$  for  $\zeta = 1, 2$ ;
- 2 If  $t_1 \neq t_2$ , output **Reject**. Else, let  $t = t_1$ ;
- 3 If  $t < 1$ , output **Reject**;
- 4 If  $\text{index}_1$  and  $\text{index}_2$  are not siblings, output **Reject**;
- 5 Set  $\text{parent\_index}$  as the parent of  $\text{index}_1$  and  $\text{index}_2$ ;
- 6 **for**  $\zeta = 1, 2$  **do**
- 7     Let  $r_{A, \zeta} = \text{Prf}(K_A, (t_\zeta, \text{index}_\zeta))$  and  $r_{B, \zeta} = \text{Prf}(K_B, (t_\zeta, \text{index}_\zeta))$ ;
- 8     Compute  $(\text{sk}_{A, \zeta}, \text{vk}_{A, \zeta}, \text{vk}_{A, \text{rej}, \zeta}) = \text{Spl.Setup}(1^\lambda; r_{A, \zeta})$  and  
       $(\text{sk}_{B, \zeta}, \text{vk}_{B, \zeta}, \text{vk}_{B, \text{rej}, \zeta}) = \text{Spl.Setup}(1^\lambda; r_{B, \zeta})$ ;
- 9     Let  $\alpha_\zeta = \text{'-'}$  and  $m_\zeta = (t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta)$ ;
- 10     If  $\text{Spl.Verify}(\text{vk}_{A, \zeta}, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'A'}$ ;
- 11     If  $\alpha_\zeta \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_{B, \zeta}, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'B'}$ ;
- 12     If  $\alpha_\zeta = \text{'-'}$ , output **Reject**;
- 13 If  $\alpha_1 = \text{'A'}$  and  $\alpha_2 = \text{'A'}$ , set  $\alpha = \text{'A'}$ ;
- 14 Else, set  $\alpha = \text{'B'}$ ;
- 15 Compute  $w'_{\text{st}} = \text{Acc.Combine}(\text{pp}_{\text{Acc, st}}, w_{\text{st}, 1}, w_{\text{st}, 2})$ ;
- 16 Compute  $w'_{\text{com}} = \text{Acc.Combine}(\text{pp}_{\text{Acc, com}}, w_{\text{com}, 1}, w_{\text{com}, 2})$ ;
- 17 Compute  $v' = \text{ltr.Iterate2to1}(\text{pp}_{\text{ltr}}, (v_1, v_2), (t, \text{parent\_index}, w_{\text{st}, 1}, w_{\text{com}, 1}, w_{\text{st}, 2}, w_{\text{com}, 2}))$ ;
- 18 Let  $r'_A = \text{Prf}(K_A, (t, \text{parent\_index}))$  and  $r'_B = \text{Prf}(K_B, (t, \text{parent\_index}))$ ;
- 19 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 20 Let  $m' = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v')$ ;
- 21 Compute  $\sigma' = \text{Spl.Sign}(\text{sk}'_\alpha, m')$ ;
- 22 Let  $\text{parent\_node} = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v', \sigma')$ ;
- 23 **if**  $\text{parent\_index} = \epsilon$  **then**
- 24     Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \text{parent\_node})$ ,  $\tilde{a}^{\text{out}} = \perp$ ;
- 25 **else**
- 26     Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{out}} = \text{parent\_node}$ ;

---

---

**Algorithm 41:**  $F_{\text{branch}}^{0,1,i}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, \text{id}_{\text{cpu}}, \text{root\_node}), \tilde{\text{a}}^{\text{in}} = (\text{com}^{\text{in}}, \pi_{\text{st}}^{\text{in}}, \pi_{\text{com}}^{\text{in}})$   
**Data:**  $\text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A, K_B, m_{i, \text{Root}}$

- 1 Parse `root_node` as  $(t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}}, \sigma^{\text{in}})$ ;
- 2 Let  $r_A = \text{Prf}(K_A, (t, \text{root\_index}))$  and  $r_B = \text{Prf}(K_B, (t, \text{root\_index}))$ ;
- 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$  and  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
- 4 Let  $\alpha = \text{'-'}$  and  $m^{\text{in}} = (t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}})$ ;
- 5 **if**  $t \leq i$  **then**
- 6     **if**  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 7     **else**, output `Reject`;
- 8 **else**
- 9     **if**  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 10     **if**  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'B'}$ ;
- 11     **if**  $\alpha = \text{'-'}$ , output `Reject`;
- 12 **if**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, st}}, w_{\text{st}}^{\text{in}}, (\text{id}_{\text{cpu}}, \text{st}^{\text{in}}), \pi_{\text{st}}^{\text{in}}) = 0$  output `Reject`;
- 13 **if**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, com}}, w_{\text{com}}^{\text{in}}, (\text{src}(t, \text{id}_{\text{cpu}}), \text{com}^{\text{in}}), \pi_{\text{com}}^{\text{in}}) = 0$  output `Reject`;
- 14 **if**  $t \leq i$  or  $\alpha = \text{'B'}$  **then**
- 15     Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^1(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 16 **else**
- 17     Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^0(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 18 Compute  $v^{\text{out}} = \text{ltr.Iterate}(\text{pp}_{\text{ltr}}, v^{\text{in}}, (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}))$ ;
- 19 **if**  $\text{st}^{\text{out}} = \text{Reject}$  **then**
- 20     Output `Reject`;
- 21 **else**
- 22     Let  $r'_A = \text{Prf}(K_A, (t + 1, \text{id}_{\text{cpu}}))$  and  $r'_B = \text{Prf}(K_B, (t + 1, \text{A}))$ ;
- 23     Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24     Let  $m^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}})$ ;
- 25     **if**  $t = i$  and  $m^{\text{in}} = m_{i, \text{Root}}$ , compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 26     **else if**  $t = i$  and  $m^{\text{in}} \neq m_{i, \text{Root}}$ , compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
- 27     **else**, compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 28     Let  $\text{node}^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}}, \sigma^{\text{out}})$ ;
- 29     Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, \text{id}_{\text{cpu}}, \perp), \tilde{\text{a}}^{\text{out}} = \text{node}^{\text{out}}$ ;

---

---

**Algorithm 42:**  $F_{\text{combine}}^{0,1,i}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{in}} = (\text{node}_1, \text{node}_2)$   
**Data:**  $T, \text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A, K_B$

- 1 Parse  $\text{node}_\zeta$  as  $(t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta, \sigma_\zeta)$  for  $\zeta = 1, 2$ ;
- 2 If  $t_1 \neq t_2$ , output **Reject**. Else, let  $t = t_1$ ;
- 3 If  $t < 1$ , output **Reject**.;
- 4 If  $\text{index}_1$  and  $\text{index}_2$  are not siblings, output **Reject**;
- 5 Set **parent\_index** as the parent of  $\text{index}_1$  and  $\text{index}_2$ ;
- 6 **for**  $\zeta = 1, 2$  **do**
- 7     Let  $r_{A, \zeta} = \text{Prf}(K_A, (t_\zeta, \text{index}_\zeta))$  and  $r_{B, \zeta} = \text{Prf}(K_B, (t_\zeta, \text{index}_\zeta))$ ;
- 8     Compute  $(\text{sk}_{A, \zeta}, \text{vk}_{A, \zeta}, \text{vk}_{A, \text{rej}, \zeta}) = \text{Spl.Setup}(1^\lambda; r_{A, \zeta})$  and  
       $(\text{sk}_{B, \zeta}, \text{vk}_{B, \zeta}, \text{vk}_{B, \text{rej}, \zeta}) = \text{Spl.Setup}(1^\lambda; r_{B, \zeta})$ ;
- 9     Let  $\alpha_\zeta = \text{'-'}$  and  $m_\zeta = (t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta)$ ;
- 10    **if**  $t \leq i$  **then**
- 11     | If  $\text{Spl.Verify}(\text{vk}_A, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'A'}$ ;
- 12     | Else, output **Reject**;
- 13    **else**
- 14     | If  $\text{Spl.Verify}(\text{vk}_A, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'A'}$ ;
- 15     | If  $\alpha_\zeta \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'B'}$ ;
- 16     | If  $\alpha_\zeta = \text{'-'}$ , output **Reject**;
- 17 If  $\alpha_1 = \text{'A'}$  and  $\alpha_2 = \text{'A'}$ , set  $\alpha = \text{'A'}$ ;
- 18 Else, set  $\alpha = \text{'B'}$ ;
- 19 Compute  $w'_{\text{st}} = \text{Acc.Combine}(\text{pp}_{\text{Acc, st}}, w_{\text{st}, 1}, w_{\text{st}, 2})$ ;
- 20 Compute  $w'_{\text{com}} = \text{Acc.Combine}(\text{pp}_{\text{Acc, com}}, w_{\text{com}, 1}, w_{\text{com}, 2})$ ;
- 21 Compute  $v' = \text{ltr.Iterate2to1}(\text{pp}_{\text{ltr}}, (v_1, v_2), (t, \text{parent\_index}, w_{\text{st}, 1}, w_{\text{com}, 1}, w_{\text{st}, 2}, w_{\text{com}, 2}))$ ;
- 22 Let  $r'_A = \text{Prf}(K_A, (t, \text{parent\_index}))$  and  $r'_B = \text{Prf}(K_B, (t, \text{parent\_index}))$ ;
- 23 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24 Let  $m' = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v')$ ;
- 25 **if**  $t \leq i$  **then**
- 26     | Compute  $\sigma' = \text{Spl.Sign}(\text{sk}'_A, m')$ ;
- 27 **else**
- 28     | Compute  $\sigma' = \text{Spl.Sign}(\text{sk}'_\alpha, m')$ ;
- 29 Let **parent\_node** =  $(t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v', \sigma')$ ;
- 30 **if** **parent\_index** =  $\epsilon$  **then**
- 31     | Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \text{parent\_node})$ ,  $\tilde{a}^{\text{out}} = \perp$ ;
- 32 **else**
- 33     | Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{out}} = \text{parent\_node}$ ;

---

### 6.6.1 From $\mathbf{Hyb}_{0,0,i}$ to $\mathbf{Hyb}_{0,0,i-1}$ :

**Lemma 6.12.** *Assuming  $i\mathcal{O}$  is a secure indistinguishability obfuscator, Prf is a selectively secure puncturable PRF, Tltr is an topological iterator satisfying Definitions 6.1 and 6.2, Acc is a secure accumulator, Spl is a secure splittable signature scheme. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,0,i} - \text{Adv}_{\mathcal{A}}^{0,0,i-1}| \leq \text{negl}(\lambda)$ .*

*Proof.* To argue  $|\text{Adv}_{\mathcal{A}}^{0,0,i} - \text{Adv}_{\mathcal{A}}^{0,0,i-1}| \leq \text{negl}(\lambda)$ , we define a sequence of fourth-layer hybrids  $\mathbf{Hyb}_{0,0,i,j}$  where  $j$  indexed by the node index via pre-order. For example, in Fig. 3, we consider 4 CPUs, the order of hybrids is  $(\mathbf{Hyb}_{0,0,i,\epsilon}, \mathbf{Hyb}_{0,0,i,0}, \mathbf{Hyb}_{0,0,i,00}, \mathbf{Hyb}_{0,0,i,01}, \mathbf{Hyb}_{0,0,i,1}, \mathbf{Hyb}_{0,0,i,10}, \mathbf{Hyb}_{0,0,i,11})$ .

$\mathbf{Hyb}_{0,0,i,j}$ . This hybrid similar to  $\mathbf{Hyb}_{0,0,i}$  except of the following:

- At time  $t = i$ , if  $id_{\text{cpu}} \geq \text{min-cpu}(j)$ ,  $F_{\text{branch}}^{0,0,i,j}$  follows the type of the incoming signature to generate the type of the outgoing signature
- At time  $t = t + 1$ , if  $\text{parent\_index} \geq j$ ,  $F_{\text{combine}}^{0,0,i,j}$  only accepts ‘A’ type signatures

Finally, from  $\mathbf{Hyb}_{0,0,i,j}$  to  $\mathbf{Hyb}_{0,0,i,j+1}$ , we can directly apply KWL proof technique as in the proof of Lemma 5.4.  $\square$

---

**Algorithm 43:**  $F_{\text{branch}}^{0,0,i,j}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, \text{id}_{\text{cpu}}, \text{root\_node}), \tilde{\text{a}}^{\text{in}} = (\text{com}^{\text{in}}, \pi_{\text{st}}^{\text{in}}, \pi_{\text{com}}^{\text{in}})$   
**Data**:  $\text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A$

- 1 Parse `root_node` as  $(t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}}, \sigma^{\text{in}})$ ;
- 2 Let  $r_A = \text{Prf}(K_A, (t, \text{root\_index}))$  and  $r_B = \text{Prf}(K_B, (t, \text{root\_index}))$ ;
- 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$  and  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
- 4 Let  $\alpha = \text{'-'}$  and  $m^{\text{in}} = (t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}})$ ;
- 5 **if**  $t \leq i$  **then**
- 6     **if**  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 7     **else**, output `Reject`;
- 8 **else**
- 9     **if**  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 10     **if**  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'B'}$ ;
- 11     **if**  $\alpha = \text{'-'}$ , output `Reject`;
- 12 **if**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, st}}, w_{\text{st}}^{\text{in}}, (\text{id}_{\text{cpu}}, \text{st}^{\text{in}}), \pi_{\text{st}}^{\text{in}}) = 0$  output `Reject`;
- 13 **if**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, com}}, w_{\text{com}}^{\text{in}}, (\text{src}(t, \text{id}_{\text{cpu}}), \text{com}^{\text{in}}), \pi_{\text{com}}^{\text{in}}) = 0$  output `Reject`;
- 14 **if**  $\alpha = \text{'B'}$  **then**
- 15     Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^1(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 16 **else**
- 17     Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^0(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 18 Compute  $v^{\text{out}} = \text{ltr.Iterate}(\text{pp}_{\text{ltr}}, v^{\text{in}}, (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}))$ ;
- 19 **if**  $\text{st}^{\text{out}} = \text{Reject}$  **then**
- 20     Output `Reject`;
- 21 **else**
- 22     Let  $r'_A = \text{Prf}(K_A, (t + 1, \text{id}_{\text{cpu}}))$  and  $r'_B = \text{Prf}(K_B, (t + 1, \text{A}))$ ;
- 23     Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24     Let  $m^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}})$ ;
- 25     **if**  $t = i$  **then**
- 26         **if**  $\text{id}_{\text{cpu}} \geq \text{min-cpu}(j)$ , compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 27         **else**, compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 28     **else**
- 29         Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 30     Let  $\text{node}^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}}, \sigma^{\text{out}})$ ;
- 31     Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, \text{id}_{\text{cpu}}, \perp), \tilde{\text{a}}^{\text{out}} = \text{node}^{\text{out}}$ ;

---

---

**Algorithm 44:**  $F_{\text{combine}}^{0,0,i,j}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{in}} = (\text{node}_1, \text{node}_2)$   
**Data:**  $T, \text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A$

- 1 Parse  $\text{node}_\zeta$  as  $(t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta, \sigma_\zeta)$  for  $\zeta = 1, 2$ ;
- 2 If  $t_1 \neq t_2$ , output **Reject**. Else, let  $t = t_1$ ;
- 3 If  $t < 1$ , output **Reject**;
- 4 If  $\text{index}_1$  and  $\text{index}_2$  are not siblings, output **Reject**;
- 5 Set  $\text{parent\_index}$  as the parent of  $\text{index}_1$  and  $\text{index}_2$ ;
- 6 **for**  $\zeta = 1, 2$  **do**
- 7     Let  $r_{A, \zeta} = \text{Prf}(K_A, (t_\zeta, \text{index}_\zeta))$  and  $r_{B, \zeta} = \text{Prf}(K_B, (t_\zeta, \text{index}_\zeta))$ ;
- 8     Compute  $(\text{sk}_{A, \zeta}, \text{vk}_{A, \zeta}, \text{vk}_{A, \text{rej}, \zeta}) = \text{Spl.Setup}(1^\lambda; r_{A, \zeta})$  and  
       $(\text{sk}_{B, \zeta}, \text{vk}_{B, \zeta}, \text{vk}_{B, \text{rej}, \zeta}) = \text{Spl.Setup}(1^\lambda; r_{B, \zeta})$ ;
- 9     Let  $\alpha_\zeta = '-'$  and  $m_\zeta = (t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta)$ ;
- 10    **if**  $t \leq i$  **or**  $(t = i + 1$  **and**  $\text{parent\_index} \geq j)$  **then**
- 11     | If  $\text{Spl.Verify}(\text{vk}_A, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = 'A'$ ;
- 12     | Else, output **Reject**;
- 13    **else**
- 14     | If  $\text{Spl.Verify}(\text{vk}_A, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = 'A'$ ;
- 15     | If  $\alpha_\zeta \neq 'A'$  and  $\text{Spl.Verify}(\text{vk}_B, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = 'B'$ ;
- 16     | If  $\alpha_\zeta = '-'$ , output **Reject**;
- 17 **If**  $\alpha_1 = 'A'$  and  $\alpha_2 = 'A'$ , set  $\alpha = 'A'$ ;
- 18 **Else**, set  $\alpha = 'B'$ ;
- 19 Compute  $w'_{\text{st}} = \text{Acc.Combine}(\text{pp}_{\text{Acc, st}}, w_{\text{st}, 1}, w_{\text{st}, 2})$ ;
- 20 Compute  $w'_{\text{com}} = \text{Acc.Combine}(\text{pp}_{\text{Acc, com}}, w_{\text{com}, 1}, w_{\text{com}, 2})$ ;
- 21 Compute  $v' = \text{ltr.Iterate2to1}(\text{pp}_{\text{ltr}}, (v_1, v_2), (t, \text{parent\_index}, w_{\text{st}, 1}, w_{\text{com}, 1}, w_{\text{st}, 2}, w_{\text{com}, 2}))$ ;
- 22 Let  $r'_A = \text{Prf}(K_A, (t, \text{parent\_index}))$  and  $r'_B = \text{Prf}(K_B, (t, \text{parent\_index}))$ ;
- 23 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24 Let  $m' = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v')$ ;
- 25 **if**  $t \leq i$  **then**
- 26     | Compute  $\sigma' = \text{Spl.Sign}(\text{sk}'_A, m')$ ;
- 27 **else**
- 28     | Compute  $\sigma' = \text{Spl.Sign}(\text{sk}'_\alpha, m')$ ;
- 29 Let  $\text{parent\_node} = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v', \sigma')$ ;
- 30 **if**  $\text{parent\_index} = \epsilon$  **then**
- 31     | Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \text{parent\_node})$ ,  $\tilde{a}^{\text{out}} = \perp$ ;
- 32 **else**
- 33     | Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{out}} = \text{parent\_node}$ ;

---



## 6.6.2 From $\text{Hyb}_{0,1,i}$ to $\text{Hyb}_{0,1,i+1}$ :

**Lemma 6.13.** *Assuming  $i\mathcal{O}$  is a secure indistinguishability obfuscator,  $\text{Prf}$  is a selectively secure puncturable PRF,  $\text{Tltr}$  is a topological iterator satisfying Definitions 6.1 and 6.2,  $\text{Acc}$  is an accumulator,  $\text{Spl}$  is a secure splittable signature scheme. Then for any PPT adversary  $\mathcal{A}$ ,  $|\text{Adv}_{\mathcal{A}}^{0,1,i} - \text{Adv}_{\mathcal{A}}^{0,1,i+1}| \leq \text{negl}(\lambda)$ .*

*Proof.* To argue  $|\text{Adv}_{\mathcal{A}}^{0,1,i} - \text{Adv}_{\mathcal{A}}^{0,1,i+1}| \leq \text{negl}(\lambda)$ , we define a sequence of fourth-layer hybrids  $\text{Hyb}_{0,1,i,j(\text{type})}$  where  $j$  indexed by the node index via post-order, and (type) specifies the type of node  $j$ .

Concretely, we define the fourth-layer hybrids  $\text{Hyb}_{0,1,i,j(\text{left-leaf})}$ ,  $\text{Hyb}_{0,1,i,j(\text{right-leaf})}$ ,  $\text{Hyb}_{0,1,i,j(\text{internal})}$ , and  $\text{Hyb}_{0,1,i,j(\text{intermediate})}$ . See Figure 3 as an example.




Figure 3: The sequence of hybrids with 4 CPUs. Each node is a computation step, which also has a corresponding hybrid on it. Each arrow is the input/output to be hardwired by some hybrids. Hybrids are proceeded by:  $\text{Hyb}_{0,1,i,00(\text{left-leaf})}$ ,  $\text{Hyb}_{0,1,i,01(\text{right-leaf})}$ ,  $\text{Hyb}_{0,1,i,0(\text{internal})}$ ,  $\text{Hyb}_{0,1,i,10(\text{left-leaf})}$ ,  $\text{Hyb}_{0,1,i,11(\text{right-leaf})}$ ,  $\text{Hyb}_{0,1,i,1(\text{internal})}$ ,  $\text{Hyb}_{0,1,i,\epsilon(\text{internal})}$ . As an example,  $\text{Hyb}_{0,1,i,10(\text{left-leaf})}$  is circled in thick blue line  $(0, 1, i, 10)$ , and its hardwired information are shown in thick blue arrows.

**$\text{Hyb}_{0,1,i,j(\text{left-leaf})}$ :**  $j$  is a left leaf node. In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,1,i,j(\text{left-leaf})} = F_{\text{branch}}^{0,1,i,j(\text{left-leaf})} \boxplus F_{\text{combine}}^{0,1,i,j(\text{left-leaf})}$  defined in Algorithms 45 and 46.  $\widehat{F}^{0,1,i,j(\text{left-leaf})}$  is similar to  $\widehat{F}^{0,1,i}$  except the following differences.

- At  $t = i$ ,  $F_{\text{branch}}^{0,1,i,j(\text{left-leaf})}$  has the correct input message  $m_{i,\text{root\_index}}$  and an agent  $j$ 's output message  $m_{i,j}$  hardwired.
- At  $t = i$ , if  $m^{\text{in}} = m_i$  and  $A > j$ ,  $F_{\text{branch}}^{0,1,i,j(\text{left-leaf})}$  outputs an 'A' type signature.  
If  $m^{\text{in}} \neq m_i$  and  $A > j$ , outputs a 'B' type signature.  
If  $m^{\text{out}} = m_{i,j}$  and  $A = j$ , outputs an 'A' type signature.  
If  $m^{\text{out}} \neq m_{i,j}$  and  $A = j$ , outputs a 'B' type signature.
- $F_{\text{combine}}^{0,1,i,j(\text{left-leaf})}$  hardwires a set of indices  $\mathbf{C}_{i,j}$  and the corresponding set of output message  $\mathbf{M}_{i,j}$ .
- $F_{\text{combine}}^{0,1,i,j(\text{left-leaf})}$  accepts 'B' type signatures only for inputs if  $i + 2 \leq t \leq t^* - 1$  or ( $\text{parent\_index} > j$  and  $t = i + 1$ ).

- For  $\text{parent\_index} \in \mathbf{C}_{i,j}$  at time  $t = i + 1$ ,  $F_{\text{combine}}^{0,1,i,j(\text{left-leaf})}$  checks whether  $m' = m_{\text{parent\_index}} \in \mathbf{M}_{i,j}$  or not. If  $m' = m_{\text{parent\_index}}$ , outputs an ‘A’ type signature; otherwise, outputs ‘B’ type.

**Hyb $_{0,1,i,j(\text{right-leaf})}$** :  $j$  is a right leaf node. In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,1,i,j(\text{right-leaf})} = F_{\text{branch}}^{0,1,i,j(\text{right-leaf})} \boxplus F_{\text{combine}}^{0,1,i,j(\text{right-leaf})}$  where  $F_{\text{branch}}^{0,1,i,j(\text{right-leaf})}$  is defined in Algorithm 47. In particular,  $F_{\text{combine}}^{0,1,i,j(\text{right-leaf})}$  is functionally identical to  $F_{\text{combine}}^{0,1,i,j-1(\text{left-leaf})}$  since hardwired  $(\mathbf{C}_{i,j}, \mathbf{M}_{i,j})$  in  $F_{\text{combine}}^{0,1,i,j(\text{right-leaf})}$  is identical to the hardwired  $(\mathbf{C}_{i,j-1}, \mathbf{M}_{i,j-1})$  in  $F_{\text{combine}}^{0,1,i,j-1(\text{left-leaf})}$ .  $\widehat{F}^{0,1,i,j(\text{right-leaf})}$  is similar to  $\widehat{F}^{0,1,i}$  except the following differences.

- At  $t = i$ ,  $F_{\text{branch}}^{0,1,i,j(\text{right-leaf})}$  has the correct input message  $m_{i,\text{root\_index}}$  and agents  $j - 1$  and  $j$ ’s output message  $m_{i,j-1}$  and  $m_{i,j}$  hardwired.
- At  $t = i$ , if  $m^{\text{in}} = m_{i,\text{root\_index}}$  and  $A > j$ ,  $F_{\text{branch}}^{0,1,i,j(\text{right-leaf})}$  outputs an ‘A’ type signature.  
If  $m^{\text{in}} \neq m_{i,\text{root\_index}}$  and  $A > j$ , outputs a ‘B’ type signature.  
If  $m_{\text{out}} = m_{i,j}$  and  $A = j$ , outputs an ‘A’ type signature.  
If  $m_{\text{out}} \neq m_{i,j}$  and  $A = j$ , outputs a ‘B’ type signature.  
If  $m_{\text{out}} = m_{i,j-1}$  and  $A = j - 1$ , outputs an ‘A’ type signature.  
If  $m_{\text{out}} \neq m_{i,j-1}$  and  $A = j - 1$ , outputs a ‘B’ type signature.

**Hyb $_{0,1,i,j(\text{internal})}$** :  $j$  is an internal node. In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,1,i,j(\text{internal})} = F_{\text{branch}}^{0,1,i,j(\text{internal})} \boxplus F_{\text{combine}}^{0,1,i,j(\text{internal})}$  defined in Algorithms 48 and 49.  $\widehat{F}^{0,1,i,j(\text{internal})}$  is similar to  $\widehat{F}^{0,1,i}$  except the following differences.

- At  $t = i$ , if  $m^{\text{in}} = m_{i,\text{root\_index}}$  and  $A > \max\text{-cpu}(j)$ ,  $F_{\text{branch}}^{0,1,i,j(\text{internal})}$  outputs an ‘A’ type signature.  
If  $m^{\text{in}} \neq m_{i,\text{root\_index}}$  and  $A > \max\text{-cpu}(j)$ , outputs a ‘B’ type signature.
- $F_{\text{combine}}^{0,1,i,j(\text{internal})}$  hardwires an output message  $m_{i,j}$ , a set of indices  $\mathbf{C}_{i,j}$  and the corresponding set of output message  $\mathbf{M}_{i,j}$ .
- $F_{\text{combine}}^{0,1,i,j(\text{internal})}$  accepts ‘B’ type signatures only for inputs if  $i + 2 \leq t \leq t^* - 1$  or ( $\text{parent\_index} > j$  and  $t = i + 1$ ).
- For  $\text{parent\_index} \in \mathbf{C}_{i,j}$  at time  $t = i + 1$ ,  $F_{\text{combine}}^{0,1,i,j(\text{internal})}$  checks whether  $m' = m_{\text{parent\_index}} \in \mathbf{M}_{i,j}$  or not. If  $m' = m_{\text{parent\_index}}$ , outputs an ‘A’ type signature; otherwise, outputs ‘B’ type.
- For  $\text{parent\_index} = j$  at time  $t = i + 1$ ,  $F_{\text{combine}}^{0,1,i,j(\text{internal})}$  checks whether  $m' = m_{i,j}$  or not. If  $m' = m_{i,j}$ , outputs an ‘A’ type signature; otherwise, outputs ‘B’ type.

**Hyb $_{0,1,i,j(\text{intermediate})}$** :  $j$  is an internal node. In this hybrid, the challenger outputs an obfuscation of  $\widehat{F}^{0,1,i,j(\text{intermediate})} = F_{\text{branch}}^{0,1,i,j(\text{intermediate})} \boxplus F_{\text{combine}}^{0,1,i,j(\text{intermediate})}$ .  $F_{\text{branch}}^{0,1,i,j(\text{intermediate})}$  is functionally identical to  $F_{\text{branch}}^{0,1,i,j(\text{internal})}$ , and  $F_{\text{combine}}^{2,i,j(\text{intermediate})}$  is defined in Algorithm 50. This hybrid is similar to **Hyb $_{0,1,i,j(\text{internal})}$**  except that

- $F_{\text{combine}}^{0,1,i,j(\text{intermediate})}$  hardwires two input messages  $(m_{i,j,1}, m_{i,j,2})$
- For  $\text{parent\_index} = j$  at time  $t = i + 1$ ,  $F_{\text{combine}}^{0,1,i,j(\text{intermediate})}$  outputs ‘A’ type signature if  $m_1 = m_{i,j,1}$  and  $m_2 = m_{i,j,2}$ , or outputs ‘B’ type if not.

Conclusively, we define  $\mathbf{Hyb}_{0,1,i,\text{root\_index}^*}$ : in  $\widehat{F}^{0,1,i,\text{root\_index}^*}$ ,  $F_{\text{branch}}^{0,1,i,\text{root\_index}^*}$  is similar to  $F_{\text{branch}}^{0,1,i+1}$  except for no hardwired information, and  $F_{\text{combine}}^{0,1,i,\text{root\_index}^*}$  is identical to  $F_{\text{combine}}^{0,1,i,\text{root\_index}(\text{internal})}$ . Note that  $\widehat{F}^{0,1,i,\text{root\_index}(\text{internal})}$  and  $\widehat{F}^{0,1,i,\text{root\_index}^*}$  are functionally equivalent, which implies  $\mathbf{Hyb}_{0,1,i,\text{root\_index}(\text{internal})} \approx \mathbf{Hyb}_{0,1,i,\text{root\_index}^*}$ . Then, we conclude  $\mathbf{Hyb}_{0,1,i,\text{root\_index}^*} \approx \mathbf{Hyb}_{0,1,i+1}$  by KWL proof technique. In general, we can directly apply it as in the proof of Lemma 5.11 to prove the argument from any case  $\mathbf{Hyb}_{0,1,i,j}$  to  $\mathbf{Hyb}_{0,1,i,j+1}$  (with/without  $\mathbf{Hyb}_{0,1,i,j+1}(\text{intermediate})$ ).

**Instantiation.** Consider the following sequence of hybrids which corresponds to  $\mathbf{Hyb}_{0,1,i,10}$ ,  $\mathbf{Hyb}_{0,1,i,11}$ ,  $\mathbf{Hyb}_{0,1,i,1}$ , and  $\mathbf{Hyb}_{0,1,i,\epsilon}$  in Figure 3.

$$\mathbf{Hyb}_{0,1,i,j}(\text{left-leaf}) \approx \mathbf{Hyb}_{0,1,i,j+1}(\text{right-leaf}) \approx \mathbf{Hyb}_{0,1,i,j+2}(\text{internal}) \approx \mathbf{Hyb}_{0,1,i,j+3}(\text{internal})$$

To prove the indistinguishability of the hybrids in the above sequence, we further claim the sequences below:

- $\mathbf{Hyb}_{0,1,i,j}(\text{left-leaf}) \approx \mathbf{Hyb}_{0,1,i,j+1}(\text{right-leaf})$
- $\mathbf{Hyb}_{0,1,i,j+1}(\text{right-leaf}) \approx \mathbf{Hyb}_{0,1,i,j+2}(\text{intermediate}) \approx \mathbf{Hyb}_{0,1,i,j+2}(\text{internal})$
- $\mathbf{Hyb}_{0,1,i,j+2}(\text{internal}) \approx \mathbf{Hyb}_{0,1,i,j+3}(\text{intermediate}) \approx \mathbf{Hyb}_{0,1,i,j+3}(\text{internal})$

The indistinguishability of the hybrids in each of the above sequence can be proven by the KWL proof techniques as in the proof of Lemma 5.11. Note that we only need to hardwire  $O(\log m)$  messages in  $\mathbf{Hyb}_{0,1,i,j}$  according to the above argument.  $\square$

---

**Algorithm 45:**  $F_{\text{branch}}^{0,1,i,j}(\text{left-leaf})$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, \text{id}_{\text{cpu}}, \text{root\_node}), \tilde{a}^{\text{in}} = (\text{com}^{\text{in}}, \pi_{\text{st}}^{\text{in}}, \pi_{\text{com}}^{\text{in}})$   
**Data:**  $\text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A, K_B, m_{i, \text{Root}}, m_{i, j}$

- 1 Parse `root_node` as  $(t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}}, \sigma^{\text{in}})$ ;
- 2 Let  $r_A = \text{Prf}(K_A, (t, \text{root\_index}))$  and  $r_B = \text{Prf}(K_B, (t, \text{root\_index}))$ ;
- 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$  and  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
- 4 Let  $\alpha = \text{'-'}$  and  $m^{\text{in}} = (t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}})$ ;
- 5 **if**  $t \leq i$  **then**
- 6     **If**  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 7     **Else**, output `Reject`;
- 8 **else**
- 9     **If**  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 10     **If**  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'B'}$ ;
- 11     **If**  $\alpha = \text{'-'}$ , output `Reject`;
- 12 **If**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, st}}, w_{\text{st}}^{\text{in}}, (\text{id}_{\text{cpu}}, \text{st}^{\text{in}}), \pi_{\text{st}}^{\text{in}}) = 0$  output `Reject`;
- 13 **If**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, com}}, w_{\text{com}}^{\text{in}}, (\text{src}(t, \text{id}_{\text{cpu}}), \text{com}^{\text{in}}), \pi_{\text{com}}^{\text{in}}) = 0$  output `Reject`;
- 14 **if**  $t \leq i$  or  $\alpha = \text{'B'}$  **then**
- 15     Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^1(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 16 **else**
- 17     Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^0(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 18 Compute  $v^{\text{out}} = \text{ltr.Iterate}(\text{pp}_{\text{ltr}}, v^{\text{in}}, (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}))$ ;
- 19 **if**  $\text{st}^{\text{out}} = \text{Reject}$  **then**
- 20     Output `Reject`;
- 21 **else**
- 22     Let  $r'_A = \text{Prf}(K_A, (t + 1, \text{id}_{\text{cpu}}))$  and  $r'_B = \text{Prf}(K_B, (t + 1, \text{A}))$ ;
- 23     Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24     Let  $m^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}})$ ;
- 25     **if**  $t = i$  **then**
- 26         **If**  $\text{id}_{\text{cpu}} > j$  and  $m^{\text{in}} = m_{i, \text{Root}}$ ,  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 27         **Else if**  $\text{id}_{\text{cpu}} > j$  and  $m^{\text{in}} \neq m_{i, \text{Root}}$ ,  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
- 28         **Else if**  $\text{id}_{\text{cpu}} = j$  and  $m^{\text{out}} = m_{i, j}$ ,  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 29         **Else if**  $\text{id}_{\text{cpu}} = j$  and  $m^{\text{out}} \neq m_{i, j}$ ,  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
- 30         **Else**,  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 31     **else**
- 32         Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$
- 33     Let  $\text{node}^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}}, \sigma^{\text{out}})$ ;
- 34     Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, \text{id}_{\text{cpu}}, \perp), \tilde{a}^{\text{out}} = \text{node}^{\text{out}}$ ;

---

---

**Algorithm 46:**  $F^{0,1,i,j}$  (left-leaf)  
 combine
 

---

**Input** :  $\tilde{st}^{\text{in}} = (st^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{in}} = (\text{node}_1, \text{node}_2)$

**Data:**  $T, pp_{\text{Acc, st}}, pp_{\text{Acc, com}}, pp_{\text{ltr}}, K_A, K_B, (\mathbf{C}_{i,j}, \mathbf{M}_{i,j})$

- 1 Parse  $\text{node}_\zeta$  as  $(t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta, \sigma_\zeta)$  for  $\zeta = 1, 2$ ;
- 2 If  $t_1 \neq t_2$ , output **Reject**. Else, let  $t = t_1$ ;
- 3 If  $t < 1$ , output **Reject**;
- 4 If  $\text{index}_1$  and  $\text{index}_2$  are not siblings, output **Reject**;
- 5 Set  $\text{parent\_index}$  as the parent of  $\text{index}_1$  and  $\text{index}_2$ ;
- 6 **for**  $\zeta = 1, 2$  **do**
- 7     Let  $r_{A, \zeta} = \text{Prf}(K_A, (t_\zeta, \text{index}_\zeta))$  and  $r_{B, \zeta} = \text{Prf}(K_B, (t_\zeta, \text{index}_\zeta))$ ;
- 8     Compute  $(sk_{A, \zeta}, vk_{A, \zeta}, vk_{A, \text{rej}, \zeta}) = \text{Spl.Setup}(1^\lambda; r_{A, \zeta})$  and  
     $(sk_{B, \zeta}, vk_{B, \zeta}, vk_{B, \text{rej}, \zeta}) = \text{Spl.Setup}(1^\lambda; r_{B, \zeta})$ ;
- 9     Let  $\alpha_\zeta = \text{'-'}$  and  $m_\zeta = (t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta)$ ;
- 10    **if**  $t \leq i$  **or**  $(t = i + 1$  **and**  $\text{parent\_index} \leq j)$  **then**
- 11     If  $\text{Spl.Verify}(vk_A, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'A'}$ ;
- 12     Else, output **Reject**;
- 13    **else**
- 14     If  $\text{Spl.Verify}(vk_A, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'A'}$ ;
- 15     If  $\alpha_\zeta \neq \text{'A'}$  and  $\text{Spl.Verify}(vk_B, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'B'}$ ;
- 16     If  $\alpha_\zeta = \text{'-'}$ , output **Reject**;
- 17 If  $\alpha_1 = \text{'A'}$  and  $\alpha_2 = \text{'A'}$ , set  $\alpha = \text{'A'}$ ;
- 18 Else, set  $\alpha = \text{'B'}$ ;
- 19 Compute  $w'_{\text{st}} = \text{Acc.Combine}(pp_{\text{Acc, st}}, w_{\text{st}, 1}, w_{\text{st}, 2})$ ;
- 20 Compute  $w'_{\text{com}} = \text{Acc.Combine}(pp_{\text{Acc, com}}, w_{\text{com}, 1}, w_{\text{com}, 2})$ ;
- 21 Compute  $v' = \text{ltr.Iterate2to1}(pp_{\text{ltr}}, (v_1, v_2), (t, \text{parent\_index}, w_{\text{st}, 1}, w_{\text{com}, 1}, w_{\text{st}, 2}, w_{\text{com}, 2}))$ ;
- 22 Let  $r'_A = \text{Prf}(K_A, (t, \text{parent\_index}))$  and  $r'_B = \text{Prf}(K_B, (t, \text{parent\_index}))$ ;
- 23 Compute  $(sk'_A, vk'_A, vk'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(sk'_B, vk'_B, vk'_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24 Let  $m' = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v')$ ;
- 25 **if**  $t \leq i$  **then**
- 26     Compute  $\sigma' = \text{Spl.Sign}(sk'_A, m')$ ;
- 27 **if**  $t = i + 1$  **then**
- 28     If  $\text{parent\_index} = \text{index}'$  and  $m' = m_{\text{index}'}$  for  $\text{index}' \in \mathbf{C}_{i,j}$   
    and  $m_{\text{index}'} \in \mathbf{M}_{i,j}$ , compute  $\sigma' = \text{Spl.Sign}(sk'_A, m')$ ;
- 29     Else if  $\text{parent\_index} = \text{index}'$  and  $m' \neq m_{\text{index}'}$  for  $\text{index}' \in \mathbf{C}_{i,j}$   
    and  $m_{\text{index}'} \in \mathbf{M}_{i,j}$ , compute  $\sigma' = \text{Spl.Sign}(sk'_B, m')$ ;
- 30     Else, compute  $\sigma' = \text{Spl.Sign}(sk'_\alpha, m')$ ;
- 31 **else**
- 32     Compute  $\sigma' = \text{Spl.Sign}(sk'_\alpha, m')$ ;
- 33 Let  $\text{parent\_node} = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v', \sigma')$ ;
- 34 **if**  $\text{parent\_index} = \epsilon$  **then**
- 35     Output  $\tilde{st}^{\text{out}} = (st^{\text{in}}, id_{\text{cpu}}, \text{parent\_node})$ ,  $\tilde{a}^{\text{out}} = \perp$ ;
- 36 **else**
- 37     Output  $\tilde{st}^{\text{out}} = (st^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{out}} = \text{parent\_node}$ ;

---

---

**Algorithm 47:**  $F_{\text{branch}}^{0,1,i,j}(\text{right-leaf})$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, \text{id}_{\text{cpu}}, \text{root\_node}), \tilde{a}^{\text{in}} = (\text{com}^{\text{in}}, \pi_{\text{st}}^{\text{in}}, \pi_{\text{com}}^{\text{in}})$   
**Data:**  $\text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A, K_B, m_{i, \text{Root}}, \underline{m_{i, j-1}}, \underline{m_{i, j}}$

- 1 Parse `root_node` as  $(t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}}, \sigma^{\text{in}})$ ;
- 2 Let  $r_A = \text{Prf}(K_A, (t, \text{root\_index}))$  and  $r_B = \text{Prf}(K_B, (t, \text{root\_index}))$ ;
- 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$  and  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
- 4 Let  $\alpha = \text{'-'}$  and  $m^{\text{in}} = (t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}})$ ;
- 5 **if**  $t \leq i$  **then**
- 6     **If**  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 7     **Else**, output `Reject`;
- 8 **else**
- 9     **If**  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 10     **If**  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'B'}$ ;
- 11     **If**  $\alpha = \text{'-'}$ , output `Reject`;
- 12 **If**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, st}}, w_{\text{st}}^{\text{in}}, (\text{id}_{\text{cpu}}, \text{st}^{\text{in}}), \pi_{\text{st}}^{\text{in}}) = 0$  output `Reject`;
- 13 **If**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, com}}, w_{\text{com}}^{\text{in}}, (\text{src}(t, \text{id}_{\text{cpu}}), \text{com}^{\text{in}}), \pi_{\text{com}}^{\text{in}}) = 0$  output `Reject`;
- 14 **if**  $t \leq i$  or  $\alpha = \text{'B'}$  **then**
- 15     Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^1(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 16 **else**
- 17     Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^0(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 18 Compute  $v^{\text{out}} = \text{ltr.Iterate}(\text{pp}_{\text{ltr}}, v^{\text{in}}, (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}))$ ;
- 19 **if**  $\text{st}^{\text{out}} = \text{Reject}$  **then**
- 20     Output `Reject`;
- 21 **else**
- 22     Let  $r'_A = \text{Prf}(K_A, (t + 1, \text{id}_{\text{cpu}}))$  and  $r'_B = \text{Prf}(K_B, (t + 1, \text{A}))$ ;
- 23     Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24     Let  $m^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}})$ ;
- 25     **if**  $t = i$  **then**
- 26         **If**  $\text{id}_{\text{cpu}} > j$  and  $m^{\text{in}} = m_{i, \text{Root}}, \sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 27         **Else if**  $\text{id}_{\text{cpu}} > j$  and  $m^{\text{in}} \neq m_{i, \text{Root}}, \sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
- 28         **Else if**  $\text{id}_{\text{cpu}} = j - 1$  and  $m^{\text{out}} = m_{i, j-1}, \sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 29         **Else if**  $\text{id}_{\text{cpu}} = j - 1$  and  $m^{\text{out}} \neq m_{i, j-1}, \sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
- 30         **Else if**  $\text{id}_{\text{cpu}} = j$  and  $m^{\text{out}} = m_{i, j}, \sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 31         **Else if**  $\text{id}_{\text{cpu}} = j$  and  $m^{\text{out}} \neq m_{i, j}, \sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
- 32         **Else**,  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 33     **else**
- 34         Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$
- 35     Let  $\text{node}^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}}, \sigma^{\text{out}})$ ;
- 36     Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, \text{id}_{\text{cpu}}, \perp), \tilde{a}^{\text{out}} = \text{node}^{\text{out}}$ ;

---

---

**Algorithm 48:**  $F_{\text{branch}}^{0,1,i,j(\text{internal})}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, \text{id}_{\text{cpu}}, \text{root\_node})$ ,  $\tilde{a}^{\text{in}} = (\text{com}^{\text{in}}, \pi_{\text{st}}^{\text{in}}, \pi_{\text{com}}^{\text{in}})$   
**Data:**  $\text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A, K_B, m_{i, \text{Root}}$

- 1 Parse  $\text{root\_node}$  as  $(t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}}, \sigma^{\text{in}})$ ;
- 2 Let  $r_A = \text{Prf}(K_A, (t, \text{root\_index}))$  and  $r_B = \text{Prf}(K_B, (t, \text{root\_index}))$ ;
- 3 Compute  $(\text{sk}_A, \text{vk}_A, \text{vk}_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_A)$  and  $(\text{sk}_B, \text{vk}_B, \text{vk}_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r_B)$ ;
- 4 Let  $\alpha = \text{'-'} and  $m^{\text{in}} = (t, \text{root\_index}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}, v^{\text{in}})$ ;$
- 5 **if**  $t \leq i$  **then**
- 6     **if**  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 7     **else**, output  $\text{Reject}$ ;
- 8 **else**
- 9     **if**  $\text{Spl.Verify}(\text{vk}_A, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'A'}$ ;
- 10     **if**  $\alpha \neq \text{'A'}$  and  $\text{Spl.Verify}(\text{vk}_B, m^{\text{in}}, \sigma^{\text{in}}) = 1$ , set  $\alpha = \text{'B'}$ ;
- 11     **if**  $\alpha = \text{'-'}$ , output  $\text{Reject}$ ;
- 12 **if**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, st}}, w_{\text{st}}^{\text{in}}, (\text{id}_{\text{cpu}}, \text{st}^{\text{in}}), \pi_{\text{st}}^{\text{in}}) = 0$  output  $\text{Reject}$ ;
- 13 **if**  $\text{Acc.VerifyRead}(\text{pp}_{\text{Acc, com}}, w_{\text{com}}^{\text{in}}, (\text{src}(t, \text{id}_{\text{cpu}}), \text{com}^{\text{in}}), \pi_{\text{com}}^{\text{in}}) = 0$  output  $\text{Reject}$ ;
- 14 **if**  $t \leq i$  or  $\alpha = \text{'B'}$  **then**
- 15     Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^1(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 16 **else**
- 17     Compute  $(\text{st}^{\text{out}}, \text{com}^{\text{out}}) \leftarrow F^0(\text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}})$ ;
- 18 Compute  $v^{\text{out}} = \text{ltr.Iterate}(\text{pp}_{\text{ltr}}, v^{\text{in}}, (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{in}}, \text{com}^{\text{in}}, w_{\text{st}}^{\text{in}}, w_{\text{com}}^{\text{in}}))$ ;
- 19 **if**  $\text{st}^{\text{out}} = \text{Reject}$  **then**
- 20     Output  $\text{Reject}$ ;
- 21 **else**
- 22     Let  $r'_A = \text{Prf}(K_A, (t + 1, \text{id}_{\text{cpu}}))$  and  $r'_B = \text{Prf}(K_B, (t + 1, \text{A}))$ ;
- 23     Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(\text{sk}'_B, \text{vk}'_B, \text{vk}'_{B, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24     Let  $m^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}})$ ;
- 25     **if**  $t = i$  **then**
- 26         **if**  $\text{id}_{\text{cpu}} > \text{max-cpu}(j)$  and  $m^{\text{in}} = m_{i, \text{Root}}$ ,  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_A, m^{\text{out}})$ ;
- 27         **else if**  $\text{id}_{\text{cpu}} > \text{max-cpu}(j)$  and  $m^{\text{in}} \neq m_{i, \text{Root}}$ ,  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_B, m^{\text{out}})$ ;
- 28         **else**,  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 29     **else**
- 30         Compute  $\sigma^{\text{out}} = \text{Spl.Sign}(\text{sk}'_\alpha, m^{\text{out}})$ ;
- 31     Let  $\text{node}^{\text{out}} = (t + 1, \text{id}_{\text{cpu}}, \text{st}^{\text{out}}, \text{com}^{\text{out}}, v^{\text{out}}, \sigma^{\text{out}})$ ;
- 32     Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, \text{id}_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{out}} = \text{node}^{\text{out}}$ ;

---

---

**Algorithm 49:**  $F^{0,1,i,j}$ (internal)  
combine

---

**Input** :  $\tilde{st}^{\text{in}} = (st^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{in}} = (\text{node}_1, \text{node}_2)$   
**Data**:  $T, pp_{\text{Acc,st}}, pp_{\text{Acc,com}}, pp_{\text{Itr}}, K_A, K_B, m_{i,j}$

- 1 Parse  $\text{node}_\zeta$  as  $(t_\zeta, \text{index}_\zeta, w_{\text{st},\zeta}, w_{\text{com},\zeta}, v_\zeta, \sigma_\zeta)$  for  $\zeta = 1, 2$ ;
- 2 If  $t_1 \neq t_2$ , output **Reject**. Else, let  $t = t_1$ ;
- 3 If  $t < 1$ , output **Reject**;
- 4 If  $\text{index}_1$  and  $\text{index}_2$  are not siblings, output **Reject**;
- 5 Set  $\text{parent\_index}$  as the parent of  $\text{index}_1$  and  $\text{index}_2$ ;
- 6 **for**  $\zeta = 1, 2$  **do**
  - 7 Let  $r_{A,\zeta} = \text{Prf}(K_A, (t_\zeta, \text{index}_\zeta))$  and  $r_{B,\zeta} = \text{Prf}(K_B, (t_\zeta, \text{index}_\zeta))$ ;
  - 8 Compute  $(sk_{A,\zeta}, vk_{A,\zeta}, vk_{A,\text{rej},\zeta}) = \text{Spl.Setup}(1^\lambda; r_{A,\zeta})$  and  $(sk_{B,\zeta}, vk_{B,\zeta}, vk_{B,\text{rej},\zeta}) = \text{Spl.Setup}(1^\lambda; r_{B,\zeta})$ ;
  - 9 Let  $\alpha_\zeta = \text{'-'}$  and  $m_\zeta = (t_\zeta, \text{index}_\zeta, w_{\text{st},\zeta}, w_{\text{com},\zeta}, v_\zeta)$ ;
  - 10 **if**  $t \leq i$  **or**  $(t = i + 1 \text{ and } \text{parent\_index} \leq j)$  **then**
    - 11 If  $\text{Spl.Verify}(vk_{A,\zeta}, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'A'}$ ;
    - 12 Else, output **Reject**;
  - 13 **else**
    - 14 If  $\text{Spl.Verify}(vk_{A,\zeta}, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'A'}$ ;
    - 15 If  $\alpha_\zeta \neq \text{'A'}$  and  $\text{Spl.Verify}(vk_{B,\zeta}, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'B'}$ ;
    - 16 If  $\alpha_\zeta = \text{'-'}$ , output **Reject**;
- 17 If  $\alpha_1 = \text{'A'}$  and  $\alpha_2 = \text{'A'}$ , set  $\alpha = \text{'A'}$ ;
- 18 Else, set  $\alpha = \text{'B'}$ ;
- 19 Compute  $w'_{\text{st}} = \text{Acc.Combine}(pp_{\text{Acc,st}}, w_{\text{st},1}, w_{\text{st},2})$ ;
- 20 Compute  $w'_{\text{com}} = \text{Acc.Combine}(pp_{\text{Acc,com}}, w_{\text{com},1}, w_{\text{com},2})$ ;
- 21 Compute  $v' = \text{Itr.Iterate2to1}(pp_{\text{Itr}}, (v_1, v_2), (t, \text{parent\_index}, w_{\text{st},1}, w_{\text{com},1}, w_{\text{st},2}, w_{\text{com},2}))$ ;
- 22 Let  $r'_A = \text{Prf}(K_A, (t, \text{parent\_index}))$  and  $r'_B = \text{Prf}(K_B, (t, \text{parent\_index}))$ ;
- 23 Compute  $(sk'_A, vk'_A, vk'_{A,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(sk'_B, vk'_B, vk'_{B,\text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24 Let  $m' = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v')$ ;
- 25 **if**  $t \leq i$  **then**
  - 26 Compute  $\sigma' = \text{Spl.Sign}(sk'_A, m')$ ;
- 27 **if**  $t = i + 1$  **then**
  - 28 **if**  $\text{parent\_index} = \text{index}'$  **for**  $\text{index}' \in C_{i,j}$  **then**
    - 29 If  $m' = m_{\text{index}'}$  **for**  $m_{\text{index}'} \in M_{i,j}$ , compute  $\sigma' = \text{Spl.Sign}(sk'_A, m')$ ;
    - 30 Else,  $m' \neq m_{\text{index}'}$  **for**  $m_{\text{index}'} \in M_{i,j}$ , compute  $\sigma' = \text{Spl.Sign}(sk'_B, m')$ ;
  - 31 **else if**  $\text{parent\_index} = j$  **then**
    - 32 If  $m' = m_{i,j}$ , compute  $\sigma' = \text{Spl.Sign}(sk'_A, m')$ ;
    - 33 Else, compute  $\sigma' = \text{Spl.Sign}(sk'_B, m')$ ;
  - 34 **else**
    - 35 Compute  $\sigma' = \text{Spl.Sign}(sk'_\alpha, m')$ ;
- 36 **else**
  - 37 Compute  $\sigma' = \text{Spl.Sign}(sk'_\alpha, m')$ ;
- 38 Let  $\text{parent\_node} = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v', \sigma')$ ;
- 39 **if**  $\text{parent\_index} = \epsilon$  **then**
  - 40 Output  $\tilde{st}^{\text{out}} = (st^{\text{in}}, id_{\text{cpu}}, \text{parent\_node})$ ,  $\tilde{a}^{\text{out}} = \perp$ ;
- 41 **else**
  - 42 Output  $\tilde{st}^{\text{out}} = (st^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{out}} = \text{parent\_node}$ ;

---



---

**Algorithm 50:**  $F^{0,1,i,j}$ (intermediate)  
combine

---

**Input** :  $\tilde{st}^{\text{in}} = (st^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{in}} = (\text{node}_1, \text{node}_2)$   
**Data**:  $T, pp_{\text{Acc,st}}, pp_{\text{Acc,com}}, pp_{\text{Itr}}, K_A, K_B, (m_{i,j,1}, m_{i,j,2})$

- 1 Parse  $\text{node}_\zeta$  as  $(t_\zeta, \text{index}_\zeta, w_{\text{st},\zeta}, w_{\text{com},\zeta}, v_\zeta, \sigma_\zeta)$  for  $\zeta = 1, 2$ ;
- 2 If  $t_1 \neq t_2$ , output **Reject**. Else, let  $t = t_1$ ;
- 3 If  $t < 1$ , output **Reject**;
- 4 If  $\text{index}_1$  and  $\text{index}_2$  are not siblings, output **Reject**;
- 5 Set  $\text{parent\_index}$  as the parent of  $\text{index}_1$  and  $\text{index}_2$ ;
- 6 **for**  $\zeta = 1, 2$  **do**
- 7     Let  $r_{A,\zeta} = \text{Prf}(K_A, (t_\zeta, \text{index}_\zeta))$  and  $r_{B,\zeta} = \text{Prf}(K_B, (t_\zeta, \text{index}_\zeta))$ ;
- 8     Compute  $(sk_{A,\zeta}, vk_{A,\zeta}, vk_{A,rej,\zeta}) = \text{Spl.Setup}(1^\lambda; r_{A,\zeta})$  and  
       $(sk_{B,\zeta}, vk_{B,\zeta}, vk_{B,rej,\zeta}) = \text{Spl.Setup}(1^\lambda; r_{B,\zeta})$ ;
- 9     Let  $\alpha_\zeta = \text{'-'}$  and  $m_\zeta = (t_\zeta, \text{index}_\zeta, w_{\text{st},\zeta}, w_{\text{com},\zeta}, v_\zeta)$ ;
- 10    **if**  $t \leq i$  **or**  $(t = i + 1$  **and**  $\text{parent\_index} \leq j)$  **then**
- 11     | If  $\text{Spl.Verify}(vk_A, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'A'}$ ;
- 12     | Else, output **Reject**;
- 13    **else**
- 14     | If  $\text{Spl.Verify}(vk_A, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'A'}$ ;
- 15     | If  $\alpha_\zeta \neq \text{'A'}$  and  $\text{Spl.Verify}(vk_B, m_\zeta, \sigma_\zeta) = 1$ , set  $\alpha_\zeta = \text{'B'}$ ;
- 16     | If  $\alpha_\zeta = \text{'-'}$ , output **Reject**;
- 17 **If**  $\alpha_1 = \text{'A'}$  and  $\alpha_2 = \text{'A'}$ , set  $\alpha = \text{'A'}$ ;
- 18 **Else**, set  $\alpha = \text{'B'}$ ;
- 19 Compute  $w'_{\text{st}} = \text{Acc.Combine}(pp_{\text{Acc,st}}, w_{\text{st},1}, w_{\text{st},2})$ ;
- 20 Compute  $w'_{\text{com}} = \text{Acc.Combine}(pp_{\text{Acc,com}}, w_{\text{com},1}, w_{\text{com},2})$ ;
- 21 Compute  $v' = \text{Itr.Iterate2to1}(pp_{\text{Itr}}, (v_1, v_2), (t, \text{parent\_index}, w_{\text{st},1}, w_{\text{com},1}, w_{\text{st},2}, w_{\text{com},2}))$ ;
- 22 Let  $r'_A = \text{Prf}(K_A, (t, \text{parent\_index}))$  and  $r'_B = \text{Prf}(K_B, (t, \text{parent\_index}))$ ;
- 23 Compute  $(sk'_A, vk'_A, vk'_{A,rej}) = \text{Spl.Setup}(1^\lambda; r'_A)$  and  $(sk'_B, vk'_B, vk'_{B,rej}) = \text{Spl.Setup}(1^\lambda; r'_B)$ ;
- 24 Let  $m' = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v')$ ;
- 25 **if**  $t \leq i$  **then**
- 26     | Compute  $\sigma' = \text{Spl.Sign}(sk'_A, m')$ ;
- 27 **if**  $t = i + 1$  **then**
- 28     **if**  $\text{parent\_index} = \text{index}'$  **for**  $\text{index}' \in C_{i,j}$  **then**
- 29         | If  $m' = m_{\text{index}'}$  for  $m_{\text{index}'} \in M_{i,j}$ , compute  $\sigma' = \text{Spl.Sign}(sk'_A, m')$ ;
- 30         | Else,  $m' \neq m_{\text{index}'}$  for  $m_{\text{index}'} \in M_{i,j}$ , compute  $\sigma' = \text{Spl.Sign}(sk'_B, m')$ ;
- 31     **else if**  $\text{parent\_index} = j$  **then**
- 32         | If  $m_1 = m_{i,j,1}$  and  $m_2 = m_{i,j,2}$ , compute  $\sigma' = \text{Spl.Sign}(sk'_A, m')$ ;
- 33         | Else, compute  $\sigma' = \text{Spl.Sign}(sk'_B, m')$ ;
- 34     **else**
- 35         | Compute  $\sigma' = \text{Spl.Sign}(sk'_\alpha, m')$ ;
- 36 **else**
- 37     | Compute  $\sigma' = \text{Spl.Sign}(sk'_\alpha, m')$ ;
- 38 Let  $\text{parent\_node} = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v', \sigma')$ ;
- 39 **if**  $\text{parent\_index} = \epsilon$  **then**
- 40     | Output  $\tilde{st}^{\text{out}} = (st^{\text{in}}, id_{\text{cpu}}, \text{parent\_node})$ ,  $\tilde{a}^{\text{out}} = \perp$ ;
- 41 **else**
- 42     | Output  $\tilde{st}^{\text{out}} = (st^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{out}} = \text{parent\_node}$ ;

---

## 6.7 CiO for PRAM

Finally, we construct CiO in the (standard) PRAM (PRAM) model. Recall in Section 3.1.2 that, informally, a PRAM consists of  $m$  CPUs running simultaneously with random access to a shared memory, but without communication with each others. Formally, the class of distributed computation for PRAM, denoted by  $\mathcal{P}_{\text{PRAM}}$ , is defined as follows:

**Definition 6.14** (PRAM Computation Class).  $\mathcal{P}_{\text{PRAM}}$  is a class of distributed computation systems for PRAM with  $m$  agents (a.k.a. CPU)  $1, \dots, m$  and a shared memory  $\mathbb{M}$  where

- the terminating time  $t^*$  is bounded by  $2^\lambda$ ,
- the communication between agents are not allowed, i.e.,  $c_{j \leftarrow k}^t := \perp$  for all  $t \in [t^*]$  and for all  $j, k \in [m]$ ,
- the memory size  $|\text{mem}|$  is bounded by  $\text{poly}(\lambda)$ ,
- for all  $k \in [m]$ , the state size  $|\text{st}_k|$  and the communication buffers size  $|a_{k \leftarrow \mathbb{M}}|$  and  $|a_{\mathbb{M} \leftarrow k}|$  are bounded by  $\text{poly} \log(\lambda)$ ,
- for all  $k \in [m]$ , the initial access commands are restricted to  $a_{k \leftarrow \mathbb{M}}^0 := \perp$  and  $a_{\mathbb{M} \leftarrow k}^0 := \perp$ ,
- for all  $k \in [m]$ , the initial states are restricted to  $\text{st}_k^0 := \perp$ .

Our construction of CiO for PRAM is very similar to that of CiO for PRAM<sup>-</sup> except that  $F_{\text{branch}}$  now also takes as input a bit read from the memory with its proof, and outputs a bit to be written to some memory location. Thus, as for CiO for RAM, the evaluator in addition maintain an accumulator for storing the actual memory content. Correspondingly, instead of executing  $F$  directly,  $F_{\text{branch}}$  executes another program called  $F_{\text{check}}$  which encapsulates  $F$  and the oblivious update mechanism described above.

We next describe in detail our scheme  $\text{CiO} = \text{CiO}.\{\text{Obf}, \text{Eval}\}$  in the PRAM model. The compilation procedure  $\text{CiO}.\text{Obf}$  can transform a given computation system  $\Pi \in \mathcal{P}_{\text{PRAM}}$  into an obfuscated computation system  $\tilde{\Pi}$ . Here

$$\begin{aligned} \Pi &= (\text{mem}^0, F) \\ \tilde{\Pi} &= ((\widetilde{\text{mem}}^0, \widetilde{\text{st}}^0), \tilde{F}) \end{aligned}$$

**Compilation procedure  $\tilde{\Pi} \leftarrow \text{CiO}.\text{Obf}(1^\lambda, \Pi)$ :** We provide the details of the compilation procedure  $\text{Obf}()$  which consists of several steps as follows.

Step 1: Generating parameters. The compilation procedure computes the following parameters for the obfuscated computation system:

$$\begin{aligned} K_A &\leftarrow \text{Prf}.\text{Setup}(1^\lambda) \\ (\text{pp}_{\text{Acc}, \text{mem}}, \hat{w}_{\text{mem}, 0}, \hat{\text{store}}_{\text{mem}, 0}) &\leftarrow \text{Acc}.\text{Setup}(m) \\ (\text{pp}_{\text{Acc}, \text{st}}, \hat{w}_{\text{st}, 0}, \hat{\text{store}}_{\text{st}, 0}) &\leftarrow \text{Acc}.\text{Setup}(m) \\ (\text{pp}_{\text{Acc}, \text{com}}, \hat{w}_{\text{com}, 0}, \hat{\text{store}}_{\text{com}, 0}) &\leftarrow \text{Acc}.\text{Setup}(m) \\ (\text{pp}_{\text{Itr}}, v^0) &\leftarrow \text{Itr}.\text{Setup}(T) \end{aligned}$$

Step 2: Generating stateful algorithms  $\tilde{F}$ . Based on the parameters  $T, \text{pp}_{\text{Acc}, \text{mem}}, \text{pp}_{\text{Acc}, \text{st}}, \text{pp}_{\text{Acc}, \text{com}}, \text{pp}_{\text{Itr}}, K_A$  generated above, as well as program  $F$ , we define the program  $\hat{F}$  in Algorithm 51.  $\hat{F}$  executes internal programs  $F_{\text{branch}}$  (Algorithm 52) or  $F_{\text{combine}}$  (Algorithm 53) depending on its input. Now  $F_{\text{branch}}$  in turn executes  $F_{\text{check}}$  defined in Algorithm 32, where  $F_{\text{check}} = \text{AccCompile}(F, \text{Acc}.\text{OUpdate}\{\text{pp}_{\text{Acc}, \text{mem}}\})$ .

The compilation procedure then computes an obfuscation of the program  $\hat{F}$ . That is,  $\tilde{F} \leftarrow \text{iO}.\text{Gen}(\hat{F})$ .

---

**Algorithm 51:**  $\widehat{F}$ , which is identical to its PRAM<sup>-</sup> counterpart (Algorithm 33).

// for simplicity, we drop the subscripts from  $\tilde{a}_{id_{cpu} \leftarrow M}^{in}$  and  $\tilde{a}_{M \leftarrow id_{cpu}}^{out}$ , and use  $\tilde{a}^{in}$  and  $\tilde{a}^{out}$  respectively

---

**Input** :  $\tilde{st}^{in} = (st^{in}, id_{cpu}, root\_node), \tilde{a}^{in}$

- 1 **if**  $st^{in} = (halt, \cdot)$  **then**
- 2   | Output Reject;
- 3 **else if**  $root\_node \neq \perp$  **then**
- 4   | Compute  $(\tilde{st}^{out}, \tilde{a}^{out}) = F_{branch}(\tilde{st}^{in}, \tilde{a}^{in});$
- 5 **else**
- 6   | Compute  $(\tilde{st}^{out}, \tilde{a}^{out}) = F_{combine}(\tilde{st}^{in}, \tilde{a}^{in});$
- 7 Output  $(\tilde{st}^{out}, \tilde{a}^{out});$

---



---

**Algorithm 52:**  $F_{branch}$

// for simplicity, we drop the subscripts from  $\tilde{a}_{id_{cpu} \leftarrow M}^{in}$  and  $\tilde{a}_{M \leftarrow id_{cpu}}^{out}$ , and use  $\tilde{a}^{in}$  and  $\tilde{a}^{out}$  respectively

---

**Input** :  $\tilde{st}^{in} = (st^{in}, id_{cpu}, root\_node), \tilde{a}^{in} = (b^{in}, com^{in}, \pi_{mem}^{in}, \pi_{st}^{in}, \pi_{com}^{in})$

**Data:**  $pp_{Acc, mem}, pp_{Acc, st}, pp_{Acc, com}, pp_{ltr}, K_A$

- 1 Parse  $root\_node$  as  $(t, root\_index, w_{st}^{in}, w_{com}^{in}, v^{in}, \sigma^{in});$
- 2 Let  $r_A = \text{Prf}(K_A, (t, root\_index));$
- 3 Compute  $(sk_A, vk_A, vk_{A, rej}) = \text{Spl.Setup}(1^\lambda; r_A);$
- 4 Let  $m^{in} = (t, root\_index, w_{st}^{in}, w_{com}^{in}, v^{in});$
- 5 **If**  $\text{Spl.Verify}(vk_A, m^{in}, \sigma^{in}) = 0$  **output** Reject;
- 6 **If**  $\text{Acc.VerifyRead}(pp_{Acc, st}, w_{st}^{in}, (id_{cpu}, st^{in}), \pi_{st}^{in}) = 0$  **output** Reject;
- 7 **If**  $\text{Acc.VerifyRead}(pp_{Acc, com}, w_{com}^{in}, (src(t, id_{cpu}), com^{in}), \pi_{com}^{in}) = 0$  **output** Reject;
- 8  $(st^{out}, (com^{out}, loc^{out}, b^{out})) \leftarrow F_{check}(id_{cpu}, st^{in}, (b^{in}, com^{in}, \pi_{mem}^{in}));$
- 9 Compute  $v^{out} = \text{ltr.Iterate}(pp_{ltr}, v^{in}, (t + 1, id_{cpu}, st^{in}, com^{in}, w_{st}^{in}, w_{com}^{in}));$
- 10 **if**  $st^{out} = \text{Reject}$  **then**
- 11   | Output Reject;
- 12 **else**
- 13   | Let  $r'_A = \text{Prf}(K_A, (t + 1, id_{cpu}));$
- 14   | Compute  $(sk'_A, vk'_A, vk'_{A, rej}) = \text{Spl.Setup}(1^\lambda; r'_A);$
- 15   | Let  $m^{out} = (t + 1, id_{cpu}, st^{out}, com^{out}, v^{out})$  and  $\sigma^{out} = \text{Spl.Sign}(sk'_A, m^{out});$
- 16   | Let  $node^{out} = (t + 1, id_{cpu}, st^{out}, com^{out}, v^{out}, \sigma^{out});$
- 17   | Output  $\tilde{st}^{out} = (st^{out}, id_{cpu}, \perp), \tilde{a}^{out} = (node^{out}, loc^{out}, b^{out});$

---

---

**Algorithm 53:**  $F_{\text{combine}}$ , which is identical to its PRAM<sup>-</sup> counterpart (Algorithm 35).

// for simplicity, we drop the subscripts from  $\tilde{a}_{id_{\text{cpu}} \leftarrow M}^{\text{in}}$  and  $\tilde{a}_{M \leftarrow id_{\text{cpu}}}^{\text{out}}$ , and use  $\tilde{a}^{\text{in}}$  and  $\tilde{a}^{\text{out}}$  respectively

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{in}} = (\text{node}_1, \text{node}_2)$

**Data:**  $\text{pp}_{\text{Acc, st}}, \text{pp}_{\text{Acc, com}}, \text{pp}_{\text{ltr}}, K_A$

1 Parse  $\text{node}_\zeta$  as  $(t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta, \sigma_\zeta)$  for  $\zeta = 1, 2$ ;

2 If  $t_1 \neq t_2$ , output **Reject**. Else, let  $t = t_1$ ;

3 If  $t < 1$ , output **Reject**.;

4 If  $\text{index}_1$  and  $\text{index}_2$  are not siblings, output **Reject**;

5 Set  $\text{parent\_index}$  as the parent of  $\text{index}_1$  and  $\text{index}_2$ ;

6 **for**  $\zeta = 1, 2$  **do**

7     Let  $r_{A, \zeta} = \text{Prf}(K_A, (t_\zeta, \text{index}_\zeta))$ ;

8     Compute  $(\text{sk}_{A, \zeta}, \text{vk}_{A, \zeta}, \text{vk}_{A, \text{rej}, \zeta}) = \text{Spl.Setup}(1^\lambda; r_{A, \zeta})$ ;

9     Let  $m_\zeta = (t_\zeta, \text{index}_\zeta, w_{\text{st}, \zeta}, w_{\text{com}, \zeta}, v_\zeta)$ ;

10    If  $\text{Spl.Verify}(\text{vk}_{A, \zeta}, m_\zeta, \sigma_\zeta) = 0$  output **Reject**;

11 Compute  $w'_{\text{st}} = \text{Acc.Combine}(\text{pp}_{\text{Acc, st}}, w_{\text{st}, 1}, w_{\text{st}, 2}, \text{parent\_index})$ ;

12 Compute  $w'_{\text{com}} = \text{Acc.Combine}(\text{pp}_{\text{Acc, com}}, w_{\text{com}, 1}, w_{\text{com}, 2}, \text{parent\_index})$ ;

13 Compute  $v' = \text{ltr.Iterate2to1}(\text{pp}_{\text{ltr}}, (v_1, v_2), (t, \text{parent\_index}, w_{\text{st}, 1}, w_{\text{com}, 1}, w_{\text{st}, 2}, w_{\text{com}, 2}))$ ;

14 Let  $r'_A = \text{Prf}(K_A, (t, \text{parent\_index}))$ ;

15 Compute  $(\text{sk}'_A, \text{vk}'_A, \text{vk}'_{A, \text{rej}}) = \text{Spl.Setup}(1^\lambda; r'_A)$ ;

16 Let  $m' = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v')$ ;

17 Compute  $\sigma' = \text{Spl.Sign}(\text{sk}'_A, m')$ ;

18 Let  $\text{parent\_node} = (t, \text{parent\_index}, w'_{\text{st}}, w'_{\text{com}}, v', \sigma')$ ;

19 **if**  $\text{parent\_index} = \epsilon$  **then**

20     Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \text{parent\_node})$ ,  $\tilde{a}^{\text{out}} = \perp$ ;

21 **else**

22     Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{in}}, id_{\text{cpu}}, \perp)$ ,  $\tilde{a}^{\text{out}} = \text{parent\_node}$ ;

---

*Step 3: Generating the initial configuration*  $(\widetilde{\text{mem}}^0, \widetilde{\text{st}}^0)$ . Recall that initial memory accesses are empty:  $a_{k \leftarrow M}^0 = \perp, a_{M \leftarrow k}^0 = \perp$ . Based on  $\text{mem}^0$  and  $\text{st}_k^0 = \perp$  for all  $k \in [m]$ , the compilation procedure computes the initial configuration for the complied computation system as follows.

- For each  $j \in \{1, \dots, |\text{mem}^0|\}$ , it computes iteratively:

$$\begin{aligned} \hat{\text{store}}_{\text{mem},j} &\leftarrow \text{Acc.WriteStore}(\text{pp}_{\text{Acc},\text{mem}}, \hat{\text{store}}_{\text{mem},j-1}, j, \text{mem}^0[j]) \\ \pi_j &\leftarrow \text{Acc.PrepareWrite}(\text{pp}_{\text{Acc},\text{mem}}, \hat{\text{store}}_{\text{mem},j-1}, j) \\ \hat{w}_j &\leftarrow \text{Acc.Update}(\text{pp}_{\text{Acc},\text{mem}}, \hat{w}_{j-1}, j, x_j, \pi_j) \end{aligned}$$

Set  $w_{\text{mem}}^0 := \hat{w}_{|\text{mem}^0|}$ , and  $\text{store}_{\text{mem}}^0 := \hat{\text{store}}_{|\text{mem}^0|}$ .

- Set  $w_{\text{st}}^0 := \perp$  and  $\text{store}_{\text{st}}^0 := \hat{\text{store}}_{\text{st},0}$ , where  $\hat{\text{store}}_{\text{st},0}$  is initialized with value  $\perp$  as the initial state in all  $m$  cells.
- Set  $w_{\text{com}}^0 := \perp$  and  $\text{store}_{\text{com}}^0 := \hat{\text{store}}_{\text{com},0}$ , where  $\hat{\text{store}}_{\text{com},0}$  is initialized with value  $\perp$  as no communication in all  $m$  cells.
- Set  $\text{root\_node}^0 = (t, \text{root\_index}, w_{\text{st}}^0, w_{\text{com}}^0, v^0, \sigma^0)$  where  $t = 0$ ,  $\text{root\_index} = \epsilon$ ; and  $w_{\text{st}}^0, w_{\text{com}}^0, v^0$  are computed above; and  $\sigma^0$  is computed as follows:

$$\begin{aligned} r_A &\leftarrow \text{Prf}(K_A, 0) \\ (\text{sk}^0, \text{vk}^0) &\leftarrow \text{Spl.Setup}(1^\lambda; r_A) \\ \sigma^0 &\leftarrow \text{Spl.Sign}(\text{sk}^0, (0, \text{root\_index}, w_{\text{st}}^0, w_{\text{com}}^0, v^0)) \end{aligned}$$

- $\text{st}^0 = ((\text{st}_{\text{II}}^0, \text{st}_{\text{Acc}}^0), d_{\text{Acc}}, b, w^0, \text{loc}) = ((\perp, \perp), \text{READ}, \perp, w_{\text{mem}}^0, \perp)$  where  $w_{\text{mem}}^0$  is computed above.
- $\text{buff}^0[1] = \dots = \text{buff}^0[m] = (\perp, \perp)$
- Now we can define the initial configuration as

$$\begin{aligned} \widetilde{\text{mem}}^0 &= (\text{store}_{\text{mem}}^0, \text{store}_{\text{st}}^0, \text{store}_{\text{com}}^0, \text{buff}^0) \\ \widetilde{\text{st}}^0 &= (\text{root\_node}^0, \perp, \text{st}^0, \text{com}^0) \end{aligned}$$

*Final step.* Finally, the compilation procedure returns the value  $\widetilde{\Pi} = ((\widetilde{\text{mem}}^0, \widetilde{\text{st}}^0), \widetilde{F})$  as output.

**Evaluation algorithm**  $\text{conf} := \text{Eval}(\widetilde{\Pi})$ : Upon receiving an obfuscated system  $\widetilde{\Pi}$ , the evaluator parse  $\widetilde{\Pi} = (\widetilde{\text{mem}}^0, \widetilde{\text{st}}^0)$ , where  $\widetilde{\text{st}}^0 = (\text{root\_node}^0, \perp, \text{st}^0, \text{com}^0)$ . It sets  $\widetilde{\text{st}}_k^0 = (\text{root\_node}^0, k, \text{st}^0, \text{com}^0)$  for  $k = 1$  to  $m$ . It then runs Algorithm 36 and carries out the result

$$(\widetilde{\text{mem}}^{t^*}, \{\widetilde{\text{st}}_k^{t^*}, \widetilde{a}_{M \leftarrow k}^{t^*}\}_{k=1}^m)$$

at the halting time  $t^*$ .

- For  $1 \leq k \leq m$ , parse:

$$\begin{aligned} \widetilde{\text{mem}}^{t^*} &= (\text{store}_{\text{mem}}^{t^*}, \text{store}_{\text{st}}^{t^*}, \text{store}_{\text{com}}^{t^*}, \text{buff}^{t^*}) \\ \widetilde{\text{st}}_k^{t^*} &= (\text{st}_k^{t^*}, k, \cdot) \\ \widetilde{a}_{M \leftarrow k}^{t^*} &= (\text{node}_k^{t^*}, \text{loc}_k^{t^*}, b_k^{t^*}) \end{aligned}$$

- For  $1 \leq k \leq m$ , let

$$a_{\mathbb{M} \leftarrow k}^{t^*} = (\text{loc}_k^{t^*}, b_k^{t^*})$$

$$a_{k \leftarrow \mathbb{M}}^{t^*} = \perp.$$

Let  $\text{mem}^{t^*} = \text{store}_{\text{mem}}^{t^*}$ .

- Return  $\text{conf} = (\{\text{st}_k^{t^*}, a_{\mathbb{M} \leftarrow k}^{t^*}, a_{k \leftarrow \mathbb{M}}^{t^*}\}_{k=1}^m, \text{mem}^{t^*})$ .



**Efficiency.** Let  $m$  be the number of CPUs,  $|F|$  be the description size of program  $F$ ,  $n$  be the description size of initial memory  $\text{mem}^0$ , computation system  $\Pi$  proceeds with time and space bound  $T$  and  $S$ . We first note the circuit size of  $\widehat{F}$  is  $|F| + O(\log m)$ , where  $\log m$  is the amount of hardwired information required in security proof (similar to Section 6.6.2). Assume that  $i\mathcal{O}$  is a circuit obfuscator with circuit size  $|i\mathcal{O}(C)| \leq \text{poly}|C|$  for given circuit  $C$ . Our  $\text{Ci}\mathcal{O}$  for PRAM has following complexity:

- Compilation time is  $\tilde{O}(\text{poly}(|F| + \log m) + n \log S)$ , where term  $n \log S$  is the time to generate initial memory  $\text{store}_{\text{mem}}^0$ .
- Compilation size is  $\tilde{O}(\text{poly}(|F| + \log m) + n)$ . Note that  $\text{store}_{\text{st}}^0$  and  $\text{store}_{\text{com}}^0$  have only constant description size because their initial values are empty.
- Parallel evaluation time is  $\tilde{O}(T \text{poly} \log m \log S)$ , where the  $\text{poly} \log m$  factor is comprised from the circuit size of  $i\mathcal{O}(\widehat{F})$  and  $\log m$  steps to proceed “branch and combine,” and  $\text{poly} \log m \log S$  factor is the multiplicative overhead of  $\text{Acc.OUpdate}$ .
- Evaluation space is  $\tilde{O}(m + S)$ , where  $m$  term is to keep CPU states of  $F$  while branch and combine, and  $S$  term is needed by  $F$  intrinsically.

**Theorem 6.15.** *Assuming  $i\mathcal{O}$  is a secure indistinguishability obfuscator,  $\text{Prf}$  is a selectively secure puncturable PRF,  $\text{Tltr}$  is a secure topological iterator,  $\text{Acc}$  is a secure positional accumulator,  $\text{Spl}$  is a secure splittable signature scheme. Then  $\text{Ci}\mathcal{O}$  is a secure computation-trace indistinguishability obfuscation with respect to  $\mathcal{P}_{\text{PRAM}}$ .*

The proof sketch can be found in Section 6.8.

## 6.8 Proof Sketch (Security for $\text{Ci}\mathcal{O}$ -PRAM)

Compared to the  $\text{Ci}\mathcal{O}$  construction in the memory-less PRAM model, there are two major differences in the construction in the standard PRAM model. Firstly, we need to verify memory inputs, which can be a value that read from memory, or a proof of the path to the writing location, against the memory accumulator. Secondly, we need to compute the memory accumulator (digest) by running oblivious algorithm  $\text{OUpdate}$  several rounds. Both differences have a similar hybridizing strategy described in previous sections, and we introduce a series of hybrids by the computation time, which is the same with that of RAM.

Hybrids to replace  $F^0$  with  $F^1$  are applied iteratively as follows.

**Verification of Memory Input.** To illustrate these hybrids, let time  $i$  be a read round for both  $F^0$  and  $F^1$ , where both program takes no input from memory and outputs a read command. Let  $\widehat{F}^i$  be a hybrid program that runs  $F^1$  if  $t < i$  with the memory digest value  $w_{\text{mem}}^{i-1}$  hardwired. Because there is no memory input, those hybrids from program  $\widehat{F}^i$  to  $\widehat{F}^{i+1}$  is identical to the combine tree described in Section 6.6.2, which replaces from  $F^0$  to  $F^1$  at  $t = i$ .

Because time  $i$  is a read step and does not change memory digest value,  $\widehat{F}^{i+1}$  also hardwires  $w_{\text{mem}}^{i-1}$ . The next round  $i + 1$  must be a write round which has an input read from memory and outputs a write command. At time  $i + 1$ ,  $\widehat{F}^{i+1}$  verifies memory inputs just as that of RAM programs, so that security proof is directly identical to that of the RAM program (Section 5.3) except we need series of hybrids for each CPU agent  $A \in [m]$ . Given the fact that the digest value is correct at time  $i + 1$ , the hybrids are to setup read enforcement for the memory input at time  $i + 1$  and to argue that read value is information-theoretically correct if it is verified by accumulator. At this step, we can safely replace the PRAM program from  $F^0$  to  $F^1$  by security of  $i\mathcal{O}$ , and then we have the next hybrid program  $\widehat{F}^{i+1, \text{OUpdate}}$  by the combine tree described in Section 6.6.2.

We continue with those hybrids of  $\text{OUpdate}$ .



**Hardwiring the Next Accumulator Digest.** Let us consider the second difference after time  $i + 1$ . It is necessary to show the digest computed by OUpdate are correct, and we need to show the result of OUpdate can be replaced by a hardwired correct memory digest  $w_{\text{mem}}^{i+1}$  at the next hybrid program  $\widehat{F}^{i+2}$ .

Firstly, an observation is that OUpdate is exactly carried through an oblivious and memory-less PRAM computation, where each CPU agent  $A$  has old digest  $w_{\text{mem}}^{i-1}$ , write location  $\text{loc}_A$ , old proof  $\pi_A$  to the location, and a bit  $b_A$  to write. Therefore, we can apply those hybrids in Section 6.5 and replace OUpdate with  $\text{OUpdate}^{i+1}$  that always output the correct new memory digest  $w_{\text{mem}}^{i+1}$  at time  $i + 1$ . In particular, we design hybrids through  $F_{\text{branch}}$  and  $F_{\text{combine}}$ , use the hybrid steps in memory-less PRAM, and then we can use (indistinguishably)  $\widehat{F}^{i+1, \text{OUpdate}^{i+1}}$  that hardwires the correct digest value as the result. Finally, we design hybrids from  $\widehat{F}^{i+1, \text{OUpdate}^{i+1}}$  to  $\widehat{F}^{i+2}$ , where the difference is only at the last round of  $\text{OUpdate}^{i+1}$ . The proof is similar to Lemma 5.11, which is to move hardwired digest from the output of  $\text{OUpdate}^{i+1}$  to input of  $\widehat{F}^{i+2}$ .

Now we have a hybridized program  $\widehat{F}^{i+2}$  that always has a correct digest value at a read round, and the hybrid can be carried iteratively to replace all  $F^0$  with  $F^1$ .

## 7 Constructing Verifiable Encoding ( $\mathcal{VE}$ )

To demonstrate the power of  $\text{CiO}$ , we first show as an example the construction of verifiable encoding ( $\mathcal{VE}$ ) for any computation model using  $\text{CiO}$  for the respective model and digital signatures.  $\mathcal{VE}$  encodes a program  $P$  and an input  $x$  into an encoding  $\text{ENC}$ , which can be decoded by the decoder to produce the computation result  $y = P(x)$  and a proof  $\pi$  which proves the correctness of the computation. Any public verifier can then check the correctness of  $y$  by verifying the proof  $\pi$ . This directly implies a two-message publicly-verifiable delegation scheme in the respective model.

### 7.1 Verifiable Encoding ( $\mathcal{VE}$ )

Formally, a verifiable encoding scheme  $\mathcal{VE}$  consists of algorithms  $\mathcal{VE} = \{\text{Encode}, \text{Decode}, \text{Verify}\}$  described below.

- $\mathcal{VE}.\text{Encode}(P, x, 1^\lambda) \rightarrow (\text{ENC}, \text{vk})$ : The encoding algorithm  $\text{Encode}$  is a randomized algorithm which takes as input the security parameter  $1^\lambda$ , the description of a RAM / PRAM program  $P$  with time bound  $T$  and space bound  $S$ , and an input  $x$ . It outputs an encoding  $\text{ENC}$  and a verification key  $\text{vk}$ .
- $\mathcal{VE}.\text{Decode}(\text{ENC}, 1^\lambda, T, S) \rightarrow (y, \pi)$ : The decoding algorithm  $\text{Decode}$  is a deterministic algorithm which takes as input the security parameter  $1^\lambda$ , time bound  $T$ , space bound  $S$ , and an encoding  $\text{ENC}$ . It outputs  $y = P(x)$  or  $\perp$ , and a proof  $\pi$ .
- $\mathcal{VE}.\text{Verify}(\text{vk}, \pi, y) \rightarrow b$ : The verification algorithm  $\text{Verify}$  is a deterministic algorithm which takes as input a verification key  $\text{vk}$ , a proof  $\pi$  and an output of the computation  $y$ . It outputs a bit  $b = 0$  or  $1$ .

**Correctness.** A verifiable randomized encoding scheme  $\mathcal{VE}$  is said to be correct if

$$\Pr[(\text{ENC}, \text{vk}) \leftarrow \mathcal{VE}.\text{Encode}(P, x, 1^\lambda); (y, \pi) \leftarrow \mathcal{VE}.\text{Decode}(\text{ENC}, 1^\lambda, T, S); b \leftarrow \mathcal{VE}.\text{Verify}(\text{vk}, \pi, y) : y = P(x) \wedge b = 1] = 1$$

**Verifiability.** A verifiable randomized encoding scheme  $\mathcal{VE}$  is said to be verifiable if for all PPT adversary  $\mathcal{A}$

$$\Pr[(\text{ENC}, \text{vk}) \leftarrow \mathcal{VE}.\text{Encode}(P, x, 1^\lambda); (\tilde{y}, \tilde{\pi}) \leftarrow \mathcal{A}(1^\lambda, T, S, \text{ENC}, \text{vk}); b \leftarrow \mathcal{VE}.\text{Verify}(\text{vk}, \tilde{\pi}, \tilde{y}) : \tilde{y} \neq P(x) \wedge b = 1] \leq \text{negl}(\lambda)$$

## 7.2 Construction for $\mathcal{VE}$

### 7.2.1 Building Blocks

Our construction uses several building blocks listed as follows:

- Let  $\text{SIG} = \{\text{Gen}, \text{Sign}, \text{Verify}\}$  be a signature scheme
- Let  $\text{CiO} = \{\text{Obf}, \text{Eval}\}$  be an indistinguishability obfuscation scheme for RAM / PRAM computation.

### 7.2.2 The Construction

We define our  $\mathcal{VE} = \{\text{Encode}, \text{Decode}, \text{Verify}\}$  for the program  $P$  and input  $x$  as follows:

**Encoding algorithm**  $(\text{ENC}, \text{vk}) \leftarrow \mathcal{VE}.\text{Encode}(P, x, 1^\lambda)$ : The encoding algorithm represents  $(P, x)$  into  $\Pi = ((\text{mem}^0, \text{st}^0), F)$  for RAM program  $P$  or  $\Pi = (\text{mem}^0, F)$  for PRAM program  $P$  with  $x$  written to  $\text{mem}^0$  sequentially. The encoding algorithm randomly choose  $r_1, r_2, r_3$ , and computes  $(\text{sk}, \text{vk}) = \text{SIG.Gen}(1^\lambda; r_1)$ . It then further compiles  $F$  into a program  $\hat{F}$  defined in Algorithm 55. Let  $\hat{\Pi} = ((\text{mem}^0, \text{st}_1^0, \dots, \text{st}_m^0), \hat{F})$ , it computes  $\text{ENC} \leftarrow \text{CiO}.\text{Obf}(1^\lambda, \hat{\Pi})$ . Finally, it outputs  $(\text{ENC}, \text{vk})$ .

---

**Algorithm 55:**  $\hat{F}$

// this program is used in  $\mathcal{VE}$

---

**Input** :  $\hat{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t), a^{\text{in}}$   
**Data:**  $T, r_1, r_2, \text{sk}$   
1 Compute  $(\text{st}^{\text{out}}, a^{\text{out}}) = F(\text{st}^{\text{in}}, a^{\text{in}})$ ;  
2 **if**  $\text{st}^{\text{out}} \neq (\text{halt}, \cdot)$  **then**  
3     Set  $\hat{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t + 1)$ ;  
4 **else**  
5     Parse  $\text{st}^{\text{out}} = (\text{halt}, y)$ ;  
6     **if**  $y = \perp$  **then**  
7         Set  $\hat{\text{st}}^{\text{out}} = \text{st}^{\text{out}}$ ;  
8     **else**  
9         Compute  $(\text{sk}, \text{vk}) = \text{SIG.Gen}(1^\lambda; r_1)$ ;  
10         Compute  $\sigma = \text{SIG.Sign}(\text{sk}, y; r_2)$ ;  
11         Set  $\hat{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, \sigma)$ ;  
12         Set  $a^{\text{out}} = \perp$ ;  
13 **Output**  $\hat{\text{st}}^{\text{out}}, a^{\text{out}}$ ;

---

**Decoding algorithm**  $(y, \pi) \leftarrow \mathcal{VE}.\text{Decode}(\text{ENC}, 1^\lambda, T, S)$ : The decoding algorithm executes  $\text{CiO}.\text{Eval}(\text{ENC})$  to obtain the configuration  $(\hat{\text{st}}_1^{t^*} = ((\text{halt}, y), \sigma), \hat{\text{st}}_2^{t^*}, \dots, \hat{\text{st}}_m^{t^*}, \text{mem}^{t^*})$  upon termination, and outputs  $(y, \pi) = (y, \sigma)$ .

**Verification algorithm**  $b \leftarrow \mathcal{VE}.\text{Verify}(\text{vk}, y, \sigma)$ : The verification algorithm outputs  $b = \text{SIG.Verify}(\text{vk}, y, \sigma)$ .

**Theorem 7.1.** *Let  $\text{CiO}$  be an indistinguishability obfuscation for computation in RAM / PRAM model,  $\text{SIG}$  be a secure signature scheme. Then  $\mathcal{VE}$  is a secure verifiable encoding scheme.*

### 7.3 Proof of Theorem 7.1 (Security for $\mathcal{VE}$ )

*Proof.* Let  $\text{Adv}_{\mathcal{A}}^\beta$  denote the advantage of the adversary  $\mathcal{A}$  in the hybrid  $\mathbf{Hyb}_\beta$ .

**Hyb<sub>0</sub>.** This is the real security experiment. The challenger chooses randomness  $r_1, r_2, r_3$ , and computes  $(\text{vk}, \text{sk}) \leftarrow \text{SIG.Gen}(1^\lambda; r_1)$ , and  $\text{ENC} \leftarrow \text{CiO}.\text{Obf}(\hat{\Pi}; r_3)$ . Note that here  $F$  has  $(r_1, r_2, \text{sk})$  hardcoded. Then the challenger returns  $(\text{ENC}, \text{vk})$  to the adversary  $\mathcal{A}$ . The adversary wins the game if it returns  $(\tilde{\pi}, \tilde{y})$  so that  $\mathcal{VE}.\text{Verify}(\text{vk}, \tilde{\pi}, \tilde{y}) = 1$  and  $\tilde{y} \neq P(x)$ .

**Hyb<sub>1</sub>.** The challenger chooses randomness  $r_1, r_2, r_3$ , and computes  $(\text{vk}, \text{sk}) \leftarrow \text{SIG.Gen}(1^\lambda; r_1)$ ,  $y = P(x)$ ,  $\sigma = \text{SIG.Sign}(\text{sk}, y; r_2)$ , and  $\text{ENC} \leftarrow \text{CiO}.\text{Obf}(\hat{\Pi}'; r_3)$ , where  $\hat{F}'$  (corresponds to  $\hat{\Pi}'$ ) has  $\sigma$  (rather than  $(r_1, r_2, \text{sk})$ ) hardcoded; see Algorithm 56.  $\square$

---

**Algorithm 56:**  $\widehat{F}'$ // this program is used in **Hyb<sub>1</sub>**

---

**Input** :  $\widehat{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t), a^{\text{in}}$   
**Data:**  $T, \sigma$

- 1 **Compute**  $(\text{st}^{\text{out}}, a^{\text{out}}) = F(\text{st}^{\text{in}}, a^{\text{in}});$
- 2 **if**  $\text{st}^{\text{out}} \neq (\text{halt}, \cdot)$  **then**
- 3     **Set**  $\widehat{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t + 1);$
- 4 **else**
- 5     **if**  $y = \perp$  **then**
- 6         **Set**  $\widehat{\text{st}}^{\text{out}} = \text{st}^{\text{out}};$
- 7     **else**
- 8         **Set**  $\widehat{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, \sigma);$
- 9         **Set**  $a^{\text{out}} = \perp;$
- 10 **Output**  $\widehat{\text{st}}^{\text{out}}, a^{\text{out}};$

---

**Analysis.** Our goal here is to show  $\text{Adv}_{\mathcal{A}}^0 \leq \text{negl}(\lambda)$ . To achieve this goal, we prove the following lemmas.

**Lemma 7.2.** *If  $\text{CiO}$  is a secure indistinguishability obfuscation for computation scheme in the RAM / PRAM model, then we have  $|\text{Adv}_{\mathcal{A}}^0 - \text{Adv}_{\mathcal{A}}^1| \leq \text{negl}(\lambda)$ .*

*Proof.* Assume there is an adversary  $\mathcal{A}$ , who can distinguish the two hybrids with non-negligible probability. By average argument, there exist  $r_1, r_2$  such that  $\mathcal{A}$  can distinguish  $\mathbf{Hyb}_0^{[r_1, r_2]}$  from  $\mathbf{Hyb}_1^{[r_1, r_2]}$ . That means  $\mathcal{A}$  can distinguish  $\text{CiO}(\widehat{\Pi})$  from  $\text{CiO}(\widehat{\Pi}')$ . □

**Lemma 7.3.** *If SIG is a secure digital signature scheme, then we have  $\text{Adv}_{\mathcal{A}}^1 \leq \text{negl}(\lambda)$ .*

*Proof.* Assume there is an adversary  $\mathcal{A}$  who wins the game in  $\mathbf{Hyb}_1$ . Based on such adversary  $\mathcal{A}$ , we show how to construct a forger  $\mathcal{B}$  to break the unforgeability of SIG as follows.

$\mathcal{B}$  internally simulates a copy of  $\mathbf{Hyb}_1$ . Upon receiving  $\text{vk}$  from  $\mathcal{B}$ 's SIG challenger,  $\mathcal{B}$  chooses  $F$  and  $x$ , and computes  $y = F(x)$ . Now  $\mathcal{B}$  queries its challenger with message  $y$  to obtain the corresponding signature  $\sigma$ . Then  $\mathcal{B}$  based on  $F$  and  $\sigma$ , constructs  $\widehat{F}'$ , and return  $\text{ENC} \leftarrow \text{CiO}.\text{Obf}(\widehat{\Pi}')$  and  $\text{vk}$  to the adversary  $\mathcal{A}$ . Whenever  $\mathcal{A}$  returns  $(\tilde{y}, \tilde{\pi})$ ,  $\mathcal{B}$  returns  $(\tilde{y}, \tilde{\sigma}) = (\tilde{y}, \tilde{\pi})$  to SIG challenger. □

## 8 Constructing $\mathcal{RE}$ in the RAM Model ( $\mathcal{RE}$ -RAM)

In this section, we showcase the power of our fully succinct  $\text{CiO}$  for RAM, and we construct the first fully succinct randomized encoding in the RAM model. Recall in Section 3.2 that, a randomized encoding of a computation instance  $(P, x)$  requires to hide everything except its output  $y = P(x)$  and runtime  $t^*$ . This requires to hide both the content and the access pattern of the computation. At a high level, our construction is a fairly natural one: we use public-key encryptions to hide the content (including the input) and oblivious RAM to hide the access pattern, and then use  $\text{CiO}$  to obfuscate the compiled computation instance. Namely, our  $\mathcal{RE}$  encoding algorithm outputs  $\tilde{\Pi} = \text{CiO}(\Pi_{\text{hide}})$ , where  $\Pi_{\text{hide}}$  is a computation instance defined by  $P_{\text{hide}}$  and  $x_{\text{hide}}$ .  $P_{\text{hide}}$  is a PKE and ORAM compiled version of  $P$ , and  $x_{\text{hide}}$  is an encrypted version of  $x$ . Namely,  $P_{\text{hide}}$  outputs encrypted CPU states and memory contents at each time step, and uses ORAM to compile its memory access (with randomness supplied by PRF for succinctness).

Intuitively, if PKE and ORAM are secure, then the computation should be hidden. However, note that, the decryption keys need to be hardwired in  $P_{\text{hide}}$  to evaluate  $P(x)$ . As  $\text{CiO}$  does not hide anything explicitly, it is not clear whether we can use the security of PKE and ORAM at all. In particular, it is unlikely that we can use the security of ORAM, since it only hides the access pattern when the CPU state and memory contents are hidden from the adversary. Indeed, hiding the access pattern is the major technical challenge to prove the security of our  $\mathcal{RE}$  construction. Next we provide an overview of our main ideas.

**Basic version:  $\mathcal{RE}$  for oblivious RAM computation** To demonstrate the ideas in our full-fledged construction, we start with the simpler case of  $\mathcal{RE}$  for *oblivious* RAM computation where the given RAM computation instance  $\Pi$  defined by  $(P, x)$  has oblivious access pattern. Namely, we assume that there is a public access function  $\text{ap}(t)$  that predicts the memory access at each time step  $t$ , which is given to the simulator. Thus, we only need to hide the content of CPU state and memory in each step of the computation, but do not need to use oblivious RAM to hide the access pattern.

For this simpler case, we can directly use techniques developed by [KLW15] to hide the content using public-key encryptions. In fact, the construction of machine-hiding encoding for TM in [KLW15] can be modified in a straightforward way to yield  $\mathcal{RE}$  for oblivious RAM computation based on  $\text{iO}$  for circuits. Our  $\text{CiO}$ -based construction presented below can be viewed as a modularization and simplification of their construction through our  $\text{CiO}$  notion.

Recall that our construction is of the form  $\mathcal{RE}.\text{Encode}(P, x) = \text{CiO}(\Pi_{\text{hide}})$ , where  $\Pi_{\text{hide}}$  is defined by  $P_{\text{hide}}$  and  $x_{\text{hide}}$ . Here, we only use PKE to compile  $P$ , and denote the compiled program as  $P_{\text{PKE}}$  instead of  $P_{\text{hide}}$ . We also denote encrypted input by  $x_{\text{PKE}}$  instead of  $x_{\text{hide}}$ . At a high level,  $P_{\text{PKE}}$  emulates  $P$  step by step, but instead of outputting the CPU state and memory content in the clear,  $P_{\text{PKE}}$  outputs an encrypted version of them.  $P_{\text{PKE}}$  also expects encrypted CPU states and memory contents as input, and emulate  $P$  on the decryption of the input. A key idea here (following [KLW15]) is to encrypt each message (either a CPU state of a memory cell) using different keys, and generate these keys (as well as encryption randomness) using puncturable PRF (PPRF), which allows us to use a standard puncturing argument (extended to work with  $\text{CiO}$  instead of  $\text{iO}$ ) to move to a hybrid where semantic security holds for a particular message so that we can “erase” the message.

In the detailed proof, we prove the security by a sequence of hybrids that “erase” the computation *backward in time*, which leads to a simulated encoding  $\text{CiO}(\Pi_{\text{Sim}})$  where all cyphertexts generated by  $P_{\text{Sim}}$  as well as in  $x_{\text{Sim}}$  are replaced by encryption of a special dummy symbol. More precisely,  $P_{\text{Sim}}$  simulates the access pattern using the public access function  $\text{ap}$  at each time step  $t < t^*$ , simply ignores the input and outputs encryptions of dummy (for both CPU state and memory content), and output  $y$  at time step  $t = t^*$ .

**Full solution:  $\mathcal{RE}$  for general RAM computation** We now turn to our full solution, and deal with the main challenge of hiding access pattern. As mentioned, our approach is a natural one, where we use oblivious RAM (ORAM) compiler to hide the access pattern. Recall that an ORAM compiler compiles a RAM program by

replacing each memory access by a *randomized* procedure OACCESS that implements to memory access in a way that hides the access pattern. Given a computation instance  $\Pi$  defined by  $(P, x)$ , we first compile  $P$  using an ORAM compiler with randomness supplied by puncturable PRF. Let  $P_{\text{ORAM}}$  denote the compiled program. We also initiate the ORAM memory by inserting the input  $x$ . Let  $x_{\text{ORAM}}$  denote the resulting memory. We then compile  $(P_{\text{ORAM}}, x_{\text{ORAM}})$  using PKE in the same way as in the basic version above. Namely, we use PPRF to generate multiple keys, and use each key to encryption a single message, including the input  $x_{\text{ORAM}}$ . Denote the resulting instance by  $(P_{\text{hide}}, x_{\text{hide}})$ . Our randomized encoding of computation instance  $(P, x)$  is now  $\tilde{\Pi} = \text{CiO}(\Pi_{\text{hide}})$ , where  $\Pi_{\text{hide}}$  is defined by  $P_{\text{hide}}$  and  $x_{\text{hide}}$ .

Note that ORAM security only holds when the adversary does not learn any content of the computation. Given the fact that CiO does not hide anything explicitly, it is unlikely that we can use the security of ORAM in a black-box way. In a previous seminal work [CHJV15], Canetti et al. provide a novel solution to this problem, and prove the security via a sequence of hybrids that “erase” the computation *forward* in time. Unfortunately, their solution incurs dependency on the space complexity of the RAM program, and thus is not fully succinct.

To solve this problem, we rely on the specific ORAM construction of [CP13] (referred to as CP ORAM hereafter), and develop a puncturing technique to reason about the simulation. As in our basic version, we prove the security by a sequence of hybrids that “erase” the computation *backward in time*. At a very high level, to move from the  $i$ -th hybrid to the  $(i - 1)$ -th hybrid, i.e., erase the computation at  $i$ -th time step, we “puncture” ORAM at time step  $i$  (i.e., the  $i$ -th memory access), which enables us to replace the access pattern by a simulated one at this time step. We can then move to the  $(i - 1)$ -th hybrid by replacing the access pattern, erasing the content and computation, and undoing the “puncturing.”

Puncturing the ORAM access pattern cleanly could be very subtle. Note that the access pattern at time step  $i$  is generated at the latest time step  $t'$  that access the same memory location as time step  $i$ ; this last access time  $t'$  can be much smaller than  $i$ , so the puncturing may cause global changes in the computation. Thus, moving to the punctured hybrid, i.e., the  $(i - 1)$ -th hybrid in the previous paragraph, requires a sequence of sub-hybrids that modifies the computation step by step. We therefore further introduce an auxiliary “*partially puncturing*” to achieve this goal. This completes the overview of our main ideas. In the detailed proof in Section 8.4, we will elaborate the above ideas.

**Section Outline.** The remaining of this section will be organized as follows. We will first list all required building blocks in Section 8.1 and then review the CP ORAM in Section 8.2. Next we provide the  $\mathcal{RE}$  construction details in Section 8.3, and finally, we prove the security in Section 8.4.

## 8.1 Building Blocks

In our  $\mathcal{RE}$  construction in Section 8.3, we will use several building blocks:

- Public-key encryption scheme  $\text{PKE} = \text{PKE}.\{\text{Gen}, \text{Encrypt}, \text{Decrypt}\}$  with IND-CPA security. Here we use  $\ell_1 = \ell_1(\lambda)$  bits of randomness in  $\text{PKE.Gen}$ , and  $\ell_2 = \ell_2(\lambda)$  bits of randomness in  $\text{PKE.Encrypt}$  respectively; we let  $\ell_{\text{rnd}} = \ell_1 + \ell_2$ , and assume the ciphertext length in  $\text{PKE.Encrypt}$  is  $\ell_3$ .
- Puncturable PRF scheme  $\text{PPRF} = \text{PPRF}.\{\text{Setup}, \text{Puncture}, \text{Eval}\}$  with key space  $\mathcal{K}$ , punctured key space  $\mathcal{K}_{\text{punct}}$ , domain  $[T] \cup ([T] \times [\log n])$ , and range  $\{0, 1\}^{\ell_{\text{rnd}}}$ .
- Computation-trace indistinguishability obfuscation scheme in the RAM model,  $\text{CiO} = \text{CiO}.\{\text{Obf}, \text{Eval}\}$ .
- The oblivious RAM compiler by Chung and Pass [CP13].

The computation-trace indistinguishability obfuscation for RAM has been introduced and constructed in Sections 4.1 and 5.2. In the next subsection, we review the oblivious RAM compilation technique in [CP13].

We also use several primitives in vector form (Section 8.3), and they are defined here for completeness. Bold face symbols, such as  $\mathbf{pk}$ ,  $\mathbf{sk}$ ,  $\mathbf{r}$ , and  $\mathbf{dummy}$ , denote vectors, and a vector  $\mathbf{v}$  concatenated with index  $i$  in square brackets  $\mathbf{v}[i]$  denotes the  $i$ th element in  $\mathbf{v}$ . The public key encryption scheme is generalized to vector form as follows:

- $\text{PKE.Gen}(1^\lambda; \mathbf{r})$ : The key generating algorithm takes as input the security parameter  $\lambda$  and a vector of randomness  $\mathbf{r}$ . It outputs vector of pairs of public and secret keys  $(\mathbf{pk}, \mathbf{sk})$ , where  $(\mathbf{pk}[i], \mathbf{sk}[i]) = \text{PKE.Gen}(1^\lambda, \mathbf{r}[i])$  for each  $i$ .
- $\text{PKE.Encrypt}(\mathbf{pk}, \mathbf{m}; \mathbf{r})$ : The encrypting algorithm takes as input a vector of public keys  $\mathbf{pk}$ , a vector of messages  $\mathbf{m}$ , and a vector of randomness  $\mathbf{r}$ . It outputs a vector of ciphertext  $\mathbf{c}$ , where  $\mathbf{c}[i] = \text{PKE.Encrypt}(\mathbf{pk}[i], \mathbf{m}[i], \mathbf{r}[i])$  for each  $i$ .
- $\text{PKE.Decrypt}(\mathbf{sk}, \mathbf{c})$ : The decrypting algorithm takes as input a vector of secret keys  $\mathbf{sk}$  and a vector of ciphertext  $\mathbf{c}$ . It outputs a vector of messages  $\mathbf{m}$ , where  $\mathbf{m}[i] = \text{PKE.Decrypt}(\mathbf{sk}[i], \mathbf{c}[i])$  for each  $i$ .

The puncturable PRF scheme is generalized to vector form as follows, and we did not extend the puncturing procedure `Puncture`.

- $\text{Prf}(K, \mathbf{x})$ : The pseudorandom function takes as input the key  $K$  and a vector  $\mathbf{x}$ . It outputs vector of pseudorandom numbers  $\mathbf{r}$ , where  $\mathbf{r}[i] = \text{Prf}(K, \mathbf{x}[i])$  for each  $i$ .
- $\text{PPRF.Eval}(K\{x'\}, \mathbf{x})$ : The pseudorandom function takes as input the punctured key  $K\{x'\}$  and a vector  $\mathbf{x}$ . It outputs vector of pseudorandom numbers  $\mathbf{r}$ , where  $\mathbf{r}[i] = \text{PPRF.Eval}(K\{x'\}, \mathbf{x}[i])$  for each  $i$ .

## 8.2 Recap: The CP-ORAM

As mentioned in the section summary above, we use ORAM techniques to hide the access pattern. Our construction is essentially based on the ORAM compilation technique by Chung and Pass [CP13]; for short, we call it CP-ORAM. We believe that our construction can also be based on all existing tree-based ORAM compilation techniques [SCSL11]. Below, we give an overview of CP-ORAM; please refer to [CP13] for more details. For better presentation, we use both function program and next-step program to describe the programs that used in our construction.

In CP ORAM (as well as all tree-based ORAM), the memory is stored in a complete binary tree (called ORAM tree), where each node of the tree is associated with a bucket that can store a few memory blocks. A position map  $\text{Pos}$  is used to record where each memory block is stored in the tree, where a block  $b$  is stored in a node somewhere along a path from the root to the leaf indexed by  $\text{Pos}[b]$ . Each memory block  $b$  in the ORAM tree also stores its index  $b$  and position map value  $\text{Pos}[b]$  as meta data. Each memory access (say, to block  $b$ ) is performed by `OACCESS`, which (i) reads the position map value  $pos = \text{Pos}[b]$  and refresh  $\text{Pos}[b]$  to a random value, (ii) fetches and remove the block  $b$  from the path, (iii) updates the block content and puts it back to the root, and (iv) performs a flush operation along another random path  $pos'$  to move the blocks down along  $pos'$  (subject to the condition that each block is stored in the path specified by their position map value). At a high level, the security follows by the fact that the position map values are uniform and hidden from the adversary, and thus the access pattern of each `OACCESS` is simply two uniformly random paths, which is trivial to simulate. This completes the basic version of CP ORAM. The details can be found in Section 8.2.1. The position map is large in the above basic version and is recursively outsourced to lower level ORAM structures to reduce its size. See Section 8.2.2 for more details.

### 8.2.1 Basic version: ORAM with $\Theta(n)$ registers

We here present the basic version of CP-ORAM. Consider memory be an array with  $n$  cells. The CP compiler can transform a given program  $P$  into a new program  $P_o$ , which replaces the memory access instructions by the oblivious memory access algorithm OACCESS. More concretely, each memory access command  $\text{READ}(\text{loc})$  and  $\text{WRITE}(\text{loc}, \text{val})$  is replaced by corresponding commands  $\text{OACCESS}(\text{loc}, \perp)$  and  $\text{OACCESS}(\text{loc}, \text{val})$  respectively which will be specified shortly. The new program  $P_o$  has the same registers as  $P$  and additionally has  $n/\alpha$  registers for storing a *position map*  $\text{Pos}$ , plus a polylogarithmic number of additional *work* registers used by OACCESS, where  $\alpha \geq 2$  is a constant to ensure that the position map is smaller than the memory size. In its external memory,  $P_o$  will maintain a complete binary tree  $\Gamma$  of depth  $\log(n/\alpha)$ ; we index nodes in the tree by a binary string of length at most tree depth  $\log(n/\alpha)$ , where the root is indexed by the empty string  $\epsilon$ , and each node indexed by  $\gamma$  has left and right children indexed  $\gamma 0$  and  $\gamma 1$ , respectively. Each memory cell at location  $\text{loc}$  will be associated with a random leaf  $\text{pos}$  in the tree, specified by the position map  $\text{Pos}$ ; as we shall see shortly, the memory cell  $\text{loc}$  will be stored at one of the nodes on the path from the root  $\epsilon$  to the leaf  $\text{pos}$ . We assign a *block* of  $\alpha$  consecutive memory cells to the same leaf; thus any memory cell  $\text{loc}$  corresponding to block  $b = \lfloor \text{loc}/\alpha \rfloor$  will be associated with leaf  $\text{pos} = \text{Pos}(b)$ .

Each node in the tree is associated with a *bucket* which stores (at most)  $K$  tuples  $(b, \text{pos}, v)$ , where  $v$  is the content of block  $b$  and  $\text{pos}$  is the leaf associated with the block  $b$ , and  $K \in \omega(\log n) \cap \text{poly} \log(n)$  is a parameter that will determine the security of the ORAM (thus each bucket stores  $K(\alpha + 2)$  words). A bucket may store 0 to  $K$  valid tuples, and each empty slot in the bucket is denoted as  $\text{Empty} = (\perp, \perp, \perp)$ . We assume that all registers and memory cells are initialized with a special symbol  $\perp$ , and all buckets are initialized with  $\text{Empty}$ .

The following is a specification of the  $\text{OACCESS}(\text{loc}, \text{val})$  procedure:

**Update Position Map:** Pick a uniformly random leaf  $\text{pos}' \leftarrow [n/\alpha]$

**Fetch:** Let  $b = \lfloor \text{loc}/\alpha \rfloor$  be the block containing memory cell  $\text{loc}$  (in the original database), and let  $i = \text{loc} \bmod \alpha$  be  $\text{loc}$ 's component within the block  $b$ . We first look up the position of the block  $b$  using the position map:  $\text{pos} = \text{Pos}(b)$  and let  $\text{Pos}(b) = \text{pos}'$ ; if  $\text{pos} = \perp$ , then choose a uniformly random leaf  $\text{pos} \leftarrow [n/\alpha]$ .

Next, traverse the data tree from the root to the leaf  $\text{pos}$ , making exactly one  $\text{READ}$  and one  $\text{WRITE}$  operation for the memory bucket associated with each of the nodes along the path. More precisely, we read the content once, and then we either write it back (unchanged), or we simply “erase it” (writing  $\perp$ ) so as to implement the following task: search for a tuple of the form  $(b, \text{pos}, v)$  for the desired  $b, \text{pos}$  in any of the nodes during the traversal; if such a tuple is found, remove it from its place in the tree and set  $v$  to the found value, and otherwise set  $v = \perp$ . Finally, return the  $i$ th component of  $v$  as the output of the  $\text{OACCESS}(\text{loc}, \text{val})$  operation.

**Put Back:** If  $\text{val}$  is not  $\perp$  (which means this is a  $\text{WRITE}$ ), let  $v'$  be the string  $v$  but the  $i$ th component is set to  $\text{val}$ . Otherwise, let  $v' = v$ . Add the tuple  $(b, \text{pos}', v')$  to the root  $\epsilon$  of the tree. If there is not enough space left in the root bucket, abort and output `overflow`.

**Flush:** Pick a uniformly random leaf  $\text{pos}'' \leftarrow [n/\alpha]$  and traverse the tree from the root to the leaf  $\text{pos}''$ , making exactly one  $\text{READ}$  and one  $\text{WRITE}$  operation for every memory cell associated with the nodes along the path so as to implement the following task: “push down” each tuple  $(b, \text{pos}, v)$  that read in the nodes traversed so far as possible along the path to  $\text{pos}''$  while ensuring that the tuple is still on the path to its associated leaf  $\text{pos}$  (that is, the tuple ends up in the node  $\gamma = \text{longest common prefix of } \text{pos} \text{ and } \text{pos}''$ .) Note that this operation can be performed trivially as long as the CPU has sufficiently many work registers to load two whole buckets into memory; since the bucket size is polylogarithmic, this is possible. If at any point some bucket is about to overflow, abort and output `overflow`.



We overloaded the second parameter of OACCESS to replace both READ and WRITE with the special symbol  $\perp$  in the “Put Back” steps. Note that with all input including  $\text{val} = \perp$ , OACCESS always outputs the original memory content of the memory cell  $\text{loc}$ ; this feature will be useful in the “full-fledged” construction.

### 8.2.2 The full-fledged construction: ORAM with poly log registers

The full-fledged construction of the CP ORAM proceeds as above, except that instead of storing the position map in registers in the CPU, we now recursively store them in another ORAM (which only needs to operate on  $n/\alpha$  memory cells, but still using buckets that store  $K$  tuples). Recall that each invocation of OACCESS requires reading one position in the position map and updating its value to a random leaf; that is, we need to perform a *single* recursive OACCESS call (recall that OACCESS updates the value in a memory cell, and returns the old value) to emulate the position map.

At the base of the recursion, when the position map is of constant size, we use the trivial ORAM construction which simply stores the position map in the CPU registers.

### 8.2.3 Notations for CP ORAM compilation

We use  $\text{CP-ORAM}\{\text{Compile}, \text{Eval}\}$  to denote the CP ORAM scheme described above, where Compile and Eval denote the compilation and evaluation algorithms respectively. As mentioned before, the CP ORAM can compile a given RAM program  $P$  into a new RAM program  $P_o$  by replacing the memory access instructions with the oblivious memory access algorithm OACCESS; we now write

$$P_o = \text{CP-ORAM.Compile}(P, \text{OACCESS})$$

We next represent the oblivious access pattern algorithm in [CP13],  $\text{OACCESS}\{K_N\}$  in Algorithm 57. The involved randomness is produced by invoking Prf with a key  $K_N$  and the time parameter  $t$ . If not specified, we use OACCESS instead of  $\text{OACCESS}\{K_N\}$  for simplicity. Other detailed routines are abstracted as follows:

- $\text{PATH}(d, \text{pos})$  outputs the path  $\mathbf{I}$  from root  $\epsilon$  to leaf  $\text{pos}$  in the  $d$ th ORAM tree  $\Gamma_d$ , where  $d$  is the recursion level of OACCESS.
- $\text{FETCHANDUPDATE}(\mathbf{B}_{\text{fetch}}, \text{loc}, \text{val}, \alpha, \text{pos}, \text{newpos})$  performs the “Fetch” and “Put Back” steps.
- $\text{FLUSH}(\mathbf{B}_{\text{flush}}, \text{pos}'')$  performs “Flush” steps from tree root to leaf  $\text{pos}''$ . We remark that there is a negligible probability (w.r.t. bucket size  $K$ ) that overflow occurs at this step. For simplicity, we just assume that OACCESS is supplied with a “good” randomness<sup>23</sup>.

We remark that OACCESS initializes the memory during the compilation, and the compiled program is still a RAM program. Therefore the evaluation algorithm Eval is a standard evaluation algorithm for RAM programs. In addition, we could be able to construct a simulation algorithm SIMOACCESS to generate statistically indistinguishable memory access pattern, and define a simulated RAM program  $P_{o,\text{sim}}$  base on SIMOACCESS, and we write

$$P_{o,\text{sim}} = \text{CP-ORAM.Compile}(\text{SIMOACCESS})$$

We note that the simulated access pattern is independent of the original program  $P$ .

<sup>23</sup> If the honest encoding overflowed, then an adversary could distinguish that from a simulated one. However, the overall probability to distinguish the honest is still negligible because the probability to overflow is negligible.

---

**Algorithm 57:**  $\text{OACCESS}\{K_N\}$ : the recursive ORAM accessing function

---

**Input** :  $t, d, \text{loc}, \text{val}$   
**Output**:  $\text{oldval}$   
**Data**:  $K_N, \alpha, \text{MaxDepth}$  (Memory size  $S = \alpha^{\text{MaxDepth}}$ )

- 1 **if**  $d \geq \text{MaxDepth}$  **then**
- 2     **return** 0
- 3 Pick leaf  $\text{newpos}$  at recursion level  $d$  based on  $\text{Prf}(K_N, (t, d, \text{FetchR}))$ ; // Update position map
- 4  $\text{pos} \leftarrow \text{OACCESS}(d + 1, \lfloor \text{loc}/\alpha \rfloor, \text{newpos})$ ; // Fetch
- 5  $\mathbf{I}_{\text{fetch}} \leftarrow \text{PATH}(d, \text{pos})$ ;
- 6  $\mathbf{B}_{\text{fetch}} \leftarrow \text{READ}(\mathbf{I}_{\text{fetch}})$ ;
- 7  $(\mathbf{B}_{\text{fetch}}^{\text{out}}, \text{oldval}) \leftarrow \text{FETCHANDUPDATE}(\mathbf{B}_{\text{fetch}}, \text{loc}, \text{val}, \alpha, \text{pos}, \text{newpos})$ ;
- 8  $\text{WRITE}(\mathbf{I}_{\text{fetch}}, \mathbf{B}_{\text{fetch}}^{\text{out}})$ ;
- 9 Pick leaf  $\text{pos}''$  at recursion level  $d$  based on  $\text{Prf}(K_N, (t, d, \text{FlushR}))$ ; // Flush
- 10  $\mathbf{I}_{\text{flush}} \leftarrow \text{PATH}(d, \text{pos}'')$ ;
- 11  $\mathbf{B}_{\text{flush}} \leftarrow \text{READ}(\mathbf{I}_{\text{flush}})$ ;
- 12  $\mathbf{B}_{\text{flush}}^{\text{out}} \leftarrow \text{FLUSH}(\mathbf{B}_{\text{flush}}, \text{pos}'')$ ;
- 13  $\text{WRITE}(\mathbf{I}_{\text{flush}}, \mathbf{B}_{\text{flush}}^{\text{out}})$ ;
- 14 **return**  $\text{oldval}$ ;

---

### 8.2.4 ORAM compilation of a computation system

Next, we describe how to use CP-ORAM to compile a computation system. We overload the notations above and for a given next-step program, we also write

$$F_o = \text{CP-ORAM.Compile}(F, \text{OACCESS})$$

Given a RAM computation system  $\Pi = ((\text{mem}^0, \text{st}^0), F)$ , we compile it into  $\Pi_o$  as follows. First, the compilation runs  $\text{OACCESS}$  to initialize  $\text{mem}_o^0$  for each non-empty memory cell in  $\text{mem}^0$ , and sets  $\text{st}_o^0 = \text{Init}$ . Then the compilation transforms next-step program  $F$  into a new next-step program  $F_o$ . Finally it outputs  $\Pi_o := ((\text{mem}_o^0, \text{st}_o^0), F_o)$ . We abuse the notation again, and write

$$\Pi_o = \text{CP-ORAM.Compile}(\Pi, \text{OACCESS})$$

Similarly, based on  $\text{SIMOACCESS}$ , we can define  $F_{o, \text{sim}}$  and write

$$F_{o, \text{sim}} = \text{CP-ORAM.Compile}(\text{SIMOACCESS})$$

**Compiled next-step program  $F_o$ .** For readability, we present  $F_o$  as a stateful, next-step program that reads or writes a complete ORAM tree path (rather than one memory cell) in each round, while the locations of memory cells on this path are denoted with a vector  $\mathbf{I}$ , as follows:

$$(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) \leftarrow F_o(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$$

Here  $F_o$  takes as input, round counter  $t$  of the given program  $F$ , state  $\text{st}^{\text{in}}$ , a vector of input locations  $\mathbf{I}^{\text{in}}$ , a vector of input values  $\mathbf{B}^{\text{in}}$ , and outputs state  $\text{st}^{\text{out}}$ , a vector of output locations  $\mathbf{I}^{\text{out}}$ , a vector of output values  $\mathbf{B}^{\text{out}}$ . We note that the efficiency does not suffer too much in this vectorized notation because any path in the ORAM tree has length  $\log(n)$ , and it is straightforward to transform it to a cell-wise function. ORAM compiled program has a multiplicative overhead  $q_o$  in computation time. We denote the time counter of program  $F$  as  $t$  and denote the time counter of  $F_o$  as  $t$ , where  $t = \lceil t/q_o \rceil$ . In the remaining of this section (Section 8), Both time metrics are used when simulating access patterns.

We further abuse the notation of the READ and WRITE operations in OACCESS such that they now work on vector of locations  $\mathbf{I}$  and values  $\mathbf{B}$ . In particular,  $F_o$  has the following output cases:

1. A round with no READ nor WRITE memory command outputs both  $\mathbf{I}$  and  $\mathbf{B}$  as an empty set.
2. A round with READ memory command outputs  $\mathbf{I}$  as a vector of locations to read and  $\mathbf{B}$  as an empty set.
3. A round with WRITE memory command outputs  $\mathbf{I}$  as a vector of locations to write and  $\mathbf{B}$  as a vector of values to write.

### 8.3 Construction for $\mathcal{RE}$ -RAM

A randomized encoding of a computation instance  $(P, x)$  hides everything about the computation instance except its output  $y = P(x)$  and runtime  $t^*$ . This requires hiding both the content and the access pattern of the computation. We follow a natural construction idea: we use public-key encryptions to hide the content (including the input) and oblivious RAM to hide the access pattern, and then use CiO to obfuscate the compiled computation instance. Namely, our  $\mathcal{RE}$  encoding algorithm outputs  $\text{CiO}(\Pi_{\text{hide}})$  as the encoding, where  $\Pi_{\text{hide}}$  is defined by  $P_{\text{hide}}$  and  $x_{\text{hide}}$ .  $P_{\text{hide}}$  is a PKE and ORAM compiled version of  $P$ , and  $x_{\text{hide}}$  is an encrypted version of  $x$ . Namely,  $P_{\text{hide}}$  outputs encrypted CPU states and memory contents at each time step, and uses ORAM to compile its memory access.

More concretely, our construction of  $\mathcal{RE}$  in the RAM model is split into four major steps: **(i)** given a RAM program  $P$  and its input  $x$ , we interpret it as a RAM computation  $\Pi$ ; **(ii)** we compile  $\Pi$  into  $\Pi_o$  using CP-ORAM compiler to hide the access pattern; **(iii)** we transform  $\Pi_o$  into  $\Pi_e$ , which further hides the content in the computation system; and **(iv)** we obfuscate  $\Pi_e$  into ENC using CiO for RAM. Formally, we construct our  $\mathcal{RE} = \mathcal{RE}.\{\text{Encode}, \text{Decode}\}$  for the RAM program  $P$  and input  $x$  as follows:

**Encoding algorithm**  $\text{ENC} \leftarrow \mathcal{RE}.\text{Encode}(P, x, 1^\lambda)$ : The encoding algorithm takes the following steps to generate the encoding ENC.

- Upon receiving the description of RAM program  $P$  and an input value  $x$ , first, the encoding algorithm transforms them into a computation system. It represents  $P$  into a next-step program  $F$ , and stores  $x$  into the memory, i.e., sets  $\text{mem}^0 := x$ . Then it sets  $\text{st}^0 := \text{Init}$ , and defines the following computation system in the RAM model

$$\Pi = ((\text{mem}^0, \text{st}^0), F)$$

- Second, the encoding algorithm hides the access pattern in the computation system. It randomly chooses puncturable PRF key  $K_N \leftarrow \text{PPRF}.\text{Setup}(1^\lambda)$ . Then it runs the CP-ORAM compilation described in Section 8.2, i.e.,  $\Pi_o = \text{CP-ORAM}.\text{Compile}(\Pi, \text{OACCESS}\{K_N\})$  and obtains

$$\Pi_o = ((\text{mem}_o^0, \text{st}_o^0), F_o)$$

- Third, the encoding algorithm further hides the content in the memory and in the CPU state. That is, it transforms  $\Pi_o$  into

$$\Pi_e = ((\text{mem}_e^0, \text{st}_e^0), F_e)$$

Here the encoding algorithm randomly chooses puncturable PRF key  $K_E \leftarrow \text{PPRF}.\text{Setup}(1^\lambda)$ , and generates an initial configuration of the encrypted version of memory and CPU state as follows:

To initialize memory  $\text{mem}_e^0$ , the encoding algorithm parses  $\text{mem}_o^0$  as ORAM trees  $\{\Gamma\}$ , and for each  $\Gamma$  it further parses all paths  $\mathbf{I}$  from root to leaf. For each path  $(\mathbf{I}, \mathbf{B})$  with its index  $\mathbf{I}$  and buckets  $\mathbf{B}$ , the

encoding algorithm computes

$$\begin{aligned}
(\mathbf{r}_1^0, \mathbf{r}_2^0) &= \text{Prf}(K_E, (\mathbf{lw}^0, h(\mathbf{I}))) \text{ where } \mathbf{lw}^0 = \mathbf{0}, \\
(\mathbf{pk}^0, \mathbf{sk}^0) &= \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^0), \\
\mathbf{B}[i] &= \begin{cases} \text{PKE.Encrypt}(\mathbf{pk}^0[i], \mathbf{B}[i]), & \text{if } \mathbf{B}[i] \text{ stores any valid block} \\ \mathbf{B}[i], & \text{otherwise,} \end{cases}
\end{aligned}$$

where  $h$  is a function to compute the “height” of elements in vector  $\mathbf{I}$ . That is, for any vector  $\mathbf{I}$  of length  $|\mathbf{I}|$ , define  $h(\mathbf{I}) = (1, 2, \dots, |\mathbf{I}|)$ . For each non-empty encrypted bucket  $\mathbf{B}[i]$ , store  $(\mathbf{B}[i], 0)$  to its corresponding location  $\mathbf{I}[i]$  in  $\text{mem}_e^0$ , which are the encrypted ORAM trees. Because many buckets are empty and never touched while OACCESS initializes  $\text{mem}_e^0$ , we represent  $\text{mem}_e^0$  and  $\text{mem}_e^0$  in sparse arrays for efficiency, where only those non-empty buckets are stored and processed with encryption. Therefore, the encoding time and space of  $\text{mem}_e^0$  are both efficient.

In addition, the encoding algorithm computes  $(r_3^0, r_4^0) = \text{Prf}(K_E, 0)$ ,  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^0)$ , and  $\text{st}^0 \leftarrow \text{PKE.Encrypt}(pk_{\text{st}}, \text{st}_o^0)$ . Then it sets  $\text{st}_e^0 = (\text{st}^0, 0)$ .

The encoding algorithm then upgrades  $F_o$ , into a more sophisticated next-step program  $F_e$  which decrypts its inputs, performs the computation of  $\Pi_o$ , and encrypts its outputs. Please refer to Algorithm 58 for more details of  $F_e$ . Because there are non-encrypted empty buckets in  $\text{mem}_e^0$ , the procedure  $\text{PKE.Decrypt}$  to decrypt  $\mathbf{B}^{\text{in}}$  in  $F_e$  is augmented to ignore any empty bucket in  $\text{mem}_e^0$ , that is for each  $i$

$$\mathbf{B}^{\text{in}}[i] = \begin{cases} \text{PKE.Decrypt}(\mathbf{sk}[i], \mathbf{B}^{\text{in}}[i]), & \text{if } \mathbf{B}^{\text{in}}[i] \neq \text{empty bucket} \\ \mathbf{B}^{\text{in}}[i], & \text{otherwise.} \end{cases}$$

This technique is applied to eliminate the dependency of memory size  $S$  from the complexity of encoding size and time, and we summarize it in Table 4.

Note that  $F_e$  (Algorithm 58) abuses the notation of  $\text{Prf}$ ,  $\text{PKE.Gen}$ ,  $\text{PKE.Encrypt}$ ,  $\text{PKE.Decrypt}$ , which computes on a vector of inputs and returns a vector of outputs. Please refer to Section 8.1 for formal description.

- Finally, the encoding algorithm computes  $\text{ENC} \leftarrow \text{CiO.Obf}(1^\lambda, \Pi_e)$  and outputs  $\text{ENC}$ .

Table 4: Techniques to improve encoding efficiency.

Observation	Technique to encode input efficiently	Corresponding shorthand in program $F_e$
Input data in ORAM tree structure is sparse	Encrypt only those buckets have data	For each encrypted bucket $\mathbf{B}^{\text{in}}$ , decrypt ciphertext except empty bucket

**Decoding algorithm**  $y \leftarrow \mathcal{RE}.Decode(\text{ENC}, 1^\lambda, T, S)$ : Upon receiving the encoding  $\text{ENC}$ , the decoding algorithm executes  $\text{CiO.Eval}(\text{ENC})$ . If the decoding algorithm does not terminate in  $T$  steps, then it outputs  $y := \perp$ . Otherwise, if it terminates at step  $t^*$ , and obtains  $(\widetilde{\text{mem}}^{t^*}, \widetilde{\text{st}}^{t^*})$  where  $\widetilde{\text{st}}^{t^*} = (\text{halt}, y)$  then it outputs  $y$ .

It is straightforward to verify the correctness of the above construction. Next, we describe the efficiency and then present a theorem for its security.

---

**Algorithm 58:**  $F_e$ 

---

**Input** :  $\tilde{\mathbf{st}}^{\text{in}} = (\mathbf{st}^{\text{in}}, t)$ ,  $\tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \mathbf{lw}^{\text{in}}))$

**Data:**  $T, K_E, K_N$

- 1 Compute  $t = \lceil t/q_o \rceil$ , where  $q_o$  is the ORAM compilation overhead
  - 2 Compute  $(\mathbf{r}_1^{\text{in}}, \mathbf{r}_2^{\text{in}}) = \text{Prf}(K_E, (\mathbf{lw}^{\text{in}}, h(\mathbf{I}^{\text{in}})))$ ;      // For any vector  $\mathbf{I}$  of length  $|\mathbf{I}|$ , define  $h(\mathbf{I}) = (1, 2, \dots, |\mathbf{I}|)$
  - 3 Compute  $(\mathbf{pk}^{\text{in}}, \mathbf{sk}^{\text{in}}) = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{in}})$ ;
  - 4 Compute  $\mathbf{B}^{\text{in}} = \text{PKE.Decrypt}(\mathbf{sk}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
  - 5 Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t-1)$ ;
  - 6 Compute  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
  - 7 Compute  $\mathbf{st}^{\text{in}} = \text{PKE.Decrypt}(sk_{\text{st}}, \mathbf{st}^{\text{in}})$ ;
  
  - 8 Compute  $(\mathbf{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o(t, \mathbf{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
  
  - 9 Set  $\mathbf{lw}^{\text{out}} = (t, \dots, t)$ ;
  - 10 Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\mathbf{lw}^{\text{out}}, h(\mathbf{I}^{\text{out}})))$ ;
  - 11 Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
  - 12 Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}^{\text{out}}; \mathbf{r}_2^{\text{out}})$ ;
  - 13 **if**  $\mathbf{st}^{\text{out}} \neq (\text{halt}, \cdot)$  **then**
  - 14     Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
  - 15     Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
  - 16     Compute  $\mathbf{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \mathbf{st}^{\text{out}}; r_4^t)$ ;
  - 17 **else**
  - 18     Output  $\tilde{\mathbf{st}}^{\text{out}} = \mathbf{st}^{\text{out}}$
  - 19 Output  $\tilde{\mathbf{st}}^{\text{out}} = (\mathbf{st}^{\text{out}}, t+1)$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \mathbf{lw}^{\text{out}}))$ ;
-

**Efficiency.** Let  $|F|$  be the description size of program  $F$ ,  $n$  be the size of input  $x$ ,  $F$  computes on  $x$  with time and space bound  $T$  and  $S$ . Assuming  $\text{CiO}$  has compilation time  $O(\text{poly}(|F|) + n \log S)$ , ciphertext size  $O(\text{poly}(|F|) + n)$ , evaluation time  $O(\log S)$  multiplicative, and evaluation space proportional to  $S$ . Observing only constant amount of information is hardwired throughout our security proof (Section 8.4), our  $\mathcal{RE}$  has following complexity:

- Encoding time is  $\tilde{O}(\text{poly}|F| + n \text{poly} \log S)$ , where a  $\text{poly} \log S$  factor is comprised from ORAM initialization.
- Encoding size is  $\tilde{O}(\text{poly}|F| + n \log S)$ , where ORAM contributes a  $\log S$  overhead.
- Decoding time is  $\tilde{O}(T \text{poly} \log S)$ , where both ORAM contributes a  $\text{poly} \log S$  factor.
- Decoding space is  $\tilde{O}(S \log S)$ , which is the standard ORAM overhead.

**Security.** We now prove the following theorem that the randomized encoding scheme  $\mathcal{RE}$  described above is secure. Please refer to Section 3.2 for the security definition of randomized encoding scheme.

**Theorem 8.1.** *Let PKE be an IND-CPA secure public key encryption scheme, CiO be a computation-trace indistinguishability obfuscation scheme in RAM model, Prf be a secure puncturable PRF scheme. Then  $\mathcal{RE}$  is a secure randomized encoding scheme.*

The security proof can be found in Section 8.4.

## 8.4 Proof of Theorem 8.1 (Security for $\mathcal{RE}$ -RAM)

In this subsection, we provide the security proof for our  $\mathcal{RE}$  scheme. Following the security definition of randomized encoding scheme, in order to prove that our construction achieve the hiding property, in Section 8.4.1 we first present a simulator which generates a simulated encoding. Then in Section 8.4.2, we outline the main hybrids to prove that the simulated encoding is indistinguishable from the encoding generated in our  $\mathcal{RE}$  scheme. As highlighted in technical overview in Section 2, our proof here is highly non-trivial, and we use “backward in time” hybrid argument by [KLW15] in Section 8.4.3, and introduce “puncturing ORAM” technique in Section 8.4.4, and more fine-grained “partial puncturing” technique in Section 8.4.5. In order to present our proof in a better way, we formulate several technical lemmas. In the proof of each technical lemma, we first give high-level intuitions, and then present the proof details.

### 8.4.1 Real and Ideal Experiments

Recall that in our construction, the generated encoding is of the form  $\text{CiO}(P_{\text{hide}}, x_{\text{hide}})$ , where  $P_{\text{hide}}$  is a compiled version of  $P$ , and  $x_{\text{hide}}$  is an encrypted version of  $x$ . To prove the security, i.e., hiding, of our  $\mathcal{RE}$ , we need, via a sequence of hybrids, obtain a simulated encoding  $\text{CiO}(P_{\text{sim}}, x_{\text{sim}})$  where all encryptions generated by  $P_{\text{sim}}$  as well as in  $x_{\text{sim}}$  are replaced by encryption of a special `dummy` symbol. More precisely,  $P_{\text{sim}}$  simulates the access pattern by applying the known public strategy and at each time step  $t < t^*$ , simply ignores the input and outputs encryptions of `dummy` (for both CPU state and memory content), and output  $y$  at time step  $t = t^*$ . More concretely, we consider two security experiments, **Real** and **Ideal**:

- in **Real**, the adversary  $\mathcal{A}$  is given the encoding  $\text{ENC}$  which is generated as in the  $\mathcal{RE}$  scheme, i.e.,  $\text{ENC} \leftarrow \mathcal{RE}.\text{Encode}(P, x, 1^\lambda)$ .
- in **Ideal**, the adversary  $\mathcal{A}$  is given the emulated encoding  $\text{ENC}_{\text{sim}}$  which is generated by a simulator  $\mathcal{S}$ , i.e.,  $\text{ENC}_{\text{sim}} \leftarrow \mathcal{S}(1^{|P|}, 1^{|x|}, t^*, y, 1^\lambda, T, S)$ .

To complete the proof, we now construct such simulator  $\mathcal{S}$  to generate a simulated encoding, and then in the next subsection, we show that a computationally bounded  $\mathcal{A}$  cannot distinguish  $\text{ENC}$  from  $\text{ENC}_{\text{sim}}$ .

**Encoding-Simulation algorithm**  $\text{ENC}_{\text{sim}} \leftarrow \mathcal{S}(1^{|P|}, 1^{|x|}, t^*, y, 1^\lambda, T, S)$ : The simulator, i.e., the encoding-simulation algorithm takes the following steps to generate the encoding  $\text{ENC}_{\text{sim}}$ .

- The encoding-simulation algorithm first stores dummy information with  $|x|$ -bits in  $\text{mem}_{\text{sim}}^0$ , and sets  $\text{st}^0 := \text{Init}$ , and then transforms  $(\text{mem}_{\text{sim}}^0, \text{st}^0)$  into  $(\text{mem}_{o,\text{sim}}^0, \text{st}_o^0)$  using  $\text{OACCESS}\{K_N\}$  as in the construction. Then it chooses puncturable PRF key  $K_{\text{Sim}} \leftarrow \text{PPRF}.\text{Setup}(1^\lambda)$ , and constructs an access pattern simulation program  $\text{SIMOACCESS}\{K_{\text{Sim}}\}$  (see Algorithm 59), and further defines  $F_{o,\text{sim}}$  based on  $\text{SIMOACCESS}$ . Now the encoding-simulation algorithm defines

$$\Pi_{o,\text{sim}} = ((\text{mem}_{o,\text{sim}}^0, \text{st}_o^0), F_{o,\text{sim}})$$

- The encoding-simulation algorithm transforms  $\Pi_{o,\text{sim}}$  into

$$\Pi_{e,\text{sim}} = ((\text{mem}_{e,\text{sim}}^0, \text{st}_e^0), F_{e,\text{sim}})$$

Here the encoding-simulation algorithm chooses puncturable PRF key  $K_E \leftarrow \text{PPRF}.\text{Setup}(1^\lambda)$ , and then compute  $t^* = \lceil t^*/q_o \rceil$ . Then based on  $F_{o,\text{sim}}$ ,  $t^*$  as well as the corresponding output value  $y$ , it generates the next-step program  $F_{e,\text{sim}}$  as in Algorithm 60.

The simulation algorithm encrypts  $\text{mem}_{o,\text{sim}}^0$  into  $\text{mem}_{e,\text{sim}}^0$  as in the construction. In addition, the encoding of  $\text{st}_e^0$  is identical to that in construction.

- Finally, the encoding-simulation algorithm computes  $\text{ENC}_{\text{sim}} \leftarrow \text{CiO}.\text{Obf}(1^\lambda, \Pi_{e,\text{sim}})$  and outputs  $\text{ENC}_{\text{sim}}$ .

---

**Algorithm 59:**  $\text{SIMOACCESS}\{K_{\text{Sim}}\}$ : the recursive program simulates the access pattern of  $\text{OACCESS}\{K_N\}$ .

---

**Input** :  $t, d$   
**Output:** No return value  
**Data:**  $K_{\text{Sim}}, \alpha, \text{MaxDepth}$  (Memory size  $S = \alpha^{\text{MaxDepth}}$ )

- 1 **if**  $d \geq \text{MaxDepth}$  **then**
- 2     **return**;
- 3  $\text{SIMOACCESS}(t, d + 1)$ ; // Fetch
- 4 Pick leaf  $pos$  at recursion level  $d$  based on  $\text{Prf}(K_{\text{Sim}}, (t, d, \text{FetchR}))$ ;
- 5  $\mathbf{I}_{\text{fetch}} \leftarrow \text{PATH}(d, pos)$ ;
- 6  $\mathbf{B}_{\text{fetch}} \leftarrow \text{READ}(\mathbf{I}_{\text{fetch}})$ ;
- 7  $\text{WRITE}(\mathbf{I}_{\text{fetch}}, \text{dummy})$ ;
- 8 Pick leaf  $pos''$  at recursion level  $d$  based on  $\text{Prf}(K_{\text{Sim}}, (t, d, \text{FlushR}))$ ; // Flush
- 9  $\mathbf{I}_{\text{flush}} \leftarrow \text{PATH}(d, pos'')$ ;
- 10  $\mathbf{B}_{\text{flush}} \leftarrow \text{READ}(\mathbf{I}_{\text{flush}})$ ;
- 11  $\text{WRITE}(\mathbf{I}_{\text{flush}}, \text{dummy})$ ;
- 12 **return**;

---



---

**Algorithm 60:**  $F_{e, \text{sim}}$

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t)$ ,  $\tilde{a}_{\text{M} \leftarrow \text{A}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \text{lw}^{\text{in}}))$   
**Data:**  $T, K_E, t^*, y, K_N, K_{\text{Sim}}$

- 1 Compute  $t = \lceil t/q_0 \rceil$ ;
- 2 **If**  $t > t^*$ , **output** **Reject**;
- 3 **if**  $t = t^*$  **then**
- 4     Set  $\tilde{\text{st}}^{\text{out}} = (\text{halt}, y)$ ,  $\tilde{a}_{\text{M} \leftarrow \text{A}}^{\text{out}} = \perp$ ;
- 5     **Output**  $(\tilde{\text{st}}^{\text{out}}, \tilde{a}_{\text{M} \leftarrow \text{A}}^{\text{out}})$ ;
- 6 Compute  $(\mathbf{I}^*, \mathbf{B}^*) \leftarrow F_{o, \text{sim}}(t)$
- 7 Set  $\text{lw}^{\text{out}} = (t, \dots, t)$ ;
- 8 Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\text{lw}^{\text{out}}, h(\mathbf{I}^*)))$ ;
- 9 Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 10 Compute  $(\text{pk}', \text{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
- 11 Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\text{pk}', \mathbf{B}^*; \mathbf{r}_2^{\text{out}})$ ;
- 12 Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 13 Compute  $\text{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \text{dummy}; r_4^t)$ ;
- 14 Set  $\mathbf{I}^{\text{out}} = \mathbf{I}^*$ ;
- 15 Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t + 1)$ ,  $\tilde{a}_{\text{M} \leftarrow \text{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \text{lw}^{\text{out}}))$ ;

---



## 8.4.2 Proof Outline: From $\text{Hyb}_0$ to $\text{Hyb}_3$

We here provide a roadmap for proving the security of our construction, and we outline the main hybrids.

*Proof.* We let  $\text{Hyb}_0$  be the real security game **Real**, and  $\text{Hyb}_3$  be the ideal security game **Ideal**. We will show via multiple layers of hybrids that  $\text{Hyb}_0$  is computationally indistinguishable from  $\text{Hyb}_3$ . In each hybrid, the simulator generates the encoding ENC as in the construction, except that different next-step programs are used. The overview of the intermediate hybrids is shown as follows:

- $\text{Real} = \text{Hyb}_0 \approx \text{Hyb}_1 \approx \text{Hyb}_{2,t^*} \approx \dots \approx \text{Hyb}_{2,0} = \text{Hyb}_3 = \text{Ideal}$
- $\text{Hyb}_{2,i} = \text{Hyb}_{2,i,0,0} \approx \dots \approx \text{Hyb}_{2,i,0,d_{max}} \approx \dots \approx \text{Hyb}_{2,i,0',0} = \text{Hyb}_{2,i-1}$
- $\text{Hyb}_{2,i,0,j} \approx \text{Hyb}_{2,i,0,j,1} \approx \text{Hyb}_{2,i,0,j,2} \approx \text{Hyb}_{2,i,0,j,3} \approx \text{Hyb}_{2,i,0,j+1}$
- $\text{Hyb}_{2,i,0,j,1} \approx \text{Hyb}_{2,i,0,j,1,i-1} \approx \text{Hyb}_{2,i,0,j,1',i-1} \approx \dots \approx \text{Hyb}_{2,i,0,j,1,t_{pos}} \approx \text{Hyb}_{2,i,0,j,1',t_{pos}} \approx \text{Hyb}_{2,i,j,2}$
- $\text{Hyb}_{2,i,0,j,1,z} \approx \text{Hyb}_{2,i,0,j,1',z} \approx \text{Hyb}_{2,i,0,j,1,z-1}$

In the first and outermost layer, we define the hybrids  $\text{Hyb}_1$  and  $\text{Hyb}_{2,i}$  for  $0 \leq i \leq t^*$ .

**Hyb<sub>0</sub>.** This hybrid is the real security game **Real**.

**Hyb<sub>1</sub>.** In this hybrid, next-step program  $F_e^1$  as defined in Algorithm 61, is used. This program is similar to the next-step program  $F_e$  in **Real**, except that, at time  $t = t^*$ , it outputs the signed correct computation result  $y := P(x)$ , which is hardwired into the program. At  $t > t^*$ , the program outputs `Reject`.

**Hyb<sub>2,i</sub>.** In this hybrid,  $F_e^1$  is replaced by  $F_e^{2,i}$  defined in Algorithm 62. This program is similar to  $F_e^1$ , except that its access pattern at time  $t$ , where  $i \leq t \leq t^*$  is replaced by a simulated access pattern provided by the `SIMOACCESS` defined in Algorithm 59, and the output state is replaced by an encryption of a special symbol `dummy`.

**Hyb<sub>3</sub>.** This hybrid is the ideal security game **Ideal**. In this hybrid,  $F_{e,sim}$ , defined in Algorithm 60, is used. This program is identical to  $F_e^{2,0}$ , in which the access pattern in all time steps  $t$  where  $t \leq t^*$  are simulated. The initial memory `mem0` is written with `dummy` (rather than  $x$ ) during the encoding process, and `mem0` is the only difference between  $\text{Hyb}_{2,0}$  and  $\text{Hyb}_3$ .

**Analysis.** In the remaining of this subsection, we complete the proof of the theorem via several lemmas.

**From  $\text{Hyb}_0$  to  $\text{Hyb}_1$ :** The only difference between  $F_e$  and  $F_e^1$  is that, in  $F_e^1$ , the output in time  $t = t^*$  is hardwired and all computation are rejected after halting time  $t^*$ . Therefore, by Theorem 5.2, since  $\Pi_e$  and  $\Pi_e^1$  have the same computation trace, their encodings are computationally indistinguishable. We remark that rejecting all computation after  $t^*$  is very useful when arguing PKE security in following hybrids because it guarantees the private key is never used after time  $t^*$ .

**From  $\text{Hyb}_1$  to  $\text{Hyb}_{2,t^*}$ :** The only difference between  $F_e^1$  and  $F_e^{2,t^*}$  is that, in  $F_e^{2,t^*}$ , the access pattern in time  $t = t^*$  is simulated. However, since the program terminates at  $t = t^*$  (that means,  $t = t^*$ ) by outputting the hardwired computation result, the modified part will never be executed. Therefore, by Theorem 5.2, since  $\Pi_e^1$  and  $\Pi_e^{2,t^*}$  have the same computation trace, their encodings are computationally indistinguishable.

**From  $\text{Hyb}_{2,i}$  to  $\text{Hyb}_{2,i-1}$ :** This is the most complicated part, which we will defer the discussion to Lemma 8.2.

**From  $\text{Hyb}_{2,0}$  to  $\text{Hyb}_3$ :** The only difference between the two hybrids is that the initial memory  $\text{mem}^0$  in  $\text{Hyb}_3$  is encryption of `dummy`. Note that the initial memory is never decrypted in  $F_{e,sim}$ , and we argue its indistinguishability by standard puncturing and PKE properties. For each non-empty bit  $b_i$  in  $\text{mem}^0$ , replace its corresponding bit  $b'_i \in \text{mem}^0$  with `dummy` by following hybrids:

- Puncture PRF key  $K_E$  at  $(0, h_i)$  in  $F_{e,sim}$ , where  $h_i$  is the “height” given by function  $h(\cdot)$  to encrypt the bucket  $B$  storing  $b'_i$ . This does not change the computation trace and is computationally indistinguishable.
- Encrypt  $B$  that contains bit  $b'_i$  in  $\text{mem}^0$  with a truly random PKE public key, which is computationally indistinguishable by selective security of PPRF.
- Encrypt  $B$  that contains `dummy` instead of bit  $b'_i$ . The indistinguishability is guaranteed by the IND-CPA security of PKE.

Therefore,  $\text{Hyb}_{2,0}$  and  $\text{Hyb}_3$  are computationally indistinguishable.

From above,  $\text{Hyb}_0$  and  $\text{Hyb}_3$  are computationally indistinguishable as required. □

---

**Algorithm 61:**  $F_e^1$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t)$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \text{lw}^{\text{in}}))$

**Data**:  $T, K_E, \underline{t^*}, y, K_N$

- 1 Compute  $t = \lceil t/q_o \rceil$ ;
  - 2 If  $t > t^*$ , output Reject;
  - 3 **if**  $t = t^*$  **then**
  - 4     Set  $\tilde{\text{st}}^{\text{out}} = (\text{halt } t, y)$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = \perp$ ;
  - 5     Output  $(\tilde{\text{st}}^{\text{out}}, \tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}})$ ;
  - 6 Compute  $(\mathbf{r}_1^{\text{in}}, \mathbf{r}_2^{\text{in}}) = \text{Prf}(K_E, (\text{lw}^{\text{in}}, h(\mathbf{I}^{\text{in}})))$ ;
  - 7 Compute  $(\mathbf{pk}^{\text{in}}, \mathbf{sk}^{\text{in}}) = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{in}})$ ;
  - 8 Compute  $\mathbf{B}^{\text{in}} = \text{PKE.Decrypt}(\mathbf{sk}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
  - 9 Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t-1)$ ;
  - 10 Compute  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
  - 11 Compute  $\text{st}^{\text{in}} = \text{PKE.Decrypt}(sk_{\text{st}}, \text{st}^{\text{in}})$ ;
  
  - 12 Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
  
  - 13 Set  $\text{lw}^{\text{out}} = (t, \dots, t)$ ;
  - 14 Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\text{lw}^{\text{out}}, h(\mathbf{I}^{\text{out}})))$ ;
  - 15 Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
  - 16 Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}^{\text{out}}; \mathbf{r}_2^{\text{out}})$ ;
  - 17 Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
  - 18 Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
  - 19 Compute  $\text{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \text{st}^{\text{out}}; r_4^t)$ ;
  - 20 Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t+1)$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \text{lw}^{\text{out}}))$ ;
-

---

**Algorithm 62:**  $F_e^{2,i}$ 

---

**Input** :  $\tilde{\mathbf{st}}^{\text{in}} = (\mathbf{st}^{\text{in}}, t)$ ,  $\tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \mathbf{lw}^{\text{in}}))$   
**Data**:  $T, K_E, t^*, y, K_N, K_{\text{Sim}}, i$

- 1 Compute  $t = \lceil t/q_o \rceil$ ;
- 2 If  $t > t^*$ , output **Reject**;
- 3 **if**  $t = t^*$  **then**
- 4      $\dots$
- 5 **if**  $i \leq t < t^*$  **then**
- 6     Compute  $(\mathbf{I}^*, \mathbf{B}^*) \leftarrow F_{o,\text{sim}}(t)$
- 7     Set  $\mathbf{lw}^{\text{out}} = (t, \dots, t)$ ;
- 8     Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\mathbf{lw}^{\text{out}}, h(\mathbf{I}^*)))$ ;
- 9     Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 10     Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
- 11     Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}^*; \mathbf{r}_2^{\text{out}})$ ;
- 12     Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 13     Compute  $\mathbf{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \text{dummy}; r_4^t)$ ;
- 14     Set  $\mathbf{I}^{\text{out}} = \mathbf{I}^*$ ;
- 15 **else**
- 16     Compute  $(\mathbf{r}_1^{\text{in}}, \mathbf{r}_2^{\text{in}}) = \text{Prf}(K_E, (\mathbf{lw}^{\text{in}}, h(\mathbf{I}^{\text{in}})))$ ;
- 17     Compute  $(\mathbf{pk}^{\text{in}}, \mathbf{sk}^{\text{in}}) = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{in}})$ ;
- 18     Compute  $\mathbf{B}^{\text{in}} = \text{PKE.Decrypt}(\mathbf{sk}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 19     Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t-1)$ ;
- 20     Compute  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
- 21     Compute  $\mathbf{st}^{\text{in}} = \text{PKE.Decrypt}(sk_{\text{st}}, \mathbf{st}^{\text{in}})$ ;
- 22     Compute  $(\mathbf{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o(t, \mathbf{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 23     Set  $\mathbf{lw}^{\text{out}} = (t, \dots, t)$ ;
- 24     Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\mathbf{lw}^{\text{out}}, h(\mathbf{I}^{\text{out}})))$ ;
- 25     Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
- 26     Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}^{\text{out}}; \mathbf{r}_2^{\text{out}})$ ;
- 27     Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 28     Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 29     Compute  $\mathbf{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \mathbf{st}^{\text{out}}; r_4^t)$ ;
- 30 **Output**  $\tilde{\mathbf{st}}^{\text{out}} = (\mathbf{st}^{\text{out}}, t+1)$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \mathbf{lw}^{\text{out}}))$ ;

---

### 8.4.3 Backward Erasing: From $\mathbf{Hyb}_{2,i}$ to $\mathbf{Hyb}_{2,i-1}$

We start to elaborate the outline provided in the previous subsection. We prove the security by a sequence of hybrids that “erase” the computation *backward in time*, which leads to a simulated encoding  $\text{ENC}_{sim} = \text{CiO}(P_{\text{Sim}}, x_{\text{Sim}})$  where all encryptions generated by  $P_{\text{Sim}}$  as well as in  $x_{\text{Sim}}$  are replaced by encryption of a special dummy symbol. More precisely,  $P_{\text{Sim}}$  simulates the access pattern using the public access function  $\text{ap}$ , and at each time step  $t < t^*$ , simply ignores the input and outputs encryptions of dummy (for both CPU state and memory content), and output  $y$  at time step  $t = t^*$ .

By erasing the computation backward in time, we consider intermediate hybrids  $\mathbf{Hyb}_{2,i}$  where the first  $i$  time step of computation are real, and that of the remaining time step are simulated. Namely,  $\mathbf{Hyb}_{2,i}$  is a hybrid encoding  $\text{CiO}(P_{\mathbf{Hyb}_{2,i}}, x_{\text{hide}})$ , where  $P_{\mathbf{Hyb}_{2,i}}$  acts as  $P_{\text{hide}}$  for the first  $i$  time step, and acts as  $P_{\text{Sim}}$  in the remaining time steps. (Note here that  $P_{\mathbf{Hyb}_{2,i}}$ ,  $P_{\text{hide}}$ ,  $P_{\text{Sim}}$  correspond to next-step programs  $F_e^{2,i}$ ,  $F_e$ ,  $F_{e,sim}$ , respectively.)

The main step is to show indistinguishability of  $\mathbf{Hyb}_{2,i}$  and  $\mathbf{Hyb}_{2,i-1}$ , which corresponds to erasing the computation at the  $i$ -th time step. Roughly, to argue this, the key observation is that the  $i$ -th decryption key is *not* used in the honest evaluation, which allows us to replace the output of the  $i$ -th time step by encryption of dummy by a puncturing argument. We can then further remove the computation at the  $i$ -th time step readily by  $\text{CiO}$  security.

In fact, the argument is more involved given the fact that the CP ORAM is used in our construction. Suppose that at time  $i$  the program wishes to access a memory block  $\ell$  which is well-defined by the computation. The program must read the position map value  $p = \text{pos}[\ell]$  at first, and then fetches the block  $\ell$  along the path  $p$  in the ORAM tree. However, our  $\mathcal{RE}$  construction relies on CP ORAM tree-based structure where the position map is recursively outsourced to  $d_{max}$  ORAM trees. Here we divide the sequence of hybrids into two phases. The first one is to simulate the memory accesses from level 0 to  $d_{max}$ . The second one is also simulate to the memory accesses as the first phase, but additionally to erase the CPU states from level  $d_{max}$  to 0. The two important hybrids corresponding to these two phases are respectively defined as follows.

**Hyb**<sub>2,i,0,j</sub> (the first phase):

- At time  $t = i - 1$ ,  $F_e^{2,i,0,j}$  returns real  $\text{st}^{\text{out}}$ , and outputs real accesses identical to  $\text{OACCESS}$  if  $d \geq j$ .
- At time  $t = i - 1$ ,  $F_e^{2,i,0,j}$  returns real  $\text{st}^{\text{out}}$ , but outputs the simulated accesses if  $d < j$ .

**Hyb**<sub>2,i,0',j</sub> (the second phase):

- At time  $t = i - 1$ ,  $F_e^{2,i,0',j}$  outputs the simulated accesses, and returns real  $\text{st}^{\text{out}}$  if  $d \leq j$ .
- At time  $t = i - 1$ ,  $F_e^{2,i,0',j}$  outputs the simulated accesses, but returns  $\text{st}^{\text{out}} = \text{dummy}$  if  $d > j$ .

Note that  $\mathbf{Hyb}_{2,i}$  is identical to  $\mathbf{Hyb}_{2,i,0,0}$ , and  $\mathbf{Hyb}_{2,i,0',0}$  is also identical to  $\mathbf{Hyb}_{2,i-1}$ . Clearly, we need to argue the remaining hybrids are indistinguishable,  $\mathbf{Hyb}_{2,i,0,0} \approx \dots \approx \mathbf{Hyb}_{2,i,0,d_{max}} \approx \mathbf{Hyb}_{2,i,0',d_{max}} \approx \dots \approx \mathbf{Hyb}_{2,i,0',0}$ .

**Lemma 8.2.** *Let PKE be an IND-CPA secure public key encryption scheme, CiO be a computation-trace indistinguishability obfuscation scheme in RAM model, Prf be a secure puncturable PRF scheme. Then the hybrids  $\mathbf{Hyb}_{2,i}$  and  $\mathbf{Hyb}_{2,i-1}$  are computationally indistinguishable for  $1 \leq i \leq t^*$ .*

*Proof.* For each  $i$ , we define two second-layer hybrids  $\mathbf{Hyb}_{2,i,0,j}$  and  $\mathbf{Hyb}_{2,i,0',j}$  for  $0 \leq j \leq d_{max}$ , where  $d_{max}$  denotes the maximum depth of the ORAM tree.

**Hyb<sub>2,i,0,j</sub>**. In this hybrid, the program  $F_e^{2,i,0,j}$  is defined in Algorithm 63. At time  $t = i - 1$ ,  $F_e^{2,i,0,j}$  uses  $\text{HYBOACCESS}^j$  which outputs the simulated accesses if  $d < j$ , and it outputs those accesses identical to  $\text{OACCESS}$  if  $d \geq j$  (Algorithm 64). Like previous programs,  $F_e^{2,i,0,j}$  uses the  $\text{HYBOACCESS}^j$  compiled program named  $F_{o,hyb}^j = \text{Compile}(F, \text{HYBOACCESS}^j\{K_N, K_{\text{Sim}}\})$ . Note that the values  $(\text{loc}, \text{val})$  from the input,  $\text{newpos}$  and  $\text{pos}$  returned by  $\text{Prf}(K_N, \cdot)$  and  $\text{HYBOACCESS}^j(d + 1, \cdot)$  are never used if  $d < j$ .

**Hyb<sub>2,i,0',j</sub>**. In this hybrid, the program  $F_e^{2,i,0',j}$  is defined in Algorithm 65. At time  $t = i - 1$ ,  $F_e^{2,i,0',j}$  replace  $\text{st}^{\text{out}}$  by dummy for all  $d > j$ .

**Analysis.** In the remaining of this subsection, we will complete the proof of the lemma.

**From Hyb<sub>2,i</sub> to Hyb<sub>2,i,0,0</sub>:** These two hybrids are identical.

**From Hyb<sub>2,i,0,j</sub> to Hyb<sub>2,i,0,j+1</sub>:** We defer the discussion to Lemma 8.3.

**From Hyb<sub>2,i,0,d\_{max}</sub> to Hyb<sub>2,i,0',d\_{max}</sub>:** These two hybrids are identical.

**From Hyb<sub>2,i,0',j</sub> to Hyb<sub>2,i,0',j-1</sub>:** This step can be proved via multiple hybrids. For readability, we describe the hybrids without defining them in separate algorithms. The only difference between  $F_e^{2,i,0',j}$  and  $F_e^{2,i,0',j-1}$  is that, in  $F_e^{2,i,0',j-1}$ ,  $\text{st}_{\text{out}}$  is replaced by dummy at time  $t = i - 1$  and depth  $d = j$ . In the first hybrid, we puncture the input  $(i - 1, j, \text{Init})$  for PRF key  $K_E$  and hardwire the pseudorandomness computed from  $K_E$ . Since the computation defined by this program has identical computation trace as that in the previous hybrid, indistinguishability is guaranteed by Theorem 5.2. In the next hybrid, we replace the pseudorandomness by a truly random number. Indistinguishability is guaranteed by the security of the puncturable PRF. Then, we hardwire  $\text{st}^{\text{out}}$ , which is generated by the true randomness in the previous hybrid, into the program and take away the hardwired true randomness. Since the computation defined by this program has identical computation trace as that in the previous hybrid, indistinguishability is guaranteed by Theorem 5.2. Next, we replace hardwired  $\text{st}^{\text{out}}$  by an encryption of dummy. Indistinguishability is guaranteed by the IND-CPA security of PKE. Finally, we un-puncture the PRF key  $K_E$  to obtain the required hybrid. Indistinguishability is again guaranteed by the security of the puncturable PRF.

**From Hyb<sub>2,i,0',0</sub> to Hyb<sub>2,i-1</sub>:** These two hybrids are identical.

□

---

**Algorithm 63:**  $F_e^{2,i,0,j}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t)$ ,  $\tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \text{lw}^{\text{in}}))$   
**Data**:  $T, K_E, t^*, y, K_N, K_{\text{Sim}}, i, j$

- 1 Compute  $t = \lceil t/q_o \rceil$ ;
- 2 If  $t > t^*$ , output **Reject**;
- 3 **if**  $t = t^*$  **then**
- 4      $\lfloor \dots$
- 5 **if**  $i \leq t < t^*$  **then**
- 6      $\lfloor \dots$
- 7 **else**
- 8     Compute  $(\mathbf{r}_1^{\text{in}}, \mathbf{r}_2^{\text{in}}) = \text{Prf}(K_E, (\text{lw}^{\text{in}}, h(\mathbf{I}^{\text{in}})))$ ;
- 9     Compute  $(\mathbf{pk}^{\text{in}}, \mathbf{sk}^{\text{in}}) = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{in}})$ ;
- 10    Compute  $\mathbf{B}^{\text{in}} = \text{PKE.Decrypt}(\mathbf{sk}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 11    Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t-1)$ ;
- 12    Compute  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
- 13    Compute  $\text{st}^{\text{in}} = \text{PKE.Decrypt}(sk_{\text{st}}, \text{st}^{\text{in}})$ ;
- 14    **if**  $t = i - 1$  **then**
- 15      $\lfloor \text{Compute } (\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) \leftarrow F_{o, \text{hyb}}^j(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}});$   
       $\lfloor \text{// } F_{o, \text{hyb}}^j = \text{CP-ORAM.Compile}(F, \text{HYBOACCESS}^j)$
- 16    **else**
- 17      $\lfloor \text{Compute } (\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 18    Set  $\text{lw}^{\text{out}} = (t, \dots, t)$ ;
- 19    Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\text{lw}^{\text{out}}, h(\mathbf{I}^{\text{out}})))$ ;
- 20    Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
- 21    Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}^{\text{out}}; \mathbf{r}_2^{\text{out}})$ ;
- 22    Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 23    Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 24    Compute  $\text{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \text{st}^{\text{out}}; r_4^t)$ ;
- 25 **Output**  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t+1)$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \text{lw}^{\text{out}}))$ ;

---

---

**Algorithm 64:** HYBOACCESS<sup>j</sup>{ $K_N, K_{Sim}$ }

---

**Input** :  $t, d, loc, val$   
**Output:**  $oldval$   
**Data:**  $K_N, K_{Sim}, \alpha, MaxDepth$  (Memory size  $S = \alpha^{MaxDepth}$ )

- 1 **if**  $d \geq MaxDepth$  **then**
- 2     **return** 0;
- 3 Pick leaf  $newpos$  at recursion level  $d$  based on  $Prf(K_N, (t, d, FetchR))$ ;                     // Update position map
- 4  $pos \leftarrow HYBOACCESS^j(t, d + 1, \lfloor loc/\alpha \rfloor, newPos)$ ;
- 5 **if**  $(d < j)$  **then**
- 6     Pick leaf  $pos$  at recursion level  $d$  based on  $Prf(K_{Sim}, (t, d, FetchR))$ ;
- 7      $I_{fetch} \leftarrow PATH(d, pos)$ ;
- 8      $B_{fetch} \leftarrow READ(I_{fetch})$ ;
- 9      $WRITE(I_{fetch}, dummy)$ ;
- 10     Pick leaf  $pos''$  at recursion level  $d$  based on  $Prf(K_{Sim}, (t, d, FlushR))$ ;
- 11      $I_{flush} \leftarrow PATH(d, pos'')$ ;
- 12      $B_{flush} \leftarrow READ(I_{flush})$ ;
- 13      $WRITE(I_{flush}, dummy)$ ;
- 14     **return**;
- 15 **else** // identical to OACCESS
- 16      $I_{fetch} \leftarrow PATH(d, pos)$ ;   // Fetch
- 17      $B_{fetch} \leftarrow READ(I_{fetch})$ ;
- 18      $(B_{fetch}^{out}, oldval) \leftarrow FETCHANDUPDATE(B_{fetch}, loc, val, \alpha, pos, newPos)$ ;
- 19      $WRITE(I_{fetch}, B_{fetch}^{out})$ ;
- 20     Pick leaf  $pos''$  at recursion level  $d$  based on  $Prf(K_N, (t, d, FlushR))$ ;                     // Flush
- 21      $I_{flush} \leftarrow PATH(d, pos'')$ ;
- 22      $B_{flush} \leftarrow READ(I_{flush})$ ;
- 23      $B_{flush}^{out} \leftarrow FLUSH(B_{flush}, pos'')$ ;
- 24      $WRITE(I_{flush}, B_{flush}^{out})$ ;
- 25     **return**  $oldval$ ;

---



---

**Algorithm 65:**  $F_e^{2,i,0',j}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t)$ ,  $\tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \mathbf{lw}^{\text{in}}))$   
**Data**:  $T, K_E, t^*, y, K_N, K_{\text{Sim}}, i, j$

- 1 Compute  $t = \lceil t/q_o \rceil$ ;
- 2 If  $t > t^*$ , output **Reject**;
- 3 **if**  $t = t^*$  **then**
- 4      $\lfloor \dots$
- 5 **if**  $i \leq t < t^*$  **then**
- 6      $\lfloor \dots$
- 7 **else**
- 8     Compute  $(\mathbf{r}_1^{\text{in}}, \mathbf{r}_2^{\text{in}}) = \text{Prf}(K_E, (\mathbf{lw}^{\text{in}}, h(\mathbf{I}^{\text{in}})))$ ;
- 9     Compute  $(\mathbf{pk}^{\text{in}}, \mathbf{sk}^{\text{in}}) = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{in}})$ ;
- 10     Compute  $\mathbf{B}^{\text{in}} = \text{PKE.Decrypt}(\mathbf{sk}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 11     Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t-1)$ ;
- 12     Compute  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
- 13     Compute  $\text{st}^{\text{in}} = \text{PKE.Decrypt}(sk_{\text{st}}, \text{st}^{\text{in}})$ ;
- 14     **if**  $t = i - 1$  **then**
- 15         Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) \leftarrow F_{o, \text{hyb}}^{d_{\text{max}}}(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 16         If  $(d > j$  and  $a = \text{Init})$ , set  $\text{st}^{\text{out}} = \text{dummy}$ ;
- 17     **else**
- 18          $\lfloor$  Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 19         Set  $\mathbf{lw}^{\text{out}} = (t, \dots, t)$ ;
- 20         Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\mathbf{lw}^{\text{out}}, h(\mathbf{I}^{\text{out}})))$ ;
- 21         Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
- 22         Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}^{\text{out}}; \mathbf{r}_2^{\text{out}})$ ;
- 23         Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 24         Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 25         Compute  $\text{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \text{st}^{\text{out}}; r_4^t)$ ;
- 26 **Output**  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t+1)$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \mathbf{lw}^{\text{out}}))$ ;

---

#### 8.4.4 Punctured ORAM: From $\mathbf{Hyb}_{2,i,0,j}$ to $\mathbf{Hyb}_{2,i,0,j+1}$

Our goal now is to show that  $\mathbf{Hyb}_{2,i,0,j}$  and  $\mathbf{Hyb}_{2,i,0,j+1}$  are indistinguishable, which amounts to switch time step  $(t, d) = (i - 1, j)$  from real computation to a simulated one. Suppose that at time  $(t, d) = (i - 1, j)$  the ORAM compiled program  $F_o$  wishes to access some memory location  $\text{loc}$ , which points to a cell in  $\text{block}^*$  (recall that the program is deterministic, so  $\text{loc}$  is well-defined by the computation), it reads the position map value  $\text{pos}^*$  and fetches the  $\text{block}^*$  along the path  $\text{pos}^*$  in the ORAM tree. We need to simulate the memory access pattern (induced by  $\text{pos}^*$ ) and output data (including memory data and CPU state), where output data are encrypted in ciphertext and the indistinguishable simulation can be constructed by semantic security of PKE. The main challenge here is to switch  $\text{pos}^*$  to a simulated path, since  $\text{pos}^*$  is information theoretically determined by the previous computation and  $\text{pos}^*$  must be revealed directly through memory access.

**Punctured ORAM** To simulate  $\text{pos}^*$ , our approach is to move to a hybrid with punctured ORAM program, where  $\text{pos}^*$  is *information-theoretically erased* so that we can switch  $\text{pos}^*$  to a simulated path. Towards this goal, let us trace closely the value  $\text{pos}^*$  in the program execution. First, we observe that  $\text{pos}^*$  is stored in two places in the ORAM data structure:

1. The block  $\text{block}^*$  itself, which is stored somewhere in the ORAM tree.
2. The position map stored in another layer of ORAM tree recursively.

Let  $t_{\text{pos}}$  be that time  $\text{pos}^*$  being created by PPRF, which is also the last access time of  $\text{block}^*$  before time step  $i - 1$ . At time  $t_{\text{pos}}$ , the value  $\text{pos}^*$  is stored in both  $\text{block}^*$  in the root node and the recursive position map. Note that  $t_{\text{pos}}$  can be much smaller than  $i - 1$ .

To “information-theoretically erase”  $\text{pos}^*$ , we move to a hybrid program where the value  $\text{pos}^*$  is *not* generated at time  $t_{\text{pos}}$ . Specifically, we define an intermediate hybrid  $\mathbf{Hyb}_{2,i,0,j,2}$  in which the program is replaced by a punctured ORAM program such that:

**$\mathbf{Hyb}_{2,i,0,j,2}$ :** At time  $t = t_{\text{pos}}$ , do not generate the value  $\text{pos}^*$ , and instead of putting back the encryption of the fetched  $\text{block}^*$  to the root of the ORAM tree, an encryption of empty values is put back instead<sup>24</sup>. Moreover, the position map value  $\text{pos}^*$  is not updated.

In  $\mathbf{Hyb}_{2,i,0,j,2}$ , the value  $\text{pos}^*$  is information-theoretically hidden before time step  $i - 1$ . Since the  $\text{block}^*$  is not be accessed from time  $t_{\text{pos}}$  to time  $i - 1$ , the modification does not change the computation from time  $t_{\text{pos}}$  to time  $i - 1$ . Now, we can simulate the computation at time step  $i - 1$  as before, and switch  $\text{pos}^*$  to a simulated value by the standard PPRF argument. After the path is switched to simulated one, we obtain  $\mathbf{Hyb}_{2,i,0,j+1}$  by *un-puncturing* ORAM program  $F_o$  at the point  $\text{pos}^*$ .

We prove  $\mathbf{Hyb}_{2,i,0,j}$  and  $\mathbf{Hyb}_{2,i,0,j+1}$  are indistinguishable in Lemma 8.3 with the help of puncturable ORAM, and we will later prove that punctured ORAM is computationally indistinguishable from its non-punctured ORAM counterpart in the next sub-section (Lemma 8.4).

**Lemma 8.3.** *Let PKE be an IND-CPA secure public key encryption scheme, CiO be a computation-trace indistinguishability obfuscation scheme in RAM model, Prf be a secure puncturable PRF scheme. Then the hybrids  $\mathbf{Hyb}_{2,i,0,j}$  and  $\mathbf{Hyb}_{2,i,0,j+1}$  are computationally indistinguishable for all  $0 \leq i \leq t^*$  and all  $0 \leq j \leq d_{\max}$ .*

*Proof.* We define three third-layer hybrids  $\mathbf{Hyb}_{2,i,0,j,1}$ ,  $\mathbf{Hyb}_{2,i,0,j,2}$  and  $\mathbf{Hyb}_{2,i,0,j,3}$ .

<sup>24</sup> Recall in ORAM construction, a bucket is a vector with  $K$  elements, where each element is either a valid block or an unique empty-slot symbol  $\text{Empty} = (\perp, \perp, \perp)$ . The value being put pack is in fact  $\text{Empty}$  (rather than  $\text{block}^*$ ), which also yields a consistent ORAM tree.

Table 5: Intuitions of the hybrid series from  $\mathbf{Hyb}_{2,i,0,j}$  to  $\mathbf{Hyb}_{2,i,0,j+1}$ , where we focus on the simulated memory access locations as a path in the ORAM tree. Sim. stands for simulated.

	$t = t_{pos}$ and $d = j$	$t = (i - 1)$ and $d = j$	$t = (i - 1)$ and $d < j$
$\mathbf{Hyb}_{2,i,0,j}$	Honest	Honest path and values	Sim. path, erased values
$\mathbf{Hyb}_{2,i,0,j,1}$	Honest	Honest path, erased values	Sim. path, erased values
$\mathbf{Hyb}_{2,i,0,j,2}$	Puncture $pos^*$	Hard-wired honest path, erased values	Sim. path, erased values
$\mathbf{Hyb}_{2,i,0,j,3}$	Puncture $pos^*$	Sim. path, erased values	Sim. path, erased values
$\mathbf{Hyb}_{2,i,0,j+1}$	Honest	Sim. path, erased values	Sim. path, erased values

$\mathbf{Hyb}_{2,i,0,j,1}$ . In this hybrid,  $F$  is replaced by  $F_e^{2,i,0,j,1}$  defined in Algorithm 66.  $F_e^{2,i,0,j,1}$  uses  $\text{HYBOACCESS}^{j,1}$  that is similar to  $\text{HYBOACCESS}^j$ , except that at  $d = j$  all values written are replaced by dummy data. All other computation are carried out honestly and access locations  $\mathbf{I}_{\text{fetch}}$  (induced by  $pos^*$ ) in  $\text{HYBOACCESS}^{j,1}$  are identical to those in  $\text{HYBOACCESS}^j$ .

$\mathbf{Hyb}_{2,i,0,j,2}$ . In this hybrid,  $F$  is replaced by  $F_e^{2,i,0,j,2}$  defined in Algorithm 68.  $F_e^{2,i,0,j,2}$  invokes different variants of  $F_o$  at different  $t$ :  $F_{o,sim}$  for  $t \geq i$ ,  $F_{o,hyb}^{j,2}$  for  $t = i - 1$ ,  $F_o^{j,\text{punct}}$  for  $t = t_{pos}$ , and normal  $F_o$  otherwise, where

- $F_{o,hyb}^{j,2}$  is the ORAM compiled program using  $\text{HYBOACCESS}^{j,2}$  that is similar to  $\text{HYBOACCESS}^{j,1}$  except that it hard wires and uses  $pos^*$  (rather than  $pos$  that returned from recursive call), where  $pos^*$  is the pre-computed value of  $pos$  at  $(t = i - 1 \wedge d = j)$  in an honest evaluation of  $\text{OACCESS}$  (Algorithm 69).
- $F_o^{j,\text{punct}}$  is the punctured ORAM program using  $\text{HYBOACCESS}^{j,\text{punct}}$  that is similar to normal  $\text{OACCESS}$ , except that it is punctured at  $t_{pos}$ , which writes dummy symbol to the position map and removes  $block^*$  at the  $j$ -th recursion (Algorithm 70)<sup>25</sup>.
- $t_{pos}$  is the time  $t$  so that  $pos^*$  is generated by  $\text{Prf}(K_N, (t, d, \text{flag}))$ .

$\mathbf{Hyb}_{2,i,0,j,3}$ . In this hybrid,  $F$  is replaced by  $F_e^{2,i,0,j,3}$  defined in Algorithm 71  $F_e^{2,i,0,j,3}$  is similar to  $F_e^{2,i,0,j,2}$ , except that it uses  $\text{HYBOACCESS}^{j+1}$  at  $t = i - 1$ .

**Analysis.** In the remaining of this subsection, we will complete the proof of the lemma.

**From  $\mathbf{Hyb}_{2,i,0,j}$  to  $\mathbf{Hyb}_{2,i,0,j,1}$ :** Note that in  $F_e^{2,i,0,j}$ , the entire computation for  $i \leq t \leq t^*$  is simulated, and when  $t > t^*$ ,  $F_e^{2,i,0,j}$  always output `Reject`. It will thus never be the case that, at time  $t > i - 1$ , the program decrypts the ciphertext written at  $(i - 1, j, \text{flag})$  where  $\text{flag} = \text{FetchW}$  or  $\text{FlushW}$ . We can therefore replace the ciphertexts output in the fetch and flush phase by the encryption of dummy, and replace the flush positions by a simulated version.

Formally, indistinguishability is established via the following hybrids:

1. In the first hybrid, we puncture the input  $(i - 1, j, \text{FlushR})$  for PRF keys  $K_N$  and  $K_{\text{Sim}}$ , and the input  $(i - 1, j, \text{flag})$  where  $\text{flag} = \text{FetchW}$  and  $\text{FlushW}$  for PRF keys  $K_E$ . We hardwire the pseudorandomness computed from  $K_N$ ,  $K_{\text{Sim}}$  and  $K_E$ . Since the computation defined by the program has identical computation trace as that in the previous hybrid, indistinguishability is guaranteed by Theorem 5.2.

<sup>25</sup> $\text{REMOVEBLOCK}(\mathbf{B}, \text{loc}, \alpha, pos)$  searches for the tuple of  $block = (\lfloor \text{loc}/\alpha \rfloor, pos, data)$  in each  $bucket \in \mathbf{B}$ . It outputs  $\mathbf{B}^-$  with  $block$  being removed.

2. In the next hybrid, we replace the pseudorandomness by truly random numbers. Indistinguishability is guaranteed by the security of the puncturable PRF.
3. Then, we hardwire  $\mathbf{B}^{\text{out}}$  and  $\mathbf{I}_{\text{flush}}$ , which are generated by the true randomness in the previous hybrid, into the program and take away the hardwired true randomness. Since the computation defined by the program has identical computation trace as that in the previous hybrid, indistinguishability is guaranteed by Theorem 5.2.
4. Next, we replace the values to be written by dummy. Indistinguishability is guaranteed by the IND-CPA security of PKE because these values are encrypted and  $F_e^{2,i,0,j,1}$  would never decrypt the ciphertext with the private key.
5. We replace  $\mathbf{I}_{\text{flush}}$  by a simulated version, which is generated from the hardwired true randomness that corresponds to  $K_{\text{Sim}}$ . Indistinguishability is guaranteed by the selective security of the puncturable PRF.
6. Finally, we un-puncture the PRF keys  $K_N$ ,  $K_{\text{Sim}}$  and  $K_E$  to obtain the required hybrid. Indistinguishability is again guaranteed by the security of the puncturable PRF.

**From Hyb $_{2,i,0,j,1}$  to Hyb $_{2,i,0,j,2}$ :** We defer the discussion to Lemma 8.4.

**From Hyb $_{2,i,0,j,2}$  to Hyb $_{2,i,0,j,3}$ :** In  $F_e^{2,i,0,j,2}$ , since our ORAM program has punctured  $pos^*$  that generated at time  $(t_{pos}, j)$  and  $pos^*$  is only used at time  $(i-1, j)$ , we can use  $\text{HYBOACCESS}^{j+1}$  instead of  $\text{HYBOACCESS}^{j,2}$  by selective security of PPRF and Theorem 5.2.

Formally, indistinguishability is established via the following hybrids:

1. In the first hybrid, we use punctured PRF keys  $K_N\{(t_{pos}, j, \text{FetchR})\}$  and  $K_{\text{Sim}}\{i-1, j, \text{FetchR}\}$ . We do not use  $K_{\text{Sim}}$  at  $(i-1, j, \text{FetchR})$  in this step, and the only value relies on the  $K_N$  at  $(t_{pos}, j, \text{FetchR})$  is  $pos^*$ , which is already hardwired. Since the program has identical computation trace as that in the previous hybrid, indistinguishability is guaranteed by Theorem 5.2.
2. In the next hybrid, we replace hardwired value  $pos^*$  (generated from  $K_N\{(t_{pos}, j, \text{FetchR})\}$ ) with  $pos^{**}$ , which is the random ORAM position computed from a true randomness. Indistinguishability is guaranteed by the selective security of PPRF.
3. Then, we replace hardwired value  $pos^{**}$  with  $pos_{\text{Sim}}^*$ , which is generated by randomness computed by  $\text{Prf}(K_{\text{Sim}}, (i-1, j, \text{FetchR}))$ . Indistinguishability is guaranteed by the selective security of PPRF.
4. Finally, we un-puncture the PRF keys  $K_N$ ,  $K_{\text{Sim}}$  to obtain the required hybrid. Since the program has identical computation trace as that in the previous hybrid, indistinguishability is guaranteed by Theorem 5.2.

**From Hyb $_{2,i,0,j,3}$  to Hyb $_{2,i,0,j+1}$ :** The proof is similar to that of Lemma 8.4.

□

---

**Algorithm 66:**  $F_e^{2,i,0,j,1}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t)$ ,  $\tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \text{lw}^{\text{in}}))$   
**Data**:  $T, K_E, t^*, y, K_N, K_{\text{Sim}}, i, j$

- 1 Compute  $t = \lceil t/q_o \rceil$ ;
- 2 If  $t > t^*$ , output **Reject**;
- 3 **if**  $t = t^*$  **then**
- 4      $\lfloor \dots$
- 5 **if**  $i \leq t < t^*$  **then**
- 6      $\lfloor \dots$
- 7 **else**
- 8     Compute  $(\mathbf{r}_1^{\text{in}}, \mathbf{r}_2^{\text{in}}) = \text{Prf}(K_E, (\text{lw}^{\text{in}}, h(\mathbf{I}^{\text{in}})))$ ;
- 9     Compute  $(\mathbf{pk}^{\text{in}}, \mathbf{sk}^{\text{in}}) = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{in}})$ ;
- 10     Compute  $\mathbf{B}^{\text{in}} = \text{PKE.Decrypt}(\mathbf{sk}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 11     Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t-1)$ ;
- 12     Compute  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
- 13     Compute  $\text{st}^{\text{in}} = \text{PKE.Decrypt}(sk_{\text{st}}, \text{st}^{\text{in}})$ ;
- 14     **if**  $t = i - 1$  **then**
- 15          $\text{Compute } (\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) \leftarrow F_{o, \text{hyb}}^{j,1}(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;  
            $\text{// } F_{o, \text{hyb}}^{j,1} = \text{CP-ORAM.Compile}(F, \text{HYBOACCESS}^{j,1})$
- 16     **else**
- 17          $\text{Compute } (\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 18         Set  $\text{lw}^{\text{out}} = (t, \dots, t)$ ;
- 19         Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\text{lw}^{\text{out}}, h(\mathbf{I}^{\text{out}})))$ ;
- 20         Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
- 21         Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}^{\text{out}}; \mathbf{r}_2^{\text{out}})$ ;
- 22         Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 23         Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 24         Compute  $\text{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \text{st}^{\text{out}}; r_4^t)$ ;
- 25 **Output**  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t+1)$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \text{lw}^{\text{out}}))$ ;

---

---

**Algorithm 67:** HYBOACCESS<sup>j,1</sup>{ $K_N, K_{Sim}$ }

---

**Input** :  $t, d, loc, val$   
**Output**:  $oldval$   
**Data**:  $K_N, K_{Sim}, \alpha, MaxDepth$  (Memory size  $S = \alpha^{MaxDepth}$ )

- 1 **if**  $d \geq MaxDepth$  **then**
- 2     **return** 0;
- 3 Pick leaf  $newpos$  at recursion level  $d$  based on  $Prf(K_N, (t, d, FetchR))$ ;                     // Update position map
- 4  $pos \leftarrow HYBOACCESS^{j,1}(t, d + 1, \lfloor loc/\alpha \rfloor, newPos)$ ;
- 5 **if**  $(d < j)$  **then**
- 6     Pick leaf  $pos$  at recursion level  $d$  based on  $Prf(K_{Sim}, (t, d, FetchR))$ ;
- 7      $I_{fetch} \leftarrow PATH(d, pos)$ ;
- 8      $B_{fetch} \leftarrow READ(I_{fetch})$ ;
- 9     WRITE( $I_{fetch}$ , **dummy**);
- 10    Pick leaf  $pos''$  at recursion level  $d$  based on  $Prf(K_{Sim}, (t, d, FlushR))$ ;
- 11     $I_{flush} \leftarrow PATH(d, pos'')$ ;
- 12     $B_{flush} \leftarrow READ(I_{flush})$ ;
- 13    WRITE( $I_{flush}$ , **dummy**);
- 14    **return**;
- 15 **else**
- 16      $I_{fetch} \leftarrow PATH(d, pos)$ ;   // Fetch
- 17      $B_{fetch} \leftarrow READ(I_{fetch})$ ;
- 18     **if**  $(d = j)$  **then**
- 19         WRITE( $I_{fetch}$ , **dummy**);
- 20         Pick leaf  $pos''$  at recursion level  $d$  based on  $Prf(K_{Sim}, (t, d, FlushR))$ ;
- 21          $I_{flush} \leftarrow PATH(d, pos'')$ ;
- 22          $B_{flush} \leftarrow READ(I_{flush})$ ;
- 23         WRITE( $I_{flush}$ , **dummy**);
- 24         **return**;
- 25     **else**
- 26          $(B_{fetch}^{out}, oldval) \leftarrow FETCHANDUPDATE(B_{fetch}, loc, val, \alpha, pos, newPos)$ ;
- 27         WRITE( $I_{fetch}$ ,  $B_{fetch}^{out}$ );
- 28         Pick leaf  $pos''$  at recursion level  $d$  based on  $Prf(K_N, (t, d, FlushR))$ ;                     // Flush
- 29          $I_{flush} \leftarrow PATH(d, pos'')$ ;
- 30          $B_{flush} \leftarrow READ(I_{flush})$ ;
- 31          $B_{flush}^{out} \leftarrow FLUSH(B_{flush}, pos'')$ ;
- 32         WRITE( $I_{flush}$ ,  $B_{flush}^{out}$ );
- 33         **return**  $oldval$ ;

---

---

**Algorithm 68:**  $F_e^{2,i,0,j,2}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t)$ ,  $\tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \mathbf{lw}^{\text{in}}))$   
**Data**:  $T, K_E, t^*, y, K_N, K_{\text{Sim}}, i, j$

- 1 Compute  $t = \lceil t/q_o \rceil$ ;
- 2 If  $t > t^*$ , output **Reject**;
- 3 **if**  $t = t^*$  **then**
- 4      $\lfloor \dots$
- 5 **if**  $i \leq t < t^*$  **then**
- 6      $\lfloor \dots$
- 7 **else**
- 8     Compute  $(\mathbf{r}_1^{\text{in}}, \mathbf{r}_2^{\text{in}}) = \text{Prf}(K_E, (\mathbf{lw}^{\text{in}}, h(\mathbf{I}^{\text{in}})))$ ;
- 9     Compute  $(\mathbf{pk}^{\text{in}}, \mathbf{sk}^{\text{in}}) = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{in}})$ ;
- 10     Compute  $\mathbf{B} = \text{PKE.Decrypt}(\mathbf{sk}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 11     Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t-1)$ ;
- 12     Compute  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
- 13     Compute  $\text{st}^{\text{in}} = \text{PKE.Decrypt}(sk_{\text{st}}, \text{st}^{\text{in}})$ ;
- 14     **if**  $t = i - 1$  **then**
- 15          $\lfloor \text{Compute } (\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) \leftarrow F_{o, \text{hyb}}^{j,2}(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}});$   
            $\lfloor // F_{o, \text{hyb}}^{j,2} = \text{CP-ORAM.Compile}(F, \text{HYBOACCESS}^{j,2})$
- 16     **else if**  $t = t_{\text{pos}}$  **then**
- 17          $\lfloor \text{Compute } (\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o^{j, \text{punct}}(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}});$   
            $\lfloor // F_o^{j, \text{punct}} = \text{CP-ORAM.Compile}(F, \text{HYBOACCESS}^{j, \text{punct}})$
- 18     **else**
- 19          $\lfloor \text{Compute } (\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 20     Set  $\mathbf{lw}^{\text{out}} = (t, \dots, t)$ ;
- 21     Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\mathbf{lw}^{\text{out}}, h(\mathbf{I}^{\text{out}})))$ ;
- 22     Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
- 23     Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}^{\text{out}}; \mathbf{r}_2^{\text{out}})$ ;
- 24     Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 25     Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 26     Compute  $\text{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \text{st}^{\text{out}}; r_4^t)$ ;
- 27 Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t+1)$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \mathbf{lw}^{\text{out}}))$ ;

---





---

**Algorithm 70:**  $\text{HYBOACCESS}^{j,\text{punct}}\{K_N\}$ 

---

**Input** :  $t, d, \text{loc}, \text{val}$   
**Output**:  $\text{oldval}$   
**Data**:  $K_N, \alpha, \text{MaxDepth}$  (Memory size  $S = \alpha^{\text{MaxDepth}}$ ),  $\text{loc}_{i-1,j}$

- 1 **if**  $d \geq \text{MaxDepth}$  **then**
- 2     **return** 0
- 3 **if**  $(d = j)$  **then**
- 4      $\text{pos} \leftarrow \text{HYBOACCESS}^{j,\text{punct}}(d + 1, \lfloor \text{loc}/\alpha \rfloor, \text{dummy});$
- 5 **else**
- 6     Pick leaf  $\text{newpos}$  at recursion level  $d$  based on  $\text{Prf}(K_N, (t, d, \text{FetchR}))$ ;     // Update position map
- 7      $\text{pos} \leftarrow \text{HYBOACCESS}^{j,\text{punct}}(d + 1, \lfloor \text{loc}/\alpha \rfloor, \text{newpos});$      // Fetch
- 8  $\mathbf{I}_{\text{fetch}} \leftarrow \text{PATH}(d, \text{pos});$
- 9  $\mathbf{B}_{\text{fetch}} \leftarrow \text{READ}(\mathbf{I}_{\text{fetch}});$
- 10 **if**  $(d = j)$  **then**
- 11      $(\mathbf{B}_{\text{fetch},-}, \text{oldval}) \leftarrow \text{REMOVEBLOCK}(\mathbf{B}_{\text{fetch}}, \text{loc}, \alpha, \text{pos});$
- 12      $\text{WRITE}(\mathbf{I}_{\text{fetch}}, \mathbf{B}_{\text{fetch},-});$
- 13 **else**
- 14      $(\mathbf{B}_{\text{fetch}}^{\text{out}}, \text{oldval}) \leftarrow \text{FETCHANDUPDATE}(\mathbf{B}_{\text{fetch}}, \text{loc}, \text{val}, \alpha, \text{pos}, \text{newpos});$
- 15      $\text{WRITE}(\mathbf{I}_{\text{fetch}}, \mathbf{B}_{\text{fetch}}^{\text{out}});$
- 16 Pick leaf  $\text{pos}''$  at recursion level  $d$  based on  $\text{Prf}(K_N, (t, d, \text{FlushR}))$ ;     // Flush
- 17  $\mathbf{I}_{\text{flush}} \leftarrow \text{PATH}(d, \text{pos}'');$
- 18  $\mathbf{B}_{\text{flush}} \leftarrow \text{READ}(\mathbf{I}_{\text{flush}});$
- 19  $\mathbf{B}_{\text{flush}}^{\text{out}} \leftarrow \text{FLUSH}(\mathbf{B}_{\text{flush}}, \text{pos}'');$
- 20  $\text{WRITE}(\mathbf{I}_{\text{flush}}, \mathbf{B}_{\text{flush}}^{\text{out}});$
- 21 **return**  $\text{oldval};$

---

---

**Algorithm 71:**  $F_e^{2,i,0,j,3}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t)$ ,  $\tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \text{lw}^{\text{in}}))$   
**Data**:  $T, K_E, t^*, y, K_N, K_{\text{Sim}}, i, j$

- 1 Compute  $t = \lceil t/q_o \rceil$ ;
- 2 If  $t > t^*$ , output Re ject;
- 3 **if**  $t = t^*$  **then**
- 4   | ...
- 5 **if**  $i \leq t < t^*$  **then**
- 6   | ...
- 7 **else**
- 8   | Compute  $(\mathbf{r}_1^{\text{in}}, \mathbf{r}_2^{\text{in}}) = \text{Prf}(K_E, (\text{lw}^{\text{in}}, h(\mathbf{I}^{\text{in}})))$ ;
- 9   | Compute  $(\mathbf{pk}^{\text{in}}, \mathbf{sk}^{\text{in}}) = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{in}})$ ;
- 10   | Compute  $\mathbf{B}^{\text{in}} = \text{PKE.Decrypt}(\mathbf{sk}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 11   | Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t - 1)$ ;
- 12   | Compute  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
- 13   | Compute  $\text{st}^{\text{in}} = \text{PKE.Decrypt}(sk_{\text{st}}, \text{st}^{\text{in}})$ ;
- 14   | **if**  $t = i - 1$  **then**
- 15   |   | Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) \leftarrow F_{o, \text{hyb}}^{j+1}(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 16   | **else if**  $t = t_{\text{pos}}$  **then**
- 17   |   | Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o^{j, \text{punct}}(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 18   | **else**
- 19   |   | Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 20   | Set  $\text{lw}^{\text{out}} = (t, \dots, t)$ ;
- 21   | Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\text{lw}^{\text{out}}, h(\mathbf{I}^{\text{out}})))$ ;
- 22   | Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
- 23   | Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}^{\text{out}}; \mathbf{r}_2^{\text{out}})$ ;
- 24   | Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 25   | Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 26   | Compute  $\text{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \text{st}^{\text{out}}; r_4^t)$ ;
- 27 Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t + 1)$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \text{lw}^{\text{out}}))$ ;

---

#### 8.4.5 Partially Punctured ORAM: From $\text{Hyb}_{2,i,0,j,1}$ to $\text{Hyb}_{2,i,0,j,2}$

Before giving the proof details that the hybrids  $\text{Hyb}_{2,i,0,j,1}$  and  $\text{Hyb}_{2,i,0,j,2}$  are indistinguishable, we provide first the main proof ideas. Recall that in an ORAM tree, a node (as a bucket) consists of multiple blocks of bit string. In the following, let  $block^*$  be the block to be fetched at time  $(t, d) = (i - 1, j)$ , and  $pos^*$  be the corresponding position of  $block^*$ . We let  $t_{pos}$  denote the time when  $pos^*$  is generated by PPRF; note that  $t_{pos}$  is also the last modification time of  $block^*$ .

Now, how do we move from  $\text{Hyb}_{2,i,0,j,1}$  to  $\text{Hyb}_{2,i,0,j,2}$ , or how do we puncture ORAM compiled next-step program  $F_o$ ? Our main idea is to erase  $block^*$  and  $pos^*$  value in memory and CPU state from time  $t = t_{pos}$  to time  $t = i - 1$ . To simplify the exposition, let us focus on erasing  $block^*$ , and we note that the  $pos^*$  (which is written to ORAM recursively) can be handled analogously. In other words, consider the following simplified goal:

**Hyb** $_{2,i,0,j,1',t_{pos}}$ : (A) At time  $t_{pos}$ , instead of putting back the encryption of the fetched  $block^*$  to the root of the ORAM tree, an encryption of dummy value is put back instead.

From  $\text{Hyb}_{2,i,0,j,1}$  to  $\text{Hyb}_{2,i,0,j,1',t_{pos}}$ , we wish to change the step computation at time  $t = t_{pos}$  to  $F_o^{j,\text{punct}'}$ . This step is non-trivial for the following reason: although  $block^*$  to be fetched at  $(t, d) = (i - 1, j)$  is encrypted, we cannot leverage its semantic security since the PRF key  $K_E$  used to generate the ciphertext is hardwired in the program, and the security of  $\text{CiO}$  does not hide these hardwired values. In particular,  $block^*$  might be searched in Fetch step or be moved to another node in Flush step from time  $t = t_{pos}$  to time  $t = i - 1$ , where both steps must first decrypt all memory input with the private key, which is generated from  $K_E$ . Specifically, following cases need to decrypt (and re-encrypt)  $block^*$ :

- Fetch step searches for another block, and  $block^*$  is on the searching path. Because  $block^*$  is not matched, it is decrypted and re-encrypted in the same bucket.
- Flush step flushes the path  $pos''$ , and  $block^*$  is not moved. Similar to Fetch,  $block^*$  is decrypted and re-encrypted in the same bucket.
- Flush step flushes the path  $pos''$ , and  $block^*$  is moved from one bucket to another bucket.  $block^*$  is decrypted and then re-encrypted in two different buckets.

Therefore, in the worst case, the adversary actually has knowledge of the position  $pos^*$  to be fetched, the access pattern at this point is actually deterministic and hence cannot be simulated.

In order to argue that we can indeed switch to  $\text{Hyb}_{2,i,0,j,1',t_{pos}}$ , the trivial approach is to hardwire input of the next time  $t'_{pos}$  that decrypts  $block^*$ , but there might exist another next time of  $t'_{pos}$  that decrypts  $block^*$ , and so on. This would mean that we need to hardwire  $\Omega(T)$  information inside the program, making the construction *not* time-succinct. Instead, we will show, via the series of hybrids presented below, that we can erase the corresponding part of the ciphertexts one after another, while having only constant amount of information hardwired in every hybrid.

**Partially Punctured Hybrids** Our key idea to do so is to add one *partially puncturing* procedure (B) code to the ORAM program as a helper, which hardwires the  $block^*$  in plaintext and “erase” it whenever this block is decrypted in the memory accesses from time  $t = t_{pos}$  to time  $t = i - 1$ . Consider

**Hyb** $_{2,i,0,j,1'',t_{pos}+1}$ : (A) At time  $t_{pos}$ , instead of putting back the encryption of the fetched  $block^*$  to the root of the ORAM tree, an encryption of dummy value is put back instead.

(B) At time  $t \geq t_{pos} + 1$ , if the input state or memory contains  $block^*$ , then replace it by dummy value before performing the computation.

Since we do not put back  $block^*$  at time  $t_{pos}$ ,  $block^*$  does not exist after time  $t_{pos}$ , and thus the  $(B)$  code is never executed. Therefore, the programs in  $\mathbf{Hyb}_{2,i,0,j,1',t_{pos}}$  and  $\mathbf{Hyb}_{2,i,0,j,1'',t_{pos}+1}$  have identical computation trace, and the two hybrids are indistinguishable by the security of  $\mathbf{CiO}$ . So, our goal reduces to move from  $\mathbf{Hyb}_{2,i,0,j,1}$  to  $\mathbf{Hyb}_{2,i,0,j,1'',t_{pos}+1}$ .

Towards this, we will first remove the  $(A)$  code and add the  $(B)$  code only, and we will argue they are indistinguishable by IND-CPA security later. Next, we add the  $(B)$  code gradually and parametrize the  $(B)$  code by its time step condition, and consider hybrids  $\mathbf{Hyb}_{2,i,0,j,1,z}$  with only the  $(B)$  code added:

**Hyb**<sub>2,i,0,j,1,z</sub>:  $(B)$  At time  $t \geq z$ , if the input state or memory contains  $block^*$ , then replace it by dummy value before performing the computation.

Note that when  $z = i - 1$ , the  $(B)$  code is ineffective, since computation at time step  $i - 1$  is already simulated. Thus,  $\mathbf{Hyb}_{2,i,0,j,1}$  and  $\mathbf{Hyb}_{2,i,0,j,1,i-1}$  are indistinguishable by  $\mathbf{CiO}$  security.

We next argue indistinguishability of  $\mathbf{Hyb}_{2,i,0,j,1,z}$  and  $\mathbf{Hyb}_{2,i,0,j,1,z-1}$ , where the difference is at time step  $z - 1$ . If the input at time step  $z - 1$  does not contain  $block^*$ , then the computation trace is identical and the hybrids are indistinguishable by  $\mathbf{CiO}$  security. Now, if the input at time step  $z - 1$  contains  $block^*$ , the key observation here is that since we have the  $(B)$  code added for time step  $t \geq z$ , when we modify the  $[block^*]^{out}$  at time  $z - 1$  to dummy value, it does not effect the computation after any time  $z$ . Therefore, to show that  $\mathbf{Hyb}_{2,i,0,j,1,z}$  and  $\mathbf{Hyb}_{2,i,0,j,1,z-1}$  are indistinguishable, we need to replace the (encrypted)  $[block^*]^{out}$  in  $\mathbf{Hyb}_{2,i,0,j,1,z-1}$  by (encryption of) dummy value. We hardwire the plaintext and ciphertext at time  $z - 1$ , and this allows us to replace the (encrypted)  $[block^*]^{out}$  by (encryption of) dummy value with PPRF and PKE security.

Now, we have erased  $block^*$  from the *output* at time  $t = z - 1$ , but  $\mathbf{Hyb}_{2,i,0,j,1,z-1}$  is to erase  $block^*$  from the *input*. Intuitively, any computation step from time  $t = t_{pos}$  to time  $t = i - 1$  does not “compute” on  $block^*$ , and  $block^*$  is transferred literally from input to output through  $F_o$ . We claim the overall output at time  $t = z - 1$  are always identical by analyzing following cases in CP ORAM:

- In Fetch step,  $block^*$  is always in the same bucket, and it implies that erasing  $block^*$  from input and erasing  $block^*$  from output are identical.
- In Flush step, if  $block^*$  is not moved, then erasing  $block^*$  from input and erasing  $block^*$  from output are identical.
- In Flush step, if  $block^*$  is on the flushing path and is moved from one bucket to another bucket, then erasing input buckets and erasing output buckets yield the identical result, where both buckets have no  $block^*$ .

Note this “commute property of erasure” is implied by CP ORAM construction and definition of  $block^*$  and  $t_{pos}$ .

What we have done allow us to move from  $\mathbf{Hyb}_{2,i,0,j,1}$  to  $\mathbf{Hyb}_{2,i,0,j,1,t_{pos}+1}$ , which has the partially puncturing procedure injected. The difference between  $\mathbf{Hyb}_{2,i,0,j,1,t_{pos}+1}$  and  $\mathbf{Hyb}_{2,i,0,j,1'',t_{pos}+1}$  is the  $(A)$  code, which is to replace the (encrypted)  $[block^*]^{out}$  at time step  $t_{pos}$  by (encryption of) dummy value (with the helper  $(B)$  code added). This is the same task as above, and can be handled by the same hybrids.

**Lemma 8.4.** *Let PKE be an IND-CPA secure public key encryption scheme,  $\mathbf{CiO}$  be a computation-trace indistinguishability obfuscation scheme in RAM model, Prf be a secure puncturable PRF scheme. Then the hybrids  $\mathbf{Hyb}_{2,i,0,j,1}$  and  $\mathbf{Hyb}_{2,i,0,j,2}$  are computationally indistinguishable.*

*Proof.* Formally, we define fourth-layer hybrids  $\mathbf{Hyb}_{2,i,0,j,1,z}$  for  $t_{pos} < z \leq i - 1$ ,  $\mathbf{Hyb}_{2,i,0,j,1',z}$  for  $t_{pos} < z \leq i - 1$ ,  $\mathbf{Hyb}_{2,i,0,j,1,t_{pos},z}$  for  $t_{pos} < z \leq i - 1$  and hybrids are proceeded as follows.

Table 6: The hybrid series from  $\mathbf{Hyb}_{2,i,0,j,1}$  to  $\mathbf{Hyb}_{2,i,0,j,1',t_{pos}}$ , then to  $\mathbf{Hyb}_{2,i,0,j,2}$ , with the important instructions in the next-step program that are related to the erasure of  $block^*$  in the ORAM tree.

Hybrid	$t_{pos}$	$z - 1$	$z$	If decrypts $z - 1$	$i - 1$
$\mathbf{Hyb}_{2,i,0,j,1}$	honest	honest	honest	honest	honest $pos^*$ , simulated data
$\mathbf{Hyb}_{2,i,0,j,1,i-1}$	honest	honest	honest	honest	hardware $pos^*$ , simulated data
...					
$\mathbf{Hyb}_{2,i,0,j,1,z}$	honest	honest	erase $[block^*]^{in}$	erase $[block^*]^{in}$	hardware $pos^*$ , simulated data
$\mathbf{Hyb}_{2,i,0,j,1',z}$	honest	hardware $[block^*]^{out}$	erase $[block^*]^{in}$	hardware $[block^*]^{in}$ erase $[block^*]^{in}$	hardware $pos^*$ , simulated data
$\mathbf{Hyb}_{2,i,0,j,1'',z}$	honest	hardware $[block^*]^{out}$ erase $[block^*]^{out}$	erase $[block^*]^{in}$	erase $[block^*]^{in}$	hardware $pos^*$ , simulated data
$\mathbf{Hyb}_{2,i,0,j,1,z-1}$	honest	erase $[block^*]^{in}$	erase $[block^*]^{in}$	erase $[block^*]^{in}$	hardware $pos^*$ , simulated data
...					
$\mathbf{Hyb}_{2,i,0,j,1'',t_{pos}+1}$	hardware $[block^*]^{out}$ erase $[block^*]^{out}$	erase $[block^*]^{in}$	erase $[block^*]^{in}$	erase $[block^*]^{in}$	hardware $pos^*$ , simulated data
$\mathbf{Hyb}_{2,i,0,j,1',t_{pos}}$	erase $[block^*]^{out}$	honest	honest	honest	hardware $pos^*$ , simulated data
...					
$\mathbf{Hyb}_{2,i,0,j,1,t_{pos},z}$	erase $[block^*]^{out}$	honest	erase $[pos^*]^{in}$	erase $[pos^*]^{in}$	hardware $pos^*$ , simulated data
...					
$\mathbf{Hyb}_{2,i,0,j,2}$	erase $[block^*]^{out}$ erase $[pos^*]^{out}$	honest	honest	honest	hardware $pos^*$ , simulated data

- $\mathbf{Hyb}_{2,i,0,j,1} \approx \mathbf{Hyb}_{2,i,0,j,1,i-1} \approx \dots \approx \mathbf{Hyb}_{2,i,0,j,1,z} \dots \approx \mathbf{Hyb}_{2,i,0,j,1,t_{pos}+1} \approx \mathbf{Hyb}_{2,i,0,j,1',t_{pos}+1} \approx \mathbf{Hyb}_{2,i,0,j,1',t_{pos}}$   
 $\approx \dots \approx \mathbf{Hyb}_{2,i,0,j,1,t_{pos},z} \dots \approx \mathbf{Hyb}_{2,i,0,j,2}$
- $\mathbf{Hyb}_{2,i,0,j,1,z} \approx \mathbf{Hyb}_{2,i,0,j,1',z} \approx \mathbf{Hyb}_{2,i,0,j,1,z-1}$

Some additional notations used in  $\mathbf{Hyb}_{2,i,0,j,1',z}$  is listed in Table 7.

Notation	Definition
$h_z^*$	The index of the node which contains $block^*$ at time $t = z$ . (If time $t = z$ has no $block^*$ in the memory input, then let $h_z^*$ be root index $\epsilon$ .)
$b_z^*$	The plaintext of the node with index $h_z^*$ at time $t = z$ .
$b_z^*$	The ciphertext of the node $b_z^*$ at time $t = z$ .
$b_z^{*-}$	The ciphertext the same node $b_z^*$ except that $block^*$ is erased.

**Hyb** $_{2,i,0,j,1,z}$ . In this hybrid, the program is replaced by  $F_e^{2,i,0,j,1,z}$  defined in Algorithm 72.  $F_e^{2,i,0,j,1,z}$  erases the part in the plaintext of the input bits corresponding to  $block^*$  by partially puncturing procedure that searches and erases  $block^*$  at time  $t$  such that  $z \leq t \leq i - 1$ , and it also calls  $F_{o,hyb}^{j,2}$  at time  $i - 1$ . Recall vector  $\mathbf{B}^{\text{in}}$  is a vector of nodes on an ORAM tree path, where each node is a bucket that stores several blocks of memory, and the partially puncturing procedure is to search and erase only  $block^*$  from  $\mathbf{B}^{\text{in}}$ . To denote an empty slot in a bucket, this procedure uses the standard representation in ORAM data structure, which is the empty symbol. Note that at time  $t$  where  $z < t \leq i - 1$ , any memory content which corresponds to  $block^*$  has already been erased, thus the program just execute the “normal”  $F_o$  function in the sense that it is indeed generating the “real” access pattern with respect to a particular memory which has  $block^*$  erased.

**Hyb** $_{2,i,0,j,1',z}$ . In this hybrid, the program is replaced by  $F_e^{2,i,0,j,1',z}$  defined in Algorithm 73.  $F_e^{2,i,0,j,1',z}$  is similar to  $F_e^{2,i,0,j,1',z}$ , except for the following changes.

- At  $t = z - 1$ , the bucket of the output ciphertext corresponding to  $block^*$ , namely  $\mathbf{B}^{\text{out}}[h_{z-1}^*]$ , is replaced by a hardwired ciphertext  $b_{z-1}^*$ .
- At  $t \leq z$ , an explicit check is imposed so that the private decryption key corresponding to time  $t = z - 1$  and  $h = h_{z-1}^*$  will never be used. To keep the program working, we hard-wire the plaintext  $b_{z-1}^*$  corresponding to  $b_{z-1}^*$  so that  $F_o$  is running with the correct input.

We expand vector notation of Prf and PKE decryption to an equivalent loop form, which is easier to denote this special hard-wired condition along with other honest computations.

**Hyb** $_{2,i,0,j,1',t_{pos}}$ . In this hybrid, the program is replaced by  $F_e^{2,i,0,j,1',t_{pos}}$  defined in Algorithm 75, which removes the plaintext corresponding to  $block^*$  inside the ORAM access function  $\text{OACCESS}^{j,\text{punct}'}$  (Algorithm 76).

**Hyb** $_{2,i,0,j,1,t_{pos},z}$ . In this hybrid, the program is replaced by  $F_e^{2,i,0,j,1,t_{pos},z}$  defined in Algorithm 77.  $F_e^{2,i,0,j,1,t_{pos},z}$  is similar to  $F_e^{2,i,0,j,1',t_{pos}}$  except the erasure of the part in the plaintext of the input bits corresponding to  $pos^*$ .

Recall that value  $pos^*$  is generated in  $j$ -th recursion level and is stored in the position map, which is outsourced to  $j + 1$ -th level of ORAM recursively. Let  $loc^*$  be the location of the memory cell stores  $pos^*$  in

the  $j + 1$ -th level ORAM, then  $pos^*$  can be found deterministically in the ORAM tree as follows: with  $loc^*$ , search the block with the format  $(\lfloor loc^*/\alpha \rfloor, \cdot, v)$  in the  $j + 1$ -th ORAM tree, and then  $pos^*$  must be stored in the  $(loc^* \bmod \alpha)$ -th cell in  $v$ . In this hybrid, our additional procedure just hardwires  $loc^*$ , searches and erases  $pos^*$  with the unique symbol dummy for all time  $t$  such that  $z \leq t \leq i - 1$  and for recursion level  $d = j + 1$ .

---

**Algorithm 72:**  $F_e^{2,i,0,j,1,z}$

---

**Input** :  $\tilde{st}^{in} = (\mathbf{st}^{in}, t)$ ,  $\tilde{a}_{A \leftarrow M}^{in} = (\mathbf{I}^{in}, (\mathbf{B}^{in}, \mathbf{lw}^{in}))$   
**Data:**  $T, K_E, t^*, y, z, block^*$ ,  $K_N, K_{Sim}, i, j$

- 1 Compute  $t = \lceil t/q_o \rceil$ ;
- 2 If  $t > t^*$ , output Reject;
- 3 if  $t = t^*$  then
- 4   | ...
- 5 if  $i \leq t < t^*$  then
- 6   | ...
- 7 else
- 8   | Compute  $(r_1^{in}, r_2^{in}) = \text{Prf}(K_E, (\mathbf{lw}^{in}, h(\mathbf{I}^{in})))$ ;
- 9   | Compute  $(pk^{in}, sk^{in}) = \text{PKE.Gen}(1^\lambda; r_1^{in})$ ;
- 10   | Compute  $\mathbf{B}^{in} = \text{PKE.Decrypt}(sk^{in}, \mathbf{B}^{in})$ ;
- 11   | Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t - 1)$ ;
- 12   | Compute  $(pk_{st}, sk_{st}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
- 13   | Compute  $st^{in} = \text{PKE.Decrypt}(sk_{st}, \mathbf{st}^{in})$ ;
- 14   | if  $(z \leq t \leq i - 1)$  and  $(d = j)$  then
- 15   |   | For each bucket  $b$  in  $\mathbf{B}^{in}$ , search and erase  $block^*$  from  $b$  (and thus  $\mathbf{B}^{in}$ );
- 16   | if  $t = i - 1$  then
- 17   |   | Compute  $(st^{out}, \mathbf{I}^{out}, \mathbf{B}^{out}) \leftarrow F_{o,hyb}^{j,2}(t, st^{in}, \mathbf{I}^{in}, \mathbf{B}^{in})$ ;
- 18   | else
- 19   |   | Compute  $(st^{out}, \mathbf{I}^{out}, \mathbf{B}^{out}) = F_o(t, st^{in}, \mathbf{I}^{in}, \mathbf{B}^{in})$ ;
- 20   | Set  $\mathbf{lw}^{out} = (t, \dots, t)$ ;
- 21   | Compute  $(r_1^{out}, r_2^{out}) = \text{Prf}(K_E, (\mathbf{lw}^{out}, h(\mathbf{I}^{out})))$ ;
- 22   | Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_1^{out})$ ;
- 23   | Compute  $\mathbf{B}^{out} = \text{PKE.Encrypt}(pk', \mathbf{B}^{out}; r_2^{out})$ ;
- 24   | Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 25   | Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 26   | Compute  $st^{out} = \text{PKE.Encrypt}(pk', st^{out}; r_4^t)$ ;
- 27 Output  $\tilde{st}^{out} = (\mathbf{st}^{out}, t + 1)$ ,  $\tilde{a}_{M \leftarrow A}^{out} = (\mathbf{I}^{out}, (\mathbf{B}^{out}, \mathbf{lw}^{out}))$ ;

---

---

**Algorithm 73:**  $F_e^{2,i,0,j,1',z}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t)$ ,  $\tilde{a}_{\mathbb{A} \leftarrow \mathbb{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \mathbf{lw}^{\text{in}}))$   
**Data:**  $T, K_E, t^*, y, z, \text{block}^*, h_{z-1}^*, b_{z-1}^*, \underline{b_{z-1}^*}, K_N, K_{\text{Sim}}, i, j$

- 1 Compute  $t = \lceil t/q_o \rceil$ ;
- 2 If  $t > t^*$ , output **Reject**;
- 3 **if**  $t = t^*$  **then**
- 4      $\lfloor \dots$
- 5 **if**  $i \leq t < t^*$  **then**
- 6      $\lfloor \dots$
- 7 **else**
- 8     **foreach**  $h \in [|\mathbf{B}^{\text{in}}|]$  **do** // We expands the vector notation and only modifies red-underlined condition.
- 9         **if**  $(t \geq z)$  **and**  $(\mathbf{lw}^{\text{in}}[h] = z - 1)$  **and**  $(h = h_{z-1}^*)$  **then**
- 10              $\lfloor$  Set  $\mathbf{B}^{\text{in}}[h_{z-1}^*] = b_{z-1}^*$ ;
- 11             **else**
- 12                 Compute  $(r_1^{\text{in}}, r_2^{\text{in}}) = \text{Prf}(K_E, (\mathbf{lw}^{\text{in}}[h], h))$ ;
- 13                 Compute  $(\text{pk}^{\text{in}}, \text{sk}^{\text{in}}) = \text{PKE.Gen}(1^\lambda; r_1^{\text{in}})$ ;
- 14                 Set  $\mathbf{B}^{\text{in}}[h] = \text{PKE.Decrypt}(\text{sk}^{\text{in}}, \mathbf{B}^{\text{in}}[h])$ ;
- 15     Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t - 1)$ ;
- 16     Compute  $(\text{pk}_{\text{st}}, \text{sk}_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
- 17     Compute  $\text{st}^{\text{in}} = \text{PKE.Decrypt}(\text{sk}_{\text{st}}, \text{st}^{\text{in}})$ ;
- 18     **if**  $(z \leq t \leq i - 1)$  **and**  $(d = j)$  **then**
- 19          $\lfloor$  For each bucket  $b$  in  $\mathbf{B}^{\text{in}}$ , search and erase  $\text{block}^*$  from  $b$  (and thus  $\mathbf{B}^{\text{in}}$ );
- 20     **if**  $t = i - 1$  **then**
- 21          $\lfloor$  Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) \leftarrow F_{o, \text{hyb}}^{j, 2}(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 22     **else**
- 23          $\lfloor$  Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 24     Set  $\mathbf{lw}^{\text{out}} = (t, \dots, t)$ ;
- 25     Compute  $(r_1^{\text{out}}, r_2^{\text{out}}) = \text{Prf}(K_E, (\mathbf{lw}^{\text{out}}, h(\mathbf{I}^{\text{out}})))$ ;
- 26     Compute  $(\text{pk}', \text{sk}') = \text{PKE.Gen}(1^\lambda; r_1^{\text{out}})$ ;
- 27     Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\text{pk}', \mathbf{B}^{\text{out}}, r_2^{\text{out}})$ ;
- 28     **if**  $t = z - 1$ , set  $\mathbf{B}^{\text{out}}[h_{z-1}^*] = b_{z-1}^*$ ;
- 29     Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 30     Compute  $(\text{pk}', \text{sk}') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 31     Compute  $\text{st}^{\text{out}} = \text{PKE.Encrypt}(\text{pk}', \text{st}^{\text{out}}, r_4^t)$ ;
- 32 **Output**  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t + 1)$ ,  $\tilde{a}_{\mathbb{M} \leftarrow \mathbb{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \mathbf{lw}^{\text{out}}))$ ;

---



---

**Algorithm 74:**  $F_e^{2,i,0,j,1'',z}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t), \tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \text{lw}^{\text{in}}))$   
**Data**:  $T, K_E, t^*, y, z, \text{block}^*, h_{z-1}^*, \underline{b_{z-1}^{*-}}, K_N, K_{\text{Sim}}, i, j$

- 1 Compute  $t = \lceil t/q_o \rceil$ ;
- 2 If  $t > t^*$ , output **Reject**;
- 3 **if**  $t = t^*$  **then**
- 4      $\lfloor \dots$
- 5 **if**  $i \leq t < t^*$  **then**
- 6      $\lfloor \dots$
- 7 **else**
- 8     Compute  $(\mathbf{r}_1^{\text{in}}, \mathbf{r}_2^{\text{in}}) = \text{Prf}(K_E, (\text{lw}^{\text{in}}, h(\mathbf{I}^{\text{in}})))$ ;
- 9     Compute  $(\mathbf{pk}^{\text{in}}, \mathbf{sk}^{\text{in}}) = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{in}})$ ;
- 10     Compute  $\mathbf{B}^{\text{in}} = \text{PKE.Decrypt}(\mathbf{sk}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 11     Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t-1)$ ;
- 12     Compute  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
- 13     Compute  $\text{st}^{\text{in}} = \text{PKE.Decrypt}(sk_{\text{st}}, \text{st}^{\text{in}})$ ;
- 14     **if**  $(z \leq t \leq i-1)$  **and**  $(d = j)$  **then**
- 15          $\lfloor$  For each bucket  $b$  in  $\mathbf{B}^{\text{in}}$ , search and erase  $\text{block}^*$  from  $b$  (and thus  $\mathbf{B}^{\text{in}}$ );
- 16     **if**  $t = i-1$  **then**
- 17          $\lfloor$  Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) \leftarrow F_{o, \text{hyb}}^{j,2}(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 18     **else**
- 19          $\lfloor$  Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 20     Set  $\text{lw}^{\text{out}} = (t, \dots, t)$ ;
- 21     Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\text{lw}^{\text{out}}, h(\mathbf{I}^{\text{out}})))$ ;
- 22     Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
- 23     Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}^{\text{out}}; \mathbf{r}_2^{\text{out}})$ ;
- 24     If  $t = z-1$ , set  $\underline{\mathbf{B}^{\text{out}}[h_{z-1}^*] = \underline{b_{z-1}^{*-}}}$ ;
- 25     Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 26     Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 27     Compute  $\text{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \text{st}^{\text{out}}; r_4^t)$ ;
- 28 Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t+1), \tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \text{lw}^{\text{out}}))$ ;

---

**Analysis.** In the remaining of this subsection, we will complete the proof of the lemma. We applied Theorem 5.2 several times, and it allows arbitrary modification in the hybrid program as long as the computation trace remains identical.

**From  $\text{Hyb}_{2,i,0,j,1}$  to  $\text{Hyb}_{2,i,0,j,1,i-1}$ :** The difference is at time  $i-1$ , but the output simulated by  $F_{o,hyb}^{j,2}$ , which hardwires  $pos^*$ , has the identical computation trace. By Theorem 5.2, these two hybrids are computationally indistinguishable.

**From  $\text{Hyb}_{2,i,0,j,1,z}$  to  $\text{Hyb}_{2,i,0,j,1',z}$ :** Since  $F_e^{2,i,0,j,1',z}$  is obtained by hardwiring the same outputs computed from  $F_e^{2,i,0,j,1,z}$ , the computations defined by the two programs have identical computation trace. Therefore, by Theorem 5.2, the hybrids are computationally indistinguishable.

**From  $\text{Hyb}_{2,i,0,j,1',z}$  to  $\text{Hyb}_{2,i,0,j,1,z-1}$ :** The indistinguishability is established via a series of intermediate hybrids, which we will describe in text:

1.  $F_e^{2,i,0,j,1',z} \{K_E \{(z-1, h_{z-1}^*)\}, h_{z-1}^*, b_{z-1}^*, \boxed{b_{z-1}^*}\}$ . In the first hybrid, the input  $(z-1, h_{z-1}^*)$  is punctured from the PRF key  $K_E$ . The pseudo-randomness computed from  $K_E$  is hardwired in the program. Since the computation defined by this program has identical computation trace as that in  $\text{Hyb}_{2,i,0,j,1',z}$ , by Theorem 5.2, the two hybrids are computationally indistinguishable.
2.  $F_e^{2,i,0,j,1',z} \{K_E \{(z-1, h_{z-1}^*)\}, h_{z-1}^*, b_{z-1}^*, \boxed{b; r_{z-1}^*}\}$ . In the next hybrid, we replace the hardwired ciphertext by a ciphertext encrypted with true randomness. Indistinguishability is guaranteed by the selective security of PPRF.
3.  $F_e^{2,i,0,j,1',z} \{K_E \{(z-1, h_{z-1}^*)\}, h_{z-1}^*, b_{z-1}^*, \boxed{b; r_{z-1}^*}\}$ . Next, we change the hardwired ciphertext  $\boxed{b; r_{z-1}^*}$  to its counterpart  $\boxed{b; r_{z-1}^*}$  with  $block^*$  erased. Indistinguishability is guaranteed by the IND-CPA security of the PKE because  $F_e^{2,i,0,j,1',z}$  would never use the private key of  $(z-1, h_{z-1}^*)$ .
4.  $F_e^{2,i,0,j,1',z} \{K_E, h_{z-1}^*, b_{z-1}^*, \boxed{b_{z-1}^*}\}$ . Then, we un-puncture the PRF. Indistinguishability is guaranteed by the security of the puncturable PRF.
5.  $F_e^{2,i,0,j,1',z} \{K_E, h_{z-1}^*, \boxed{b_{z-1}^*}\}$ . We remove Line 10 and the honest plaintext  $b_{z-1}^*$  that contains  $block^*$  (Algorithm 74). The computation defined by this program has identical computation trace as the previous hybrid, and two hybrids are computationally indistinguishable by Theorem 5.2. To show two traces are identical, we observe the only difference is the input bucket  $b_{z-1}^*$  was replaced by  $b_{z-1}^*$ , which is decrypted from  $\boxed{b_{z-1}^*}$ . For all  $z \leq t \leq i-1$ , however, input to  $F_o$  are always have  $block^*$  erased in advance, and it follows that double-erasing yields the identical input  $\mathbf{B}^{\text{in}}$ .
6. At this point, the computation trace defined by  $F_e^{2,i,0,j,1',z} \{K_E, h_{z-1}^*, \boxed{b_{z-1}^*}\}$  is identical to that in  $\text{Hyb}_{2,i,0,j,1,z-1}$ , and two hybrids are computationally indistinguishable by Theorem 5.2. It is because the ‘‘commute property of erasure’’, where any computation step from time  $t_{pos}$  to  $i-1$  does not ‘‘compute’’ on  $block^*$ , and  $block^*$  is transferred literally from input to output through  $F_o$ . Therefore, erasing  $block^*$  from output is identical to erasing  $block^*$  from input.

**From  $\text{Hyb}_{2,i,0,j,1',t_{pos}+1}$  to  $\text{Hyb}_{2,i,0,j,1',t_{pos}}$ :** By the same argument from  $\text{Hyb}_{2,i,0,j,1',z}$  to  $\text{Hyb}_{2,i,0,j,1'',z}$ , we can see that  $\text{Hyb}_{2,i,0,j,1',t_{pos}+1}$  is indistinguishable from  $\text{Hyb}_{2,i,0,j,1'',t_{pos}+1}$ . Note that the only difference between  $\text{Hyb}_{2,i,0,j,1'',t_{pos}+1}$  and  $\text{Hyb}_{2,i,0,j,1',t_{pos}}$  is the erasure of  $\text{block}^*$  in  $F_e^{2,i,0,j,1',t_{pos}}$  implemented in  $\text{OACCESS}^{j,\text{punct}'}$ , and they have identical computation trace. By Theorem 5.2, the two hybrids are computationally indistinguishable.

**From  $\text{Hyb}_{2,i,0,j,1',t_{pos}}$  to  $\text{Hyb}_{2,i,0,j,2}$ :** Our task here is to remove the information corresponding to  $\text{pos}^*$  from position map, which has  $\text{pos}^*$  stored in the next recursion layer of the ORAM tree. The approach is similar as above, as we need to remove this information that  $\text{pos}^*$  is accessed for each time  $z$  in the next layer of ORAM tree. To show these two hybrids are computationally indistinguishable, we therefore define  $\text{Hyb}_{2,i,0,j,1,t_{pos},z}$  similar to  $\text{Hyb}_{2,i,0,j,1,z}$ , and the argument is analogous to that from  $\text{Hyb}_{2,i,0,j,1}$  to  $\text{Hyb}_{2,i,0,j,1',t_{pos}}$ . The sketched proof is proposed as follows:

- $\text{Hyb}_{2,i,0,j,1,t_{pos}} \approx \text{Hyb}_{2,i,0,j,1,t_{pos},z}$  with  $z = i - 1$  is analogous to the series of hybrids from  $\text{Hyb}_{2,i,0,j,1}$  to  $\text{Hyb}_{2,i,0,j,1,i-1}$ , where the indistinguishability is guaranteed by the indistinguishability of  $\text{CiO}$  (Theorem 5.2).
- $\text{Hyb}_{2,i,0,j,1,t_{pos},z} \approx \text{Hyb}_{2,i,0,j,1,t_{pos},z-1}$  for time  $z$  that  $t_{pos} < z \leq i - 1$  is analogous to the series of hybrids from  $\text{Hyb}_{2,i,0,j,1,z}$  to  $\text{Hyb}_{2,i,0,j,1,z-1}$ , where the indistinguishability is guaranteed by the indistinguishability of  $\text{CiO}$  (Theorem 5.2), the selective security of PPRF, the IND-CPA security of PKE, and the “commute property of erasure” of ORAM construction.
- $\text{Hyb}_{2,i,0,j,1,t_{pos},z} \approx \text{Hyb}_{2,i,0,j,2}$  with  $z = t_{pos} + 1$  is analogous to the series of hybrids from  $\text{Hyb}_{2,i,0,j,1,t_{pos}+1}$  to  $\text{Hyb}_{2,i,0,j,1',t_{pos}}$ , where the indistinguishability is guaranteed by the indistinguishability of  $\text{CiO}$  (Theorem 5.2), the selective security of PPRF, and the IND-CPA security of PKE.

These hybrids and arguments are one-to-one mapping to their previous analogous, where the only difference here is we erase the memory cell  $\text{loc}^*$  storing  $\text{pos}^*$  (rather than the memory block  $\text{block}^*$  contains  $\text{pos}^*$ ). The details are omitted here.

□

---

**Algorithm 75:**  $F_e^{2,i,0,j,1',t_{pos}}$ 


---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t)$ ,  $\tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \text{lw}^{\text{in}}))$   
**Data**:  $T, K_E, t^*, y, t_{pos}, K_N, K_{\text{Sim}}, i, j$

- 1 Compute  $t = \lceil t/q_o \rceil$ ;
- 2 If  $t > t^*$ , output **Reject**;
- 3 **if**  $t = t^*$  **then**
- 4      $\lfloor \dots$
- 5 **if**  $i \leq t < t^*$  **then**
- 6      $\lfloor \dots$
- 7 **else**
- 8     Compute  $(\mathbf{r}_1^{\text{in}}, \mathbf{r}_2^{\text{in}}) = \text{Prf}(K_E, (\text{lw}^{\text{in}}, h(\mathbf{I}^{\text{in}})))$ ;
- 9     Compute  $(\mathbf{pk}^{\text{in}}, \mathbf{sk}^{\text{in}}) = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{in}})$ ;
- 10     Compute  $\mathbf{B}^{\text{in}} = \text{PKE.Decrypt}(\mathbf{sk}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 11     Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t-1)$ ;
- 12     Compute  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
- 13     Compute  $\text{st}^{\text{in}} = \text{PKE.Decrypt}(sk_{\text{st}}, \text{st}^{\text{in}})$ ;
- 14     **if**  $t = i - 1$  **then**
- 15          $\lfloor$  Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) \leftarrow F_{o, \text{hyb}}^{j,2}(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 16     **else if**  $t = t_{pos}$  **then**
- 17          $\lfloor$  Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o^{j, \text{punct}'}(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$  ;  
             $\lfloor$  //  $F_o^{j, \text{punct}'}$  =  $\text{CP-ORAM.Compile}(F, \text{OACCESS}^{j, \text{punct}'})$
- 18     **else**
- 19          $\lfloor$  Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 20     Set  $\text{lw}^{\text{out}} = (t, \dots, t)$ ;
- 21     Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\text{lw}^{\text{out}}, h(\mathbf{I}^{\text{out}})))$ ;
- 22     Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
- 23     Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}^{\text{out}}; \mathbf{r}_2^{\text{out}})$ ;
- 24     Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 25     Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 26      $\lfloor$  Compute  $\text{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \text{st}^{\text{out}}; r_4^t)$ ;
- 27 Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t+1)$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \text{lw}^{\text{out}}))$ ;

---

---

**Algorithm 76:**  $OACCESS^{j,\text{punct}}\{K_N\}$ 

---

**Input** :  $t, d, \text{loc}, \text{val}$   
**Output**:  $\text{oldval}$   
**Data**:  $K_N, \alpha, \text{MaxDepth}$  (Memory size  $S = \alpha^{\text{MaxDepth}}$ ),  $\text{loc}_{i-1,j}$

- 1 **if**  $d \geq \text{MaxDepth}$  **then**
- 2     **return** 0
- 3 Pick leaf  $\text{newpos}$  at recursion level  $d$  based on  $\text{Prf}(K_N, (t, d, \text{FetchR}))$ ; // Update position map
- 4  $\text{pos} \leftarrow OACCESS(d + 1, \lfloor \text{loc}/\alpha \rfloor, \text{newpos})$ ; // Fetch
- 5  $\mathbf{I}_{\text{fetch}} \leftarrow \text{PATH}(d, \text{pos})$ ;
- 6  $\mathbf{B}_{\text{fetch}} \leftarrow \text{READ}(\mathbf{I}_{\text{fetch}})$ ;
- 7 **if**  $(d = j)$  **then**
- 8      $(\mathbf{B}_{\text{fetch}, -}, \text{oldval}) \leftarrow \text{REMOVEBLOCK}(\mathbf{B}_{\text{fetch}}, \text{loc}, \alpha, \text{pos})$ ;
- 9      $\text{WRITE}(\mathbf{I}_{\text{fetch}}, \mathbf{B}_{\text{fetch}, -})$ ;
- 10 **else**
- 11      $(\mathbf{B}_{\text{fetch}}^{\text{out}}, \text{oldval}) \leftarrow \text{FETCHANDUPDATE}(\mathbf{B}_{\text{fetch}}, \text{loc}, \text{val}, \alpha, \text{pos}, \text{newpos})$ ;
- 12      $\text{WRITE}(\mathbf{I}_{\text{fetch}}, \mathbf{B}_{\text{fetch}}^{\text{out}})$ ;
- 13 Pick leaf  $\text{pos}''$  at recursion level  $d$  based on  $\text{Prf}(K_N, (t, d, \text{FlushR}))$ ; // Flush
- 14  $\mathbf{I}_{\text{flush}} \leftarrow \text{PATH}(d, \text{pos}'')$ ;
- 15  $\mathbf{B}_{\text{flush}} \leftarrow \text{READ}(\mathbf{I}_{\text{flush}})$ ;
- 16  $\mathbf{B}_{\text{flush}}^{\text{out}} \leftarrow \text{FLUSH}(\mathbf{B}_{\text{flush}}, \text{pos}'')$ ;
- 17  $\text{WRITE}(\mathbf{I}_{\text{flush}}, \mathbf{B}_{\text{flush}}^{\text{out}})$ ;
- 18 **return**  $\text{oldval}$ ;

---

---

**Algorithm 77:**  $F_e^{2,i,0,j,1,t_{pos},z}$ 

---

**Input** :  $\tilde{\text{st}}^{\text{in}} = (\text{st}^{\text{in}}, t)$ ,  $\tilde{a}_{\mathbf{A} \leftarrow \mathbf{M}}^{\text{in}} = (\mathbf{I}^{\text{in}}, (\mathbf{B}^{\text{in}}, \text{lw}^{\text{in}}))$   
**Data**:  $T, K_E, t^*, y, t_{pos}, \text{loc}^*$ ,  $K_N, K_{\text{Sim}}, i, j$

- 1 Compute  $t = \lceil t/q_o \rceil$ ;
- 2 If  $t > t^*$ , output **Reject**;
- 3 **if**  $t = t^*$  **then**
- 4      $\lfloor \dots$
- 5 **if**  $i \leq t < t^*$  **then**
- 6      $\lfloor \dots$
- 7 **else**
- 8     Compute  $(\mathbf{r}_1^{\text{in}}, \mathbf{r}_2^{\text{in}}) = \text{Prf}(K_E, (\text{lw}^{\text{in}}, h(\mathbf{I}^{\text{in}})))$ ;
- 9     Compute  $(\mathbf{pk}^{\text{in}}, \mathbf{sk}^{\text{in}}) = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{in}})$ ;
- 10     Compute  $\mathbf{B}^{\text{in}} = \text{PKE.Decrypt}(\mathbf{sk}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 11     Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t-1)$ ;
- 12     Compute  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Gen}(1^\lambda; r_3^{t-1})$ ;
- 13     Compute  $\text{st}^{\text{in}} = \text{PKE.Decrypt}(sk_{\text{st}}, \text{st}^{\text{in}})$ ;
- 14     **if**  $(z \leq t \leq i-1)$  **and**  $(d = j+1)$  **then**
- 15         For each bucket  $b$  in  $\mathbf{B}^{\text{in}}$ , search for block of the form  $(\lfloor \text{loc}^*/\alpha \rfloor, \cdot, v)$ ,  
           and erase the  $(\text{loc}^* \bmod \alpha)$ -th cell in  $v$  (and thus in  $\mathbf{B}^{\text{in}}$ ) with symbol dummy;
- 16     **if**  $t = i-1$  **then**
- 17         Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) \leftarrow F_{o, \text{hyb}}^{j,2}(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 18     **else if**  $t = t_{pos}$  **then**
- 19         Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o^{j, \text{punct}'}(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$  ;  
           //  $F_o^{j, \text{punct}'}$  = CP-ORAM.Compile( $F, \text{OACCESS}^{j, \text{punct}'}$ )
- 20     **else**
- 21         Compute  $(\text{st}^{\text{out}}, \mathbf{I}^{\text{out}}, \mathbf{B}^{\text{out}}) = F_o(t, \text{st}^{\text{in}}, \mathbf{I}^{\text{in}}, \mathbf{B}^{\text{in}})$ ;
- 22     Set  $\text{lw}^{\text{out}} = (t, \dots, t)$ ;
- 23     Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\text{lw}^{\text{out}}, h(\mathbf{I}^{\text{out}})))$ ;
- 24     Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
- 25     Compute  $\mathbf{B}^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}^{\text{out}}; \mathbf{r}_2^{\text{out}})$ ;
- 26     Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
- 27     Compute  $(pk', sk') = \text{PKE.Gen}(1^\lambda; r_3^t)$ ;
- 28     Compute  $\text{st}^{\text{out}} = \text{PKE.Encrypt}(pk', \text{st}^{\text{out}}; r_4^t)$ ;
- 29 Output  $\tilde{\text{st}}^{\text{out}} = (\text{st}^{\text{out}}, t+1)$ ,  $\tilde{a}_{\mathbf{M} \leftarrow \mathbf{A}}^{\text{out}} = (\mathbf{I}^{\text{out}}, (\mathbf{B}^{\text{out}}, \text{lw}^{\text{out}}))$ ;

---

## 9 Constructing $\mathcal{RE}$ in the PRAM Model ( $\mathcal{RE}$ -PRAM)

In this section, we describe our construction of randomized encoding for PRAM ( $\mathcal{RE}$ -PRAM). As  $\mathcal{RE}$ -RAM, the main goal of  $\mathcal{RE}$ -PRAM is to hide states and memory access pattern. Recall the construction of  $\mathcal{RE}$ -RAM in Section 8 based on  $\text{CiO}$  for RAM, tree-based ORAM, and PKE. Naturally, we use  $\text{CiO}$  for PRAM, tree-based oblivious PRAM (OPRAM) and PKE as building blocks to achieve  $\mathcal{RE}$  simulation security.

Our  $\mathcal{RE}$ -PRAM construction works as follows.

1. We first use OPRAM compiler to hide the access pattern. Given a computation instance  $\Pi$  defined by  $(P, x)$ , we compile  $P$  using an OPRAM compiler with randomness supplied by a puncturable PRF. Let  $P_{\text{OPRAM}}$  denote the compiled program. We also initiate the OPRAM memory by inserting the input  $x$ . Let  $x_{\text{OPRAM}}$  denote the resulting memory.
2. We then compile  $(P_{\text{OPRAM}}, x_{\text{OPRAM}})$  using PKE in the same way as in the RAM version above. Namely, we use PPRF to generate multiple keys, and use each key to encryption a single message, including the input  $x_{\text{OPRAM}}$ . Denote the resulting instance by  $(P_{\text{hide}}, x_{\text{hide}})$ .
3. The randomized encoding of computation instance  $\Pi$  is  $\tilde{\Pi} = \text{CiO}(\Pi_{\text{hide}})$ , where  $\text{CiO}(\Pi_{\text{hide}})$  is defined by  $(P_{\text{hide}}, x_{\text{hide}})$ .

To build  $\mathcal{RE}$ -PRAM, we use the oblivious PRAM compiler by Boyle, Chung, and Pass [BCP14b] (BCP-OPRAM) and the other building blocks which are identical to Section 8.1. The security proof of the  $\mathcal{RE}$ -PRAM construction also follows identical steps, where we prove the security by a sequence of hybrids that erases the computation backward in time, and argue simulation of access patterns by generalizing the puncturing ORAM argument to puncturing BCP-OPRAM. However, there are two natural issues in the arguments of generalization. (i) As the  $\text{OPAccess}$  algorithm of BCP-OPRAM is more complicated, we need to be slightly careful in defining the simulated encoding  $\text{CiO}(P_{\text{sim}}, x_{\text{sim}})$ . (ii) To avoid dependency on the number  $m$  of CPUs, we need to gradually handle a single CPU at a time in the hybrids to puncture OPRAM.

**Section Outline.** We will review BCP-OPRAM compilation technique in the next subsection. Then, the construction of  $\mathcal{RE}$  for PRAM and its proof sketch will be shown in Section 9.2 and Section 9.3.

### 9.1 Recap: The BCP-OPRAM

For hiding access pattern, the security of our  $\mathcal{RE}$  for PRAM must rely heavily on oblivious PRAM (OPRAM) as a building block. We first briefly review BCP's  $\text{OPAccess}$  [BCP14b], and then show its *puncturability* property similar to that of  $\text{OACCESS}$  where the randomness is generated from a PPRF.

**The BCP OPRAM Construction.** The OPRAM compiler, on input  $m, n \in \mathbb{N}$  and an  $m$ -processor PRAM program  $P$  with memory size  $n$ , outputs a program  $P'$  that is identical to  $P$ , except that each  $\text{access}(r, v)$  operation is replaced by a sequence of operations defined by subroutine  $\text{OPAccess}(r, v)$ , which is described as follows.

The  $\text{OPAccess}$  procedure begins with  $m$  CPUs, each requesting data cell  $r$  (within some block  $b$ ) and some action to be taken (either  $\perp$  to denote read, or  $v$  to denote rewriting cell  $r$  with value  $v$ ). The primary challenges in implementing oblivious parallel data accesses within the tree-based ORAM structure of [SCSL11, CP13] are in handling collisions between processor accesses, and in reinserting data to the ORAM (and flushing data down the tree) in parallel.  $\text{OPAccess}$  addresses these challenges by the following sequence of tasks:

1. **Conflict Resolution:**

- Choose one representative CPU per requested data block  $b$  (in the real database). This representative will perform the real data fetch and computation on  $b$  in later steps, while the other CPUs will simply make “dummy” accesses into the ORAM structure.
  - Aggregate all CPU instructions to take place on each requested block  $b$ .
2. **Read/Write Position Map:**
- Each representative CPU: Sample a fresh random leaf id  $\ell'$ . Perform a (recursive) Read/Write access command on the position map database  $\ell \leftarrow \text{OPAccess}(b_i, \ell')$  to fetch the current position map value  $\ell$  and rewrite it with the newly sampled value  $\ell'$ .
  - Each dummy CPU: Perform a dummy access to an arbitrary cell in the position map database, say the first. (Recall that the position map database is itself protected by a layer of ORAM). That is, execute  $\ell \leftarrow \text{OPAccess}(1, \emptyset)$ , and ignore the read value  $\ell$ .
3. **Look Up Current Memory Values:** Each representative CPU fetches memory from ORAM database nodes corresponding to accessing his desired data block  $b$  (i.e., the collection of buckets down the relevant path in the ORAM tree) and copies the values into local memory. Non-chosen CPUs choose a random path  $\ell$  (independent of the position map above) and make analogous dummy data fetches along the path to  $\ell$ , ignoring all read values. Recall that simultaneous data *reads* do not yield conflicts.
4. **Remove Old Data:** Consider the paths down the ORAM tree accessed in the previous step.
- Aggregate instructions across CPUs accessing the same “buckets” of memory on the server side. Each representative CPU  $\text{rep}(b)$  begins with the instruction of “remove block  $b$  if it occurs” and dummy CPUs hold the empty instruction. (Aggregation is as before, but at bucket level instead of the block level).
  - For each bucket to be modified, the CPU with the *smallest* id from those who wish to modify it executes the aggregated block-removal instructions for the bucket.
5. **Insert Updated Data into Database in Parallel:** All CPUs execute a parallel insertion procedure into the ORAM database at the appropriate level (corresponding to the number of active CPUs) in order to insert the updated data tuples  $(b, \ell', v')$  with new leaf node  $\ell'$  as sampled in Step 1 and new value  $v'$  into the bucket along the path to  $\ell'$ .
6. **Flush the ORAM Database:** In parallel, each CPU initiates an independent flush of the ORAM tree. (Recall that this corresponds to selecting a random path down the tree, and pushing all data blocks in this path as far as they will go). To implement the simultaneous flush commands, as before, commands are aggregated across CPUs for each bucket to be modified, and the CPU with the smallest id performs the corresponding aggregated set of commands. (For example, all CPUs will wish to access the root node in their flush; the aggregation of all corresponding commands to the root node data will be executed by the lowest-numbered CPU who wishes to access this bucket, in this case CPU 1).
7. **Return Output:** Each representative CPU  $\text{rep}(b)$  communicates the *original* value of the data block  $b$  to the subset of CPUs that originally requested it.

As a result, the BCP-OPRAM compiler enjoys the same advantages with CP-ORAM by finishing the above tasks. Intuitively, CP-ORAM and BCP-OPRAM must have the same property, puncturability.



**Puncturability of BCP-OPRAM.** In the above OPAcess, observe that the location to be looked up (in step 3) only depends on the previous fresh random sample  $\ell'$  (in step 2). Therefore, if previous random sample  $\ell'$  is information-theoretically hidden, the look up step can be simulated. Specifically, the punctured OPRAM program erases that block  $blk^*$  containing  $\ell'$  at that time step  $t'$  such that  $\ell'$  is generated by PPRF and does not recursively write  $\ell'$  to the position map. With this punctured OPRAM (and PPRF key punctured at the corresponding point of  $\ell'$ ), the step looking for  $blk^*$  can be simulated indistinguishably with a uniformly random OPRAM tree path. Hence, BCP-OPRAM achieves puncturability similar to that of ORAM described in Section 8.4.4.

## 9.2 Construction for $\mathcal{RE}$ -PRAM

A randomized encoding of a computation instance  $(P, x)$  hides both the content and the access pattern of the computation except for its output  $y = P(x)$  and runtime  $t^*$ . Conceptually, we follow the same natural idea to use public-key encryption to hide the content (including the input) and oblivious PRAM to hide the access pattern, and then use CiO for PRAM to obfuscate the compiled computation instance. Namely, our  $\mathcal{RE}$  encoding algorithm outputs  $\text{CiO}(\Pi_{\text{hide}})$  as the encoding, where  $\Pi_{\text{hide}}$  is defined by  $(P_{\text{hide}}, x_{\text{hide}})$ ,  $P_{\text{hide}}$  is a PKE and OPRAM compiled version of  $P$ , and  $x_{\text{hide}}$  is an encrypted version of  $x$ .  $P_{\text{hide}}$  outputs encrypted CPU states and memory contents at each time step, and uses OPRAM to compile its memory access.

Our construction of  $\mathcal{RE}$  in the PRAM model is split into four major steps: **(i)** given a PRAM program  $P$  and its input  $x$ , we interpret it as a PRAM computation  $\Pi$ ; **(ii)** we compile  $\Pi$  into  $\Pi_o$  using BCP OPRAM compiler to hide the access pattern; **(iii)** we transform  $\Pi_o$  into  $\Pi_e$ , which further hides the content in the computation system; and **(iv)** we finally obfuscate  $\Pi_e$  into ENC using CiO-PRAM. Formally, we construct our  $\mathcal{RE} = \mathcal{RE}.\{\text{Encode}, \text{Decode}\}$  for the RAM program  $P$  and input  $x$  as follows:

**Encoding algorithm**  $\text{ENC} \leftarrow \mathcal{RE}.\text{Encode}(P, x, 1^\lambda)$ : The encoding algorithm takes the following steps to generate the encoding ENC.

- Upon receiving the description of PRAM program  $P$  and an input value  $x$ , first, the encoding algorithm transforms them into a computation system  $\Pi$ . It represents  $P$  into a next-step program  $F$ , and stores  $x$  into the memory, i.e., sets  $\text{mem}^0 := x$ . Then it sets  $\text{st}_k^0 := \perp$  for all  $k$ ,  $1 \leq k \leq m$ , and then defines the following computation system in the PRAM model

$$\Pi = ((\text{mem}^0, \{\text{st}_k^0\}_{k=1}^m), F)$$

- Second, the encoding algorithm hides the access pattern in the computation system. It chooses puncturable PRF key  $K_N \leftarrow \text{PPRF}.\text{Setup}(1^\lambda)$ . Then it runs the BCP-OPRAM compilation described in Section 9.1, i.e.,  $\Pi_o = \text{BCP-OPRAM}.\text{Compile}(\Pi, \text{OPAcess}\{K_N\})$  and obtains

$$\Pi_o = ((\text{mem}_o^0, \{\text{st}_{o,k}^0\}_{k=1}^m), F_o)$$

where  $\text{st}_{o,k}^0 = \text{st}_o^0$  such that all CPUs have the same OPRAM state.

- Third, the encoding algorithm further hides the content in the memory and in the CPU state. That is, it transforms  $\Pi_o$  into

$$\Pi_e = ((\text{mem}_e^0, \{\text{st}_{e,k}^0\}_{k=1}^m), F_e)$$

Here the encoding algorithm chooses puncturable PRF key  $K_E \leftarrow \text{PPRF}.\text{Setup}(1^\lambda)$ , and generates an initial configuration of the encrypted version of memory and CPU state as follows:

To initialize memory  $\text{mem}_e^0$ , the encoding algorithm parses  $\text{mem}_o^0$  as trees  $\Gamma$ , and then for each  $\Gamma$  it further parses all paths  $\mathbf{I}$  from root to leaf. For each vector  $\mathbf{I}$ , the encoding algorithm computes

$$\begin{aligned} (\mathbf{r}_1^0, \mathbf{r}_2^0) &= \text{Prf}(K_E, (\mathbf{lw}^0, h(\mathbf{I}))) \text{ where } \mathbf{lw}^0 = \mathbf{0}, \\ (\mathbf{pk}^0, \mathbf{sk}^0) &= \text{PKE.Gen}(1^\lambda; \mathbf{r}_1^0), \\ \mathbf{B}[i] &= \begin{cases} \text{PKE.Encrypt}(\mathbf{pk}^0[i], \mathbf{B}[i]), & \text{if } \mathbf{B}[i] \text{ stores any valid block} \\ \mathbf{B}[i], & \text{otherwise,} \end{cases} \end{aligned}$$

where  $\mathbf{B}[i]$  denotes the  $i$ th element (which is also a bucket here) in vector  $\mathbf{B}$ , and  $h$  is a function to compute the ‘‘height’’ of elements in vector  $\mathbf{I}$ . That is, for any vector  $\mathbf{I}$  of length  $|\mathbf{I}|$ , define  $h(\mathbf{I}) = (1, 2, \dots, |\mathbf{I}|)$ . For each non-empty  $\mathbf{B}$ , store  $(\mathbf{B}, \mathbf{lw}^0)$  to its corresponding path  $\mathbf{I}$  in  $\text{mem}_e^0$ .

In addition, the encoding algorithm sets  $\text{st}_{e,k}^0 = \text{st}_{o,k}^0$  for all  $k \in [m]$ . Note that each CPU holds the same non-encrypted  $\text{st}_{e,k}^0$  because  $\text{st}_k^0$  is only  $\perp$  for all  $k$ . To work with such initialization, the procedure  $\text{PKE.Decrypt}(sk_{\text{st}}, \cdot)$  to decrypt states (in  $F_e$ ) is augmented to ignore non-encrypted special value  $\perp$  as follows:

$$\text{st}_A^{\text{in}} = \begin{cases} \text{PKE.Decrypt}(sk_{\text{st}}, \text{st}_A^{\text{in}}), & \text{if } \text{st}_A^{\text{in}} \neq \perp \\ \perp, & \text{otherwise.} \end{cases}$$

These techniques are applied to eliminate the dependency of memory size  $S$  and number of CPUs  $m$  from the complexity of encoding size and time, and we summarize them in Table 8.

The encoding algorithm then upgrades  $F_o$  into a more sophisticated next-step program  $F_e$  which decrypts its inputs, performs the computation of  $\Pi_o$ , and encrypts its outputs. Please refer to Algorithm 78 for more details of  $F_e$ .

- Finally, the encoding algorithm computes  $\text{ENC} \leftarrow \text{CiO.Obf}(1^\lambda, \Pi_e)$  and outputs  $\text{ENC}$ .

Table 8: Techniques to improve encoding efficiency.

Observation	Technique to encode input efficiently	Corresponding shorthand in program $F_e$
Input data in ORAM tree structure is sparse	Encrypt only those buckets have data	For each encrypted bucket $\mathbf{B}_A^{\text{in}}$ , decrypt ciphertext except empty bucket
All $m$ initial CPU states are the same empty value	Leave the state in plaintext	Decrypt ciphertext $\text{st}_A^{\text{in}}$ except empty state

**Decoding algorithm**  $y \leftarrow \mathcal{RE}.\text{Decode}(\text{ENC}, 1^\lambda, T, S)$ : Upon receiving the encoding  $\text{ENC}$ , the decoding algorithm executes  $\text{CiO.Eval}(\text{ENC})$ . If the decoding algorithm does not terminate in  $T$  steps, then it outputs  $y := \perp$ . Otherwise, if it terminates at step  $t^*$ , and obtains  $(\widetilde{\text{mem}}^{t^*}, \widetilde{\text{st}}_1^{t^*})$  where  $\widetilde{\text{st}}_1^{t^*} = (\text{halt}, y)$  then it outputs  $y$  by  $\text{cpu1}$ .

**Efficiency.** Let  $|F|$  be the description size of program  $F$ ,  $n$  be the description size of initial memory  $\text{mem}^0$ ,  $m$  be the total number of CPUs,  $T$  and  $S$  be time and space bound. According to  $\text{CiO}$  for PRAM, assume that  $\text{CiO}$  has encoding time  $O(\text{poly}(|F| + \log m) + n \log S)$  and ciphertext size  $O(\text{poly}(|F| + \log m) + n)$ , and parallel decoding time  $O(T \text{poly} \log m \log S)$  and space  $O(m + S)$ . However, there remains OPRAM computation overhead  $\text{poly} \log m \text{poly} \log S$  and space overhead  $\omega(\log S)$ . Finally, our  $\mathcal{RE}$  has following complexity:

---

**Algorithm 78:**  $F_e$  in  $\mathcal{RE}$ -PRAM
 

---

- Input** :  $\tilde{\text{st}}_{e,A}^{\text{in}} = (\mathbf{A}, \text{st}_{e,A}^{\text{in}}, t)$ ,  $\tilde{a}_{A \leftarrow M}^{\text{in}} = (\mathbf{I}_A^{\text{in}}, (\mathbf{B}_A^{\text{in}}, \text{lw}_A^{\text{in}}))$   
**Data:**  $T, K_E, K_N$
- 1 Compute  $t = \lceil t/q_o \rceil$ ;
  - 2 Compute  $(\mathbf{r}_1^{\text{in}}, \mathbf{r}_2^{\text{in}}) = \text{Prf}(K_E, (\text{lw}_A^{\text{in}}, h(\mathbf{I}_A^{\text{in}})))$ ;
  - 3 Compute  $(\mathbf{pk}^{\text{in}}, \mathbf{sk}^{\text{in}}) = \text{PKE.Setup}(1^\lambda; \mathbf{r}_1^{\text{in}})$ ;
  - 4 Compute  $\mathbf{B}_A = \text{PKE.Decrypt}(\mathbf{sk}^{\text{in}}, \mathbf{B}_A^{\text{in}})$ ;
  - 5 Compute  $(r_3^{t-1}, r_4^{t-1}) = \text{Prf}(K_E, t-1)$ ;
  - 6 Compute  $(pk_{\text{st}}, sk_{\text{st}}) = \text{PKE.Setup}(1^\lambda; r_3^{t-1})$ ;
  - 7 Parse  $\text{st}_{e,A}^{\text{in}}$  as  $(\text{st}_A^{\text{in}} || \text{st}_{o,A}^{\text{in}})$ ;
  - 8 Compute  $\text{st}_A^{\text{in}} = \text{PKE.Decrypt}(sk_{\text{st}}, \text{st}_A^{\text{in}})$ ;
  - 9 Set  $\hat{\text{st}}_A^{\text{in}} = (\text{st}_A^{\text{in}} || \text{st}_{o,A}^{\text{in}})$ ;
  
  - 10 Compute  $r_N = \text{Prf}(K_N, t)$ ;
  - 11 Compute  $(\hat{\text{st}}_A^{\text{out}}, \mathbf{I}_A^{\text{out}}, \mathbf{B}_A^{\text{out}}) = F_o(t, \mathbf{A}, \hat{\text{st}}_A^{\text{in}}, \mathbf{I}_A^{\text{in}}, \mathbf{B}_A^{\text{in}}, r_N)$ ;
  
  - 12 Parse  $\hat{\text{st}}_A^{\text{out}}$  as  $(\text{st}_A^{\text{out}} || \text{st}_{o,A}^{\text{out}})$ ;
  - 13 Set  $\text{lw}_A^{\text{out}} = (t, \dots, t)$ ;
  - 14 Compute  $(\mathbf{r}_1^{\text{out}}, \mathbf{r}_2^{\text{out}}) = \text{Prf}(K_E, (\text{lw}_A^{\text{out}}, h(\mathbf{I}_A^{\text{out}})))$ ;
  - 15 Compute  $(\mathbf{pk}', \mathbf{sk}') = \text{PKE.Setup}(1^\lambda; \mathbf{r}_1^{\text{out}})$ ;
  - 16 Compute  $\mathbf{B}_A^{\text{out}} = \text{PKE.Encrypt}(\mathbf{pk}', \mathbf{B}_A^{\text{out}}; \mathbf{r}_2^{\text{out}})$ ;
  - 17 **if**  $\text{st}_A^{\text{out}} \neq (\text{halt}, \cdot)$  **then**
  - 18     Compute  $(r_3^t, r_4^t) = \text{Prf}(K_E, t)$ ;
  - 19     Compute  $(pk', sk') = \text{PKE.Setup}(1^\lambda; r_3^t)$ ;
  - 20     Compute  $\text{st}_A^{\text{out}} = \text{PKE.Encrypt}(pk', \text{st}_A^{\text{out}}; r_4^t)$ ;
  - 21     Set  $\text{st}_{e,A}^{\text{out}} = (\text{st}_A^{\text{out}} || \text{st}_{o,A}^{\text{out}})$ ;
  - 22 **else**
  - 23     If all agents output  $\text{st}_A^{\text{out}} = (\text{halt}, \perp)$ , then a special CPU agent returns the output  $y$ ;
  - 24     Else, A returns  $\text{st}_A^{\text{out}}$  as  $(\text{halt}, \cdot)$ ;
  - 25 Output  $\tilde{\text{st}}_{e,A}^{\text{out}} = (\mathbf{A}, \text{st}_{e,A}^{\text{out}}, t+1)$ ,  $\tilde{a}_{M \leftarrow A}^{\text{out}} = (\mathbf{I}_A^{\text{out}}, \mathbf{D}_A^{\text{out}})$ , where  $\mathbf{D}_A^{\text{out}} = (\mathbf{B}_A^{\text{out}}, \text{lw}_A^{\text{out}})$ ;
-

- Encoding time is  $\tilde{O}(\text{poly}|F| + \log m + n\text{poly} \log S)$ .
- Encoding size is  $\tilde{O}(\text{poly}|F| + n\text{poly} \log S)$ .
- Parallel decoding time is  $\tilde{O}(T\text{poly} \log m\text{poly} \log S)$ .
- Decoding space is  $\tilde{O}(m + S \log S)$ .

**Security.** We prove the following theorem that the randomized encoding scheme  $\mathcal{RE}$  described above is secure. Please refer to Section 3.2 for the security definition of randomized encoding scheme.

**Theorem 9.1.** *Let PKE be a semantically-secure public key encryption scheme, CiO be a computation-trace indistinguishability obfuscation scheme in PRAM model, Prf be a secure puncturable PRF scheme. Then  $\mathcal{RE}$  is a secure randomized encoding scheme in the PRAM model.*

The proof sketch can be found in Section 9.3.

### 9.3 Proof Sketch (Security for $\mathcal{RE}$ -PRAM)

The above  $\mathcal{RE}$ -PRAM is built in the same manner with that of  $\mathcal{RE}$ -RAM. Both of them depend on three levels of compilers, ORAM/OPRAM, PKE, and finally CiO-RAM/PRAM. To argue the security of  $\mathcal{RE}$ -PRAM, we use similar proof techniques to go through hybrids except that we insert an additional layer to deal with each CPU agent respectively.

Let **Real** be the real security game in which the adversary is given  $\text{ENC}_{\text{Real}}$ , and **Ideal** be the security game in which the adversary is given  $\text{ENC}_{\text{Ideal}}$ . The intermediate hybrids between **Real** and **Ideal** are similar to those in Section 8.4. Roughly, we have the following hybrids **Real** = **Hyb**<sub>0</sub>  $\approx$  **Hyb**<sub>1</sub>  $\approx$  **Hyb**<sub>2,t\*</sub>  $\approx$  ...  $\approx$  **Hyb**<sub>2,0</sub> = **Ideal**.

Let  $F_e^x$ ,  $\Pi_e^x$ , and  $\text{ENC}_x$  be the stateful function, computation system, and encoding in **Hyb**<sub>x</sub>.

**Hyb**<sub>1</sub>. In this hybrid,  $F_e^1$  hardwires the output  $\text{st} = (\text{halt}, y)$ . It always returns  $\perp$  if  $t > t^*$ . At time  $t^*$ , the special CPU agent returns  $\text{st} = (\text{halt}, y)$ . From **Hyb**<sub>0</sub> to **Hyb**<sub>1</sub>,  $\Pi_e^0$  and  $\Pi_e^1$  have the same computation traces, and thus by applying CiO-PRAM,  $\text{ENC}$  and  $\text{ENC}_1$  are computationally indistinguishable.

**Hyb**<sub>2,i</sub>. In this hybrid, at time  $t$ ,  $i \leq t \leq t^*$ ,  $F_e^{2,i}$ 's access pattern is a simulated access pattern provided by the OPRAM simulator, and the output state is replaced by an encryption of a special symbol `dummy`. From **Hyb**<sub>1</sub> to **Hyb**<sub>2,t\*</sub>, we directly apply CiO-PRAM to claim that  $\text{ENC}_1$  and  $\text{ENC}_{2,t^*}$  are computationally indistinguishable due to  $\text{Trace}\langle \Pi_e^1 \rangle = \text{Trace}\langle \Pi_e^{2,t^*} \rangle$ . However, from **Hyb**<sub>2,i</sub> to **Hyb**<sub>2,i-1</sub>, we define the next layer **Hyb**<sub>2,i,k</sub> in which  $k$  is indexed by a CPU.

**Hyb**<sub>2,i,k</sub>. In this hybrid at time  $t = i - 1$ ,  $F_e^{2,i,k}$ 's access pattern is a simulated access pattern provided by the OPRAM simulator if CPU  $A < k$ , while its access pattern is a real access pattern if CPU  $A \geq k$ . For the time  $i$  and CPU  $k$ , we consider the following cases.

- If CPU  $k$  is not a representative to access its corresponding memory location  $\text{loc}_k$ , **Hyb**<sub>2,i,k</sub> and **Hyb**<sub>2,i,k+1</sub> are identical.
- If CPU  $k$  is a representative to access its corresponding memory location  $\text{loc}_k$  and that memory block of  $\text{loc}_k$  is stored at the OPRAM tree path  $\text{pos}^*$ , we need to argue that  $F_e^{2,i,k}$  and  $F_e^{2,i,k+1}$  are computational indistinguishable. Therefore, we define the four layer hybrids **Hyb**<sub>2,i,k,0,j</sub> later where  $j$  is the recursive level.

$$\mathbf{Hyb}_{2,i,k} = \mathbf{Hyb}_{2,i,k,0,0} \approx \dots \approx \mathbf{Hyb}_{2,i,k,0,d_{\max}} \approx \mathbf{Hyb}_{2,i,k,0',d_{\max}} \approx \dots \approx \mathbf{Hyb}_{2,i,k,0',0} = \mathbf{Hyb}_{2,i,k+1}.$$

In the construction, the access pattern of the OPAcess depends on the paths (stored in the public state  $st_o^t$ ) that each CPU wants to access. Note that the access pattern is fully determined by  $st_o^t$  revealed in the execution. So, we do not erase its content in the hybrids and further guarantee the correctness of the execution. The content in the first half is simulated, while in the second half is real. In other words, we generate simulated path for each CPU, and store them in  $st_o^t$  to simulate the access pattern of OPAcess.

As BCP-OPRAM is a generalization of CP-ORAM, it is not hard to see that the puncturing argument generalized to work for BCP-OPRAM as well. It suffices to information-theoretically hide the values of the paths  $p_k$ 's to simulate the access pattern, and this can be done by injecting a puncturing code. This can be done CPU by CPU. Namely, for each  $p_k$  accessed by CPU  $k$ , we can inject a puncturing code at the corresponding time step  $t'_k$  that the value  $p_k$  is generated, to remove the generation of  $p_k$ . Moreover, we can move to this punctured hybrid by a sequence of partially punctured hybrids as before (Section 8.4.4), by gradually puncturing the value of  $p_k$  backwards in time, per time step and per CPU. Upon reaching this punctured hybrid, we can switch  $p_k$  to a simulated one, undo the puncturing, and move to the next CPU. The argument from **Hyb**<sub>2,i,k,0,j</sub> to **Hyb**<sub>2,i,k,0,j+1</sub> is identical to that in Section 8.4.4.

## References

- [AAP15] Shashank Agrawal, Shweta Agrawal, and Manoj Prabhakaran. Cryptographic agents: Towards a unified theory of computing on encrypted data. In Elisabeth Oswald and Marc Fischlin, editors, *EUROCRYPT 2015, Part II*, volume 9057 of *LNCS*, pages 501–531. Springer, April 2015. 1
- [ABG<sup>+</sup>13] Prabhanjan Ananth, Dan Boneh, Sanjam Garg, Amit Sahai, and Mark Zhandry. Differing-inputs obfuscation and applications. Cryptology ePrint Archive, Report 2013/689, 2013. <http://eprint.iacr.org/2013/689>. 1
- [BCP14a] Elette Boyle, Kai-Min Chung, and Rafael Pass. Large-scale secure computation. Cryptology ePrint Archive, Report 2014/404, 2014. <http://eprint.iacr.org/2014/404>. 2
- [BCP14b] Elette Boyle, Kai-Min Chung, and Rafael Pass. Oblivious parallel RAM. Cryptology ePrint Archive, Report 2014/594, 2014. <http://eprint.iacr.org/2014/594>. 2, 5, 7, 15, 68, 74, 159
- [BCP14c] Elette Boyle, Kai-Min Chung, and Rafael Pass. On extractability obfuscation. In Yehuda Lindell, editor, *TCC 2014*, volume 8349 of *LNCS*, pages 52–73. Springer, February 2014. 1
- [BGI<sup>+</sup>01] Boaz Barak, Oded Goldreich, Russell Impagliazzo, Steven Rudich, Amit Sahai, Salil P. Vadhan, and Ke Yang. On the (im)possibility of obfuscating programs. In Joe Kilian, editor, *CRYPTO 2001*, volume 2139 of *LNCS*, pages 1–18. Springer, August 2001. 1, 9
- [BGI<sup>+</sup>12] Boaz Barak, Oded Goldreich, Russell Impagliazzo, Steven Rudich, Amit Sahai, Salil P. Vadhan, and Ke Yang. On the (im)possibility of obfuscating programs. *Journal of the ACM*, 59(2):6, April 2012. 1
- [BGI14] Elette Boyle, Shafi Goldwasser, and Ioana Ivan. Functional signatures and pseudorandom functions. In Hugo Krawczyk, editor, *PKC 2014*, volume 8383 of *LNCS*, pages 501–519. Springer, March 2014. 25
- [BGL<sup>+</sup>15] Nir Bitansky, Sanjam Garg, Huijia Lin, Rafael Pass, and Sidharth Telang. Succinct randomized encodings and their applications. In *47th ACM STOC*. ACM Press, 2015. To appear. Preliminary version available at <http://eprint.iacr.org/2014/766> and <http://eprint.iacr.org/2014/771>. 1, 3, 4, 19

- [BW13] Dan Boneh and Brent Waters. Constrained pseudorandom functions and their applications. In Kazue Sako and Palash Sarkar, editors, *ASIACRYPT 2013, Part II*, volume 8270 of *LNCS*, pages 280–300. Springer, December 2013. 25
- [CHJV15] Ran Canetti, Justin Holmgren, Abhishek Jain, and Vinod Vaikuntanathan. Indistinguishability obfuscation of iterated circuits and RAM programs. In *47th ACM STOC*. ACM Press, 2015. To appear. Preliminary version available at <http://eprint.iacr.org/2014/769>. 1, 2, 3, 4, 11, 19, 118
- [CLTV15] Ran Canetti, Huijia Lin, Stefano Tessaro, and Vinod Vaikuntanathan. Obfuscation of probabilistic circuits and applications. In Yevgeniy Dodis and Jesper Buus Nielsen, editors, *TCC 2015, Part II*, volume 9015 of *LNCS*, pages 468–497. Springer, March 2015. 1
- [CP13] Kai-Min Chung and Rafael Pass. A simple ORAM. Cryptology ePrint Archive, Report 2013/243, 2013. <http://eprint.iacr.org/2013/243>. 5, 11, 118, 119, 121, 159
- [DH76] Whitfield Diffie and Martin E. Hellman. New directions in cryptography. *IEEE Transactions on Information Theory*, 22(6):644–654, 1976. 1
- [ePr] IACR Cryptology ePrint Archive. [eprint.iacr.org/](http://eprint.iacr.org/). 1
- [GGH<sup>+</sup>13] Sanjam Garg, Craig Gentry, Shai Halevi, Mariana Raykova, Amit Sahai, and Brent Waters. Candidate indistinguishability obfuscation and functional encryption for all circuits. In *54th FOCS*, pages 40–49. IEEE Computer Society Press, October 2013. 1, 25
- [GGHW14] Sanjam Garg, Craig Gentry, Shai Halevi, and Daniel Wichs. On the implausibility of differing-inputs obfuscation and extractable witness encryption with auxiliary input. In Juan A. Garay and Rosario Gennaro, editors, *CRYPTO 2014, Part I*, volume 8616 of *LNCS*, pages 518–535. Springer, August 2014. 1
- [GGP10] Rosario Gennaro, Craig Gentry, and Bryan Parno. Non-interactive verifiable computing: Outsourcing computation to untrusted workers. In Tal Rabin, editor, *CRYPTO 2010*, volume 6223 of *LNCS*, pages 465–482. Springer, August 2010. 2
- [GHRW14] Craig Gentry, Shai Halevi, Mariana Raykova, and Daniel Wichs. Outsourcing private RAM computation. In *55th FOCS*, pages 404–413. IEEE Computer Society Press, October 2014. 1, 2, 3
- [GKL<sup>+</sup>13] S. Dov Gordon, Jonathan Katz, Feng-Hao Liu, Elaine Shi, and Hong-Sheng Zhou. Multi-input functional encryption. Cryptology ePrint Archive, Report 2013/774, 2013. <http://eprint.iacr.org/2013/774>. 1
- [GLOS15] Sanjam Garg, Steve Lu, Rafail Ostrovsky, and Alessandra Scafuro. Garbled RAM from one-way functions. In *47th ACM STOC*. ACM Press, 2015. To appear. Preliminary version available at <http://eprint.iacr.org/2014/941>. 2
- [GR14] Shafi Goldwasser and Guy N. Rothblum. On best-possible obfuscation. *Journal of Cryptology*, 27(3):480–505, July 2014. 1
- [Had00] Satoshi Hada. Zero-knowledge and code obfuscation. In Tatsuaki Okamoto, editor, *ASIACRYPT 2000*, volume 1976 of *LNCS*, pages 443–457. Springer, December 2000. 1

- [IK00] Yuval Ishai and Eyal Kushilevitz. Randomizing polynomials: A new representation with applications to round-efficient secure computation. In *41st FOCS*, pages 294–304. IEEE Computer Society Press, November 2000. 3, 19
- [IPS15] Yuval Ishai, Omkant Pandey, and Amit Sahai. Public-coin differing-inputs obfuscation and its applications. In Yevgeniy Dodis and Jesper Buus Nielsen, editors, *TCC 2015, Part II*, volume 9015 of *LNCS*, pages 668–697. Springer, March 2015. 1
- [KLW15] Venkata Koppula, Allison Bishop Lewko, and Brent Waters. Indistinguishability obfuscation for Turing machines with unbounded memory. In *47th ACM STOC*. ACM Press, 2015. To appear. Preliminary version available at <http://eprint.iacr.org/2014/925>. 3, 4, 5, 6, 9, 10, 11, 20, 21, 23, 117, 127
- [KPTZ13] Aggelos Kiayias, Stavros Papadopoulos, Nikos Triandopoulos, and Thomas Zacharias. Delegatable pseudorandom functions and applications. In Ahmad-Reza Sadeghi, Virgil D. Gligor, and Moti Yung, editors, *ACM CCS 13*, pages 669–684. ACM Press, November 2013. 25
- [SCSL11] Elaine Shi, T.-H. Hubert Chan, Emil Stefanov, and Mingfei Li. Oblivious RAM with  $o((\log n)^3)$  worst-case cost. In Dong Hoon Lee and Xiaoyun Wang, editors, *ASIACRYPT 2011*, volume 7073 of *LNCS*, pages 197–214. Springer, December 2011. 119, 159
- [SW14] Amit Sahai and Brent Waters. How to use indistinguishability obfuscation: deniable encryption, and more. In David B. Shmoys, editor, *46th ACM STOC*, pages 475–484. ACM Press, May / June 2014. 1, 25
- [Wat14a] Brent Waters. CS 395T Special Topic: Obfuscation in Cryptography. 2014. <http://www.cs.utexas.edu/~bwaters/classes/CS395T-Fall-14/outline.html>. 1
- [Wat14b] Brent Waters. How to use indistinguishability obfuscation. In *Visions of Cryptography*, 2014. Talk slides available at <http://www.cs.utexas.edu/~bwaters/presentations/files/how-to-use-IO.ppt>. 1
- [Yao82] Andrew Chi-Chih Yao. Protocols for secure computations (extended abstract). In *23rd FOCS*, pages 160–164. IEEE Computer Society Press, November 1982. 2