

1 Security Analysis of Subterranean 2.0

2 Ling Song · Yi Tu · Danping Shi · Lei Hu

3
4 Received: date / Accepted: date

5 **Abstract** Subterranean 2.0 is a cipher suite that can be used for hashing, authen-
6 ticated encryption, MAC computation, etc. It was designed by Daemen, Massolino,
7 Mehrdad, and Rotella, and has been selected as a candidate in the second round
8 of NIST's lightweight cryptography standardization process. Subterranean 2.0 is a
9 duplex-based construction and utilizes a single-round permutation in the duplex. It
10 is the simplicity of the round function that makes it an attractive target of crypt-
11 analysis.

12 In this paper, we examine the single-round permutation in various phases of
13 Subterranean 2.0 and specify three related attack scenarios that deserve further in-
14 vestigation: keystream biases in the keyed squeezing phase, state collisions in the
15 keyed absorbing phase, and one-round differential analysis in the nonce-misuse set-
16 ting. To facilitate cryptanalysis in the first two scenarios, we novelly propose a set
17 of size-reduced toy versions of Subterranean 2.0: Subterranean-m. Then we make
18 an observation for the first time on the resemblance between the non-linear layer in
19 the round function of Subterranean 2.0 and SIMON's round function. Inspired by
20 the existing work on SIMON, we propose explicit formulas for computing the exact
21 correlation of linear trails of Subterranean 2.0 and other ciphers utilizing similar non-
22 linear operations. We then construct our models for searching trails to be used in
23 the keystream bias evaluation and state collision attacks. Our results show that most

Ling Song
Jinan University, Guangzhou, China
E-mail: songling.qs@gmail.com

Tu Yi
Nanyang Technological University, Singapore
E-mail: tuyi0002@e.ntu.edu.sg

Danping Shi
State Key Laboratory of Information Security,
Institute of Information Engineering, Chinese Academy of Sciences, China
E-mail: shidanping@iie.ac.cn

Lei Hu
State Key Laboratory of Information Security,
Institute of Information Engineering, Chinese Academy of Sciences, China
E-mail: hulei@iie.ac.cn

instances of Subterranean-m are secure in the first two attack scenarios but there exist instances that are not. Further, we find a flaw in the designers' reasoning of Subterranean 2.0's linear bias but support the designers' claim that there is no linear bias measurable from at most 2^{96} data blocks. Due to the time-consuming search, the security of Subterranean 2.0 against the state collision attack in keyed modes still remains an open question. Finally, we observe that one-round differentials allow to recover state bits in the nonce-misuse setting. By proposing nested one-round differentials, we obtain a sufficient number of state bits, leading to a practical state recovery with only 20 repetitions of the nonce and 88 blocks of data. It is noted that our work does not threaten the security of Subterranean 2.0.

Keywords Subterranean 2.0 · permutation-based crypto · keystream bias · state collision · state recovery

Mathematics Subject Classification (2010) 94A60

1 Introduction

The deployment of small computing devices such as RFID tags, microcontrollers, sensor nodes, and smart cards is becoming more and more common. Alongside this, the need for lightweight cryptography that aims to provide security solutions tailored for such resource-constrained devices is increasing. In 2013, the National Institute of Standards and Technology (NIST) initiated a public process to solicit, evaluate, and standardize lightweight authenticated encryption and hashing schemes that are suitable for use in constrained environments, *i.e.*, the so-called LWC competitions [16]. In 2018, a call for submissions was launched and 57 submissions were received in 2019, among which 56 and 32 submissions were selected in the first and second rounds respectively. At the current stage, public evaluations of the candidates are strongly encouraged.

Subterranean 2.0 [7, 8] is a cipher suite that can be used for hashing, authenticated encryption, MAC computation, and stream encryption, etc. It was designed by Daemen, Massolino, Mehrdad, and Rotella and has been selected by NIST as a candidate for the second round of LWC competition. Subterranean 2.0 shares features with its predecessor Subterranean [6] which can be seen as a precursor to the Sponge construction [3]. The features of Subterranean 2.0 are summarized below.

Prime-sized state. Subterranean 2.0 operates on a state of 257 bits which is small but still supports both hashing and authenticated encryption. It offers a security strength of 128 bits in keyed modes and 112 bits in unkeyed mode. In authenticated encryption where a nonce is used, the nonce should not repeat.

Duplex-based construction The duplex [4] plays a core role in Subterranean 2.0. On top of it, three functions were built, namely, Subterranean-XOF, Subterranean-deck, and Subterranean-SAE, where the latter two are keyed functions. The duplex absorbs/squeezes 32-bit blocks in keyed modes and 8-bit blocks in unkeyed mode.

Single-round permutation. In the duplex, a lightweight single-round permutation is used. The round function operates at bit level and has algebraic degree 2. It has a minimum of substructures and ultimate weak alignment which prevents large classes of attacks.

68 **Blank rounds used.** Between different phases, 8 blank rounds are used to prevent
69 measurable characteristics between the controllable input and output.

70 **Efficient hardware implementation.** Subterranean 2.0 is designed for hardware
71 and offers a good option for environments that require lightweight crypto in
72 hardware with high throughput requirements. Besides, it is very suitable for
73 protection against differential power analysis such as masking and threshold im-
74 plementations.

75 Due to the extremely simple round function, Subterranean 2.0 is an attractive tar-
76 get for cryptanalysis. In the design specification [8], the designers mainly investigated
77 the security of state collisions in unkeyed absorbing and differential/linear proper-
78 ties of a multiple-round permutation. As a complement, Liu, Isobe and Meier [13]
79 conducted cube-based cryptanalysis of Subterranean-SAE by exploiting the low al-
80 gebraic degree of the round function. They showed that when the number of blank
81 rounds is reduced to 4, one can mount a state recovery attack. Moreover, in the
82 nonce-misuse setting the state recovery attack becomes practical using 2^{13} blocks of
83 data.

84 With respect to the simple single-round permutation of Subterranean 2.0, there
85 are interesting attacks in different phases. Below, we list three related attacks in
86 keyed modes that deserve further investigation.

- 87 1. **Linear bias of output blocks in keyed squeezing phase.** It is claimed in
88 the specification [8] that there is probably no linear bias over four or less output
89 blocks of Subterranean 2.0 and that there is no bias measurable from 2^{96} data
90 blocks or less. Any analytical results that approve or disapprove of these claims
91 can help understand the security of Subterranean 2.0.
- 92 2. **State collisions in keyed absorbing phase.** In keyed modes, state collisions
93 may lead to attacks like forgeries. However, security analysis of Subterranean 2.0
94 against such attacks is missing from the literature.
- 95 3. **One-round differential analysis of Subterranean-SAE in the message
96 processing phase.** In the phase of processing the message, when a duplex call
97 is invoked, an output block is squeezed and an input block absorbed before and
98 after the single-round permutation, respectively. In the case where nonce repeats,
99 one-round differentials can be observed over successive calls of duplex. It is not
100 clear how far an attack can go by exploiting one-round differentials.

101 *Our contribution.* In this paper, we examine the security of Subterranean 2.0 in the
102 above three attack scenarios regarding its single-round permutation. In order to inves-
103 tigate the bias of keystreams and the state collision attack, it requires to find useful
104 linear and differential trails under certain constraints. When carrying out differen-
105 tial/linear analysis of Subterranean 2.0, we face two challenges. The first is that the
106 permutation has only one round and thus cannot be scaled down through the most
107 common way of reducing the number of rounds for facilitating the differential/linear
108 analysis. The other is the “dependency” issue that cannot be avoided either in dif-
109 ferential analysis or linear analysis. The round function of Subterranean 2.0 exploits
110 logic AND of neighbouring bits in the non-linear layer. Namely, state bits s_{i-1}, s_i
111 are fed into one AND operation and s_i, s_{i+1} into another. These AND operations
112 are dependent as neighbouring AND operations share an input bit. Consequently,
113 the AND operations cannot be treated independently in differential/linear analysis.

Such dependency makes it difficult to precisely evaluate the security of Subterranean 2.0 against linear attacks and state collision attacks.

In this paper, we use the following techniques to tackle these two challenges.

- We novelly propose a set of toy versions of Subterranean 2.0 with reduced state size. At first glance, Subterranean 2.0 can be weakened by increasing the rate. However, it cannot be done without changing the extraction function. Therefore, a better way seems to reduce the state size. Concretely, we choose a smaller prime number 97, adapt other parameters accordingly, and let the factor d used in the round function (see Section 2.2) be all possible values. Then we have a set of toy versions: Subterranean- $m(d)$ which have much smaller state size and key size but share the same design with the original cipher.
- For the first time in the literature, we observe that the non-linear layer of the round function of Subterranean 2.0 can be represented by a SIMON-like function. SIMON [2] is a family of lightweight block ciphers and has been extensively analysed since its publication, such as differential/linear analyses in [12]. Inspired by the existing work on SIMON, we propose explicit formulas for computing the exact correlation of linear trails of Subterranean 2.0 and other ciphers utilizing AND operations. We then build our models for handling the dependency issue, as well as searching optimal differential/linear trails of Subterranean 2.0.

Applying our models to Subterranean 2.0 and Subterranean- m , we obtain the following results.

- For most values of d , Subterranean- m resists the linear attack and the state collision attack. However, there exist two instances of Subterranean- $m(d)$ which do not resist the linear attack and the state collision attack respectively. This means different values of d are not equally good.
- There does exist linear bias over four or three output blocks for Subterranean 2.0 and Subterranean- m . Our work helps to find a flaw in the designers’ reasoning of Subterranean 2.0’s linear biases.
- Our experiments support the designers’ claim that there is no bias measurable from 2^{96} data blocks or less.

Due to the time-consuming search, the security of Subterranean 2.0 against the state collision attack in keyed modes still remains an open question.

Finally, we exploit the one-round differentials to recover the state in the nonce-misuse setting. If the nonce repeats, one-round differentials observed in the message processing phase of Subterranean-SAE will leak some bits of the state due to the algebraic degree 2 of the round function. Further, we find out that ordinary one-round differentials can recover 41 bits at most. To enlarge the number of state bits that can be recovered, we propose *nested one-round differentials* where an one-round differential is prepended to another in a delicate way. As a result, a sufficient number of state bits can be recovered, which leads to a full state recovery and further a key recovery. The attack is practical and takes only 20 repetitions of the nonce and 88 blocks of data, which is much lower than the data complexity of the attack in [13] by Liu, Isobe and Meier. Our analysis shows that Subterranean-like constructions with a quadratic single-round permutation must be used carefully in practice since the security crashes without nonce uniqueness.

159 *Organization.* The rest of the paper is organized as follows. Basic notations, the
 160 design of Subterranean 2.0 and a set of toy versions are introduced in Section 2.
 161 Section 3 highlights several properties of Subterranean 2.0 and the relation to three
 162 attack scenarios: keystream biases, state collisions, and state recovery in the nonce-
 163 misuse setting. Linear attacks and state collisions in the keyed modes are investigated
 164 in Section 4. Section 5 presents a state recovery attack utilizing one-round differentials
 165 in the nonce-misuse setting. Finally, we conclude the paper in Section 6.

166 2 Notations and Specification of Subterranean 2.0

167 In this section, we start by giving our notations and then briefly introduce Sub-
 168 terranean 2.0, including its round function, the duplex object and two keyed mem-
 169 bers: Subterranean-deck and Subterranean-SAE. To facilitate cryptanalysis of Sub-
 170 terranean 2.0, we introduce a set of toy versions: Subterranean-m(d). For more details
 171 of Subterranean 2.0, we refer the interested reader to the official specification [8].

172 2.1 Notations

173	b	The size of the state
	d	The factor used in π of the round function
	\overline{M}	The string M padded to 33 bits with 10^*
	ΔX	The difference of X where X may be the state or the input/output block
174	ΔX_i^t	The difference of the i -th bit of X at time t
	\ggg	Cyclic right shift
	\lll	Cyclic left shift
	$ \cdot $	The length in bits
	$\ $	Concatenation of bit strings

175 2.2 Round Function

176 The round function R operates on a b -bit state and consists of four bit-oriented steps:
 177 $R = \pi \circ \theta \circ \iota \circ \chi$. Let s denote the state and s_i the i -th bit of s . Then for all $0 \leq i < b$,

$$\begin{aligned}
 178 \quad & \chi : s_i \leftarrow s_i + (s_{i+1} + 1) \cdot s_{i+2}, \\
 179 \quad & \iota : s_0 \leftarrow s_0 + 1, \\
 180 \quad & \theta : s_i \leftarrow s_i + s_{i+3} + s_{i+8}, \\
 181 \quad & \pi : s_i \leftarrow s_{d \times i}.
 \end{aligned}$$

183 Here the addition and multiplication of state bits are in \mathbb{F}_2 and expressions in the
 184 indices are taken modulo b . In Subterranean 2.0, $b = 257$, $d = 12$.

2.3 Duplex Object and Two Keyed Functions

2.3.1 Duplex Object

The Subterranean 2.0 suite is built upon a duplex object which is displayed in Figure 1. The duplex uses a single-round permutation, *i.e.*, R , and has two functions: the duplex call and the output extraction, the latter of which is optional. The duplex call applies the round function R and absorbs a string M of at most 32 bits. Before adding the string to the internal state, the string is padded to 33 bits with 10^* . The 33 bits are then injected into the state $s_{12^{4i}}$, $0 \leq i < 33$. Namely, the injection rate is 33 bits. Before the duplex call, one may extract 32 bits from the state, each of which is the sum of two state bits:

$$Z_i = s_{12^{4i}} + s_{-12^{4i}},$$

for all $0 \leq i < 32$. The details of indices used for injection and extraction are shown in Table 1.

When the input is an empty string, the combination of the round function and the injection is denoted as R_ϵ for convenience in the figures.

Table 1: Indices used for injection and extraction

i	12^{4i}	-12^{4i}	i	12^{4i}	-12^{4i}	i	12^{4i}	-12^{4i}	i	12^{4i}	-12^{4i}
0	1	256	8	64	193	16	241	16	24	4	253
1	176	81	9	213	44	17	11	246	25	190	67
2	136	121	10	223	34	18	137	120	26	30	227
3	35	222	11	184	73	19	211	46	27	140	117
4	249	8	12	2	255	20	128	129	28	225	32
5	134	123	13	95	162	21	169	88	29	22	235
6	197	60	14	15	242	22	189	68	30	17	240
7	234	23	15	70	187	23	111	146	31	165	92
									32	256	

2.3.2 Subterranean-deck and Subterranean-SAE

The Subterranean 2.0 suite has three functions: Subterranean-XOF, Subterranean-deck and Subterranean-SAE. Subterranean-XOF is designed to be used for unkeyed hashing, while Subterranean-deck and Subterranean-SAE are keyed functions. In this paper, we focus on the latter two.

Subterranean-deck takes as input an arbitrary-length key, typically of 128 bits, and a sequence of arbitrary-length strings and returns a bit string of arbitrary length, as shown in Figure 2. Hence, it can be used as a stream cipher, a MAC function or for key derivation. Subterranean-SAE, depicted in Figure 3, is designed for authenticated encryption. Below, a detailed description of Subterranean-SAE is given. With the description of Subterranean-SAE in mind, it requires little extra effort to follow the working procedures of Subterranean-deck.

The input of Subterranean-SAE contains a 128-bit key, a 128-bit nonce N , an associated data (AD) A which is optional, and a message M . The output is composed of the ciphertext and a 128-bit tag T .




Fig. 1: Duplex object




Fig. 2: Subterranean-deck




Fig. 3: Subterranean-SAE

- 206 Processing the key. At first, the state is initialized with 0. The 128-bit key is split
 207 into four 32-bit blocks K^1, K^2, K^3, K^4 and one empty block ϵ , as the last block
 208 should be strictly shorter than 32 bits. Each block is padded with 10^* and the
 209 first four padded blocks are denoted by $\bar{K}^1, \bar{K}^2, \bar{K}^3$, and \bar{K}^4 . The whole five
 210 blocks are then absorbed one by one through the duplex call.
- 211 Processing the nonce. The nonce is split into 32-bit blocks with the last block being
 212 shorter than 32 bits. Pad each block with 10^* and sequentially inject the padded
 213 blocks into the state in a series of duplex calls.
- 214 Processing the AD. Invoke the duplex eight times, each with an empty message ϵ
 215 absorbed. Then absorb the AD in the same way as processing the nonce.
- 216 Processing the message. The message is split into 32-bit blocks with the last block
 217 being shorter than 32 bits. Pad each block with 10^* . Process message blocks one
 218 after another by the following steps: extract 32 output bits, invoke the duplex
 219 call to absorb a padded message block and XOR the message block with the
 220 extracted output to get the ciphertext block.
- 221 Finalization. Invoke the duplex eight times, each with an empty message ϵ absorbed.
 222 Then invoke the duplex another four times, before each of which a 32-bit output
 223 is squeezed. Concatenate the four 32-bit output blocks to form the 128-bit tag.

224 2.4 Toy Versions

225 To facilitate cryptanalysis, we scale down Subterranean 2.0 and define size-reduced
 226 versions. Subterranean 2.0 uses a prime-sized state to avoid the existence of ex-
 227 ploitable symmetries. Therefore, the state size b of a toy cipher also needs to be
 228 prime but smaller than 257. Besides, the factor d used in the π step should have
 229 a large order in \mathbb{Z}_b^* and the order should be a multiple of 8 if the same extraction
 230 function $Z_i = s_{d^{4i}} + s_{-d^{4i}}$ is used. With these in mind, we choose a prime 97^1 and

¹ One may choose other primes of the form $8k + 1$ where $k \in \mathbb{Z}^+$ as well.

let d be a generator of \mathbb{Z}_{97}^* . In total, there are 32 generators of \mathbb{Z}_{97}^* . In addition, the ratio of the extraction rate to the state size should remain close. As $\frac{32}{257} \times 97 \approx 12$, we set the extraction rate of the toy ciphers to 12. Then we have a set of toy ciphers: Subterranean- $m(d)$ whose parameters are summarized in Table 2. It turns out that the algebraic properties of θ step remain with the new size of state, as shown in Appendix A.

Table 2: Subterranean 2.0 and its toy versions

Version	State size	Key size	d	Extraction rate	Output Z_i
Subterranean 2.0	257	128	12	32	$s_{12^{4i}} + s_{-12^{4i}}$
Subterranean- $m(d)$	97	48	$d \in D$	12	$s_{d^{4i}} + s_{-d^{4i}}$
$D = \{5, 7, 10, 13, 14, 15, 17, 21, 23, 26, 29, 37, 38, 39, 40, 41, 56, 57, 58, 59, 60, 68, 71, 74, 76, 80, 82, 83, 84, 87, 90, 92\}$					

3 Properties of Subterranean 2.0 and Three Attack Scenarios

In this section, we highlight several important properties of Subterranean 2.0 and relate them to three attack scenarios.

Subterranean 2.0 is a duplex-based construction and uses bit-oriented operations that allow good performance in hardware implementation. Besides, the following properties are interesting in the attacker’s point of view.

Property 1. Subterranean 2.0 employs an extremely simple permutation in the duplex call. The permutation has only one round and the round function has algebraic degree only 2. Additionally, the round function operates at bit level and allows a minimum of sub-structures by using a prime-sized state. That is to say, the round function is of weak alignment [9].

Property 2. Subterranean 2.0 squeezes output blocks in a way similar to a stream cipher. Specifically, it outputs 32 bits as the keystream iteratively before each duplex call. Note that the keystreams can be known in the known-message model.

Property 3. Subterranean-SAE processes the nonce with multiple duplex calls. Subterranean-SAE does not load the nonce into its initial state. Because of its small state size, Subterranean-SAE has to absorb the nonce with multiple duplex calls and the number of the duplex calls is 5.

Attack scenario 1: keystream biases. When considering Property 1 and Property 2 together, one may ask: are the keystreams truly random? One possible way to distinguish keystreams of a cipher from a random sequence is to utilize linear biases. Recently, exploitable biases using linear combinations of output bits were found in the authenticated encryption schemes MORUS [1,18] and AEGIS [15]. It is important to know if this will happen to Subterranean 2.0.

To investigate the bias of keystreams, it is to find a sequence of linear masks $(\lambda_0, \dots, \lambda_n)$ for the output blocks Z^i , as illustrated in Figure 4, such that

$$f = \sum_{i=0}^n \lambda_i Z^i$$




Fig. 4: Linear trails for keystream bias evaluation

is biased, *i.e.*, the bias

$$\epsilon = \Pr(f = 0) - \frac{1}{2},$$

or the correlation

$$\text{Cor}(f) = \Pr(f = 0) - \Pr(f = 1) = 2\epsilon$$

is different from zero. To detect a bias with given correlation C , one needs about C^{-2} data [14]. Therefore, if a sequence of masks can be found such that $(\text{Cor}(f))^{-2}$ is smaller than the data limit, then the cipher can be distinguished from a random function. In order to find a good sequence of masks, the same tools for linear cryptanalysis of block ciphers can be applied with the beginning and the end being set inactive, *i.e.*, $\beta_{-1} = 0$, $\alpha_n = 0$ as shown in Figure 4. In the middle, the propagation of linear masks must be compatible with each operation. Summing all approximations:

$$\begin{aligned} \gamma_i s^i + \lambda_i Z^i, \quad 0 \leq i \leq n, \\ \alpha_i s^i + \beta_i s^{i+1}, \quad 0 \leq i \leq n-1, \end{aligned}$$

we will have $\sum_{i=0}^n \lambda_i Z^i$. For Subterranean 2.0, the correlation of keystreams $\sum_{i=0}^n \lambda_i Z^i$ is the product of correlations of active ANDs in the involved round functions, as the extraction function is linear.

The designers kept the above attack in mind while designing Subterranean 2.0 and let the output Z be extracted from special state bits in order to prevent any bias in four consecutive output blocks. It is believed that using five or more output blocks eliminates measurable bias in Z . Any evidence that approves or disapproves of such a belief would be interesting to the community.

Attack scenario 2: state collisions. A similar cryptanalysis in the differential case would be state collision attacks. As illustrated in Figure 5, the difference of the internal state is introduced by an input difference ΔX^0 (through the nonce, AD or the message), and cancelled out by ΔX^n after n rounds. Such an attack is called “LOCAL attack” which was proposed by Khovratovich and Rechberger [11] and independently found by Wu *et al.* [22] against ALE [5].

The state collision may cause forgery attacks. Suppose the internal difference is introduced by the associated data AD and there exists such a differential trail with high probability p . Then a forgery attack can be mounted in the following way.

Let N , $A_0 || \dots || A_n$ and M be the nonce, AD and message to be forged, respectively. The attacker respects nonces and queries $(N, A_0 \oplus \Delta X^0 || \dots || A_n \oplus \Delta X^n, M)$ to




Fig. 5: Differential trails for state collisions

291 the encryption oracle to get the 128-bit tag T . Then, T is a valid tag for $(N, A_0 || \dots ||$
 292 $A_n, M)$ with probability p . The forgery attack succeeds if it beats the generic one.
 293 In the case of Subterranean 2.0, it means $p > 2^{-128}$.

294 As the nonce is processed in multiple duplex calls, it might be possible to find
 295 state collision during the nonce processing phase. If the state collision happens after
 296 absorbing nonce segments N_1 and N'_1 respectively (both are of the same length)
 297 and there are more bits of nonce to be absorbed, say N_2 , then $(N_1 || N_2, A, M)$ and
 298 $(N'_1 || N_2, A, M)$ lead to a state collision and further to the same tag T . As a result,
 299 for any A' and M' , the attacker can make forgeries by using a new N_2 and keeping
 300 the same N_1 and N'_1 .

301 In spite of the importance of the security requirement for resisting state collision
 302 attacks, such a differential analysis is missing, either in the specification of Subter-
 303 ranean 2.0² or in the literature.

304 **Attack scenario 3: state recovery in the nonce-misuse setting.** Subterranean-
 305 SAE takes a nonce as input and strongly relies on nonce uniqueness for security. Even
 306 though no security claim was made in the nonce-misuse setting, it is believed by the
 307 designers in [7] that the state recovery attack is non-trivial.

308 *In nonce-misuse scenarios or when unwrapping invalid cryptograms returns*
 309 *more information than a simple error, we make no security claims and an*
 310 *attacker may even be able to reconstruct the secret state. Nevertheless we*
 311 *believe that this would probably a non-trivial effort, both in attack complexity*
 312 *as in ingenuity. .*

313 Recall Property 1 that Subterranean 2.0 uses the single-round permutation with
 314 algebraic degree 2 in the duplex call. In the setting that a nonce can be used more
 315 than once, one may inject a difference $\Delta \overline{M}^i$ at s^i in the message processing phase as
 316 shown in Figure 6, one will obtain some linear relations of the state difference Δs^{i+1}
 317 through the output difference ΔZ^{i+2} as each output bit is the sum of two internal
 318 bits. More importantly, Δs^{i+1} is linear in bits of s^i due to Fact 1 for quadratic
 319 Boolean functions. Therefore, ΔZ^{i+2} will be linear in s^i as well, and thus some bits
 320 of s^i will be leaked by observing such one-round differentials.

321 **Fact 1** *Let $f : \mathbb{F}_2^n \rightarrow \mathbb{F}_2$ be a Boolean function with algebraic degree 2. Given the*
 322 *input difference Δx , the derivative of f is $\Delta f := f(x) + f(x + \Delta x)$ can be expressed*
 323 *linearly by the input bits.*

² The designers searched differential trails for the permutation with three rounds and provided bounds for the probability of differential trails with up to eight rounds. Such differential analysis is different from the differential analysis tailored for state collisions where there is a difference injection before each round.




Fig. 6: Notations for state recovery in the nonce-misuse setting

324 **Example 1** Let $f : \mathbb{F}_2^2 \rightarrow \mathbb{F}_2$ and $f(x) = x_0 \cdot x_1$. Suppose the input difference is given
 325 as $\Delta x = (\Delta x_0, \Delta x_1)$. Then $\Delta f = f(x) + f(x + \Delta x) = x_0 \cdot x_1 + (x_0 + \Delta x_0) \cdot (x_1 + \Delta x_1) =$
 326 $\Delta x_1 \cdot x_0 + \Delta x_0 \cdot x_1 + \Delta x_0 \cdot \Delta x_1$.

327 Even though Subterranean-SAE aims for use cases where nonce uniqueness can be
 328 guaranteed, it would be interesting to know what the complexity of state recovery
 329 would be when nonce uniqueness is lost.

330 In the following two sections, the three potential attacks pointed out here will
 331 be investigated. Section 4 looks into differential and linear cryptanalysis regarding
 332 keystream biases and state collisions respectively and Section 5 examines state re-
 333 recovery attack in the nonce-misuse setting.

334 4 Differential and Linear Analysis Tailored for Keystream Biases and 335 State Collisions

336 In this section, we first specify the issue of dependency in the χ operation of the
 337 round function of Subterranean 2.0. We then point out the resemblance between the
 338 χ operation and the round function of the SIMON block cipher [2]. Inspired by the
 339 existing work on SIMON [12], we propose explicit formulas for computing the exact
 340 correlation of linear trails of Subterranean 2.0 and other ciphers utilizing similar non-
 341 linear operations. Finally, we construct our models for searching differential/linear
 342 trails of Subterranean 2.0 tailored for keystream biases and state collisions.

343 4.1 Dependency of AND Operations

344 In the design of Subterranean 2.0, the non-linear layer χ of the round function
 345 exploits AND operations. Specifically, state bits $s_{i-1} + 1, s_i$ are fed into one AND
 346 operation and $s_i + 1, s_{i+1}$ into another. Unlike S-box based ciphers where the number
 347 of active S-boxes determines the upper bound of differential/linear probability, the
 348 number of active AND operations provides not much information for Subterranean
 349 2.0. The reason is the dependency between AND operations.

350 Let us explain a bit more with an example of two AND operations: $y_0 = x_0 \cdot x_1$
 351 and $y_1 = x_1 \cdot x_2$. Suppose the differentials of the two AND operations are $(1, 0) \rightarrow 1$
 352 and $(0, 1) \rightarrow 0$. According to the difference distribution table 3, the differential

probability of the two AND operations is $\frac{2}{4} \times \frac{2}{4} = 2^{-2}$ if the two AND operations are independent. However, the two AND operations share an input bit x_1 and thus not independent. Check that the solutions for the two differentials $(1, 0) \rightarrow 1$ and $(0, 1) \rightarrow 0$ are $(x_0, x_1) \in \{(0, 1), (1, 1)\}$ and $(x_1, x_2) \in \{(0, 0), (0, 1)\}$, which means $x_1 = 1$ and $x_1 = 0$ should hold simultaneously. This is a contradiction. In the case where the differentials for the two AND operations are $(1, 0) \rightarrow 1$ and $(0, 1) \rightarrow 1$, there is no such contradiction and the two differentials hold when $x_1 = 0$, meaning the probability is 2^{-1} instead of 2^{-2} .

Table 3: Difference distribution table (left) and linear approximation table (right) of the AND operation

$\Delta x_0, \Delta x_1$	Δy	
	0	1
0, 0	4	0
0, 1	2	2
1, 0	2	2
1, 1	2	2

$\Gamma x_0, \Gamma x_1$	Γy	
	0	1
0, 0	2	1
0, 1	0	1
1, 0	0	1
1, 1	0	-1

The dependency between AND operations has a similar effect in linear analysis. Suppose the linear masks are $(0, 1) \rightarrow 1$ and $(1, 1) \rightarrow 1$ for the two AND operations. This means $x_0 \cdot x_1$ and $x_1 \cdot x_2$ are approximated with x_1 and $x_1 + x_2$ respectively. Treating them independently, we get correlation $-2^{-1} \times 2^{-1} = -2^{-2}$ for the two AND operations according to the linear approximation table 3. While considering together, $x_0 \cdot x_1 + x_1 \cdot x_2 = x_1(x_0 + x_2)$ is approximated with $x_1 + x_2$, resulting in a zero correlation. In the case where the linear masks are $(0, 1) \rightarrow 1$ and $(1, 0) \rightarrow 1$, $x_0 \cdot x_1 + x_1 \cdot x_2 = x_1(x_0 + x_2)$ is approximated with x_1 , leading to a correlation 2^{-1} instead of 2^{-2} . The case of two active AND operations is summarized in Example 2.

Example 2 Let $f(x_0, x_1, x_2) = x_0 \cdot x_1 + x_1 \cdot x_2 + L(x_0, x_1, x_2) = x_0 \cdot x_1 + x_1 \cdot x_2 + u \cdot x_0 + v \cdot x_1 + w \cdot x_2$ be a Boolean function and $u, v, w \in \mathbb{F}_2$ are constants. If $u + w = 0$, then $Cor(f) = 2^{-1}$; otherwise, $Cor(f) = 0$.

Besides Subterranean 2.0, chaining AND operations also make up the non-linear layer of the round function in authenticated encryption schemes like MORUS [20], TinyJAMBU [21] and block ciphers like SIMON [2], etc. Handling the dependency among the chaining AND operations is a challenging task. Taking all the dependency into account usually makes the search for differential/linear trails inefficient or even infeasible. In the case where there exist very sparse differential/linear trails such that there is no adjacent active AND operations, treating AND operations independently works well [18, 19]. Recently, effort has been made to construct models that partially handles the dependency of the AND operations [17]. However, the methods which do not fully tackle the dependency are not applicable to Subterranean 2.0 whose differential/linear trails for state collisions or keystream bias of Subterranean 2.0 are relatively dense. This is confirmed by experiments where the trails obtained with these methods are almost invalid. Moreover, inexact models are unable to provide reliable bounds of differential/linear probability. Consequently, the dependency must be taken into consideration for evaluation of Subterranean 2.0 against state collision attacks and keystream bias.

389 4.2 Represent χ as a SIMON-like Function

Subterranean 2.0 uses bit-wise operations. In particular, in the χ step, for $0 \leq i < b$,

$$s_i \leftarrow s_i + s_{i+1} \cdot s_{i+2} + s_{i+2}.$$

We observe that the χ step bears a strong resemblance to SIMON's round function. SIMON [2] is a family of lightweight block ciphers and follows the Feistel construction. Its round function has the following form

$$(x \lll \alpha) \odot (x \lll \beta) \oplus (x \lll \gamma),$$

where $x \lll i$ corresponds to a cyclic left shift of word x by i bits, \odot and \oplus denote the bit-wise AND and XOR operations respectively. We notice that χ can be re-written as a SIMON-like function:

$$s \leftarrow s \oplus (s \ggg 1) \odot (s \ggg 2) \oplus (s \ggg 2).$$

390 Therefore, the techniques and tools in [12] for searching differential/linear trails of
391 SIMON serves as a good starting point for differential and linear cryptanalysis of
392 Subterranean 2.0.

393 4.3 Linear Analysis

394 In [12], the authors proved that the input mask α and output mask β for the operation
395 $x \odot (x \lll 1)$ should satisfy that $\alpha \in U_\beta^\perp$, where $U_\beta = \{y | \beta \odot (y \lll 1) \oplus (\beta \odot y) \ggg 1\}$.
396 Inspired by this, we further propose explicit formulas for calculating the correlation
397 of linear trails of Subterranean 2.0, which are also applicable to other ciphers that
398 exploit chains of AND operations.

399 In linear cryptanalysis of such ciphers, there are blocks of chained active AND
400 operations where the correlation can be calculated for each block independently.
401 Depending on the number of active AND operations involved in a block, there are
402 two cases which are covered by Lemma 1 and 2. For Subterranean 2.0, k in the two
403 lemmas is 1. When the number n of active AND operations in a block is odd, *i.e.*,
404 $n = 2t - 1, t > 0$, any approximation is valid and the correlation is 2^{-t} . When the
405 number n of active ANDs is even, *i.e.*, $n = 2t, t > 0$, the approximation should
406 satisfy a condition *cond* as stated in Lemma 2. This is a one-bit condition and if it
407 holds, the correlation is 2^{-t} . In other words, given a random approximation for an
408 even block, it is valid with probability $\frac{1}{2}$. In search of linear trails, it is the key point
409 to make sure this condition holds for all even blocks. Without this condition being
410 imposed, the obtained linear trail will be invalid with high chance when the trail is
411 dense.

412 **Lemma 1** Let $f(x) = x_0x_k + x_kx_{2k} + \dots + x_{(2t-2)k}x_{(2t-1)k} + L(x_0, x_k, \dots, x_{(2t-1)k})$
413 be a Boolean function where L is linear and $t > 0$. Then $Cor(f)$ is 2^{-t} .

Proof The quadratic part of $f(x)$ can be re-written as

$$x_k(x_0 + x_{2k}) + x_{3k}(x_{2k} + x_{4k}) + \dots + x_{(2t-3)k}(x_{(2t-4)k} + x_{(2t-2)k}) + x_{(2t-2)k}x_{(2t-1)k}.$$

414 Apply the following transformation:

$$\begin{aligned}
 415 \quad & y_{(2j-1)k} = x_{(2j-1)k}, & 1 \leq j \leq t \\
 416 \quad & y_{(2j)k} = x_{(2j)k} + x_{2(j+1)k}, & 0 \leq j \leq t-2 \\
 417 \quad & y_{(2t-2)k} = x_{(2t-2)k},
 \end{aligned}$$

419 which is equivalent to the transformation $\mathbf{x} = A\mathbf{y}$:

$$\begin{aligned}
 420 \quad & x_{(2j-1)k} = y_{(2j-1)k}, & 1 \leq j \leq t \\
 421 \quad & x_{(2j)k} = \sum_{i=j}^t y_{(2i)k}, & 0 \leq j \leq t-1 \\
 422
 \end{aligned}$$

Then one can obtain

$$g(\mathbf{y}) = f(A\mathbf{y}) = y_0 y_k + y_{2k} y_{3k} + \cdots + y_{2(t-1)k} y_{(2t-1)k} + L'(y_0, y_k, \dots, y_{(2t-1)k}).$$

423 Since the quadratic terms of g contains all $y_{jk}, 0 \leq j \leq 2t-1$, $Cor(g) = 2^{-t}$.

424 Therefore, $Cor(f) = 2^{-t}$, as

$$425 \quad Cor(g) = \frac{1}{2^{2t}} \sum_{\mathbf{y} \in \mathbb{F}_2^{2t}} (-1)^{g(\mathbf{y})} = \frac{1}{2^{2t}} \sum_{\mathbf{y} \in \mathbb{F}_2^{2t}} (-1)^{f(A\mathbf{y})} = \frac{1}{2^{2t}} \sum_{\mathbf{y} \in \mathbb{F}_2^{2t}} (-1)^{f(\mathbf{y})} = Cor(f).$$

426

□

427 **Lemma 2** Let $f(x) = x_0 x_k + x_k x_{2k} + \cdots + x_{(2t-2)k} x_{(2t-1)k} + x_{(2t-1)k} x_{2tk} + L_0(x_0, x_{2k}$
 428 $\cdots, x_{2tk}) + L_1(x_k, x_{3k}, \cdots, x_{(2t-1)k})$ be a Boolean function where L_0, L_1 are linear
 429 and $t > 0$. Let **cond** be: L_0 contains a even number of terms. Then $Cor(f)$ is 2^{-t} if
 430 **cond** holds and 0 otherwise.

Proof The quadratic part of $f(x)$ can be re-written as

$$x_k(x_0 + x_{2k}) + x_{3k}(x_{2k} + x_{4k}) + \cdots + x_{(2t-1)k}(x_{(2t-2)k} + x_{(2t)k})$$

431 Apply the following transformation:

$$\begin{aligned}
 432 \quad & y_{(2j-1)k} = x_{(2j-1)k}, & 1 \leq j \leq t \\
 433 \quad & y_{(2j)k} = x_{(2j)k} + x_{2(j+1)k}, & 0 \leq j \leq t-1 \\
 434 \quad & y_{(2t)k} = x_{(2t)k},
 \end{aligned}$$

436 which is equivalent to the transformation $\mathbf{x} = A\mathbf{y}$:

$$437 \quad x_{(2j-1)k} = y_{(2j-1)k}, \quad 1 \leq j \leq t-1 \quad (1)$$

$$438 \quad x_{(2j)k} = \sum_{i=j}^t y_{(2i)k}, \quad 0 \leq j \leq t \quad (2)$$

439

Then one can obtain

$$g(\mathbf{y}) = f(A\mathbf{y}) = y_0 y_k + y_{2k} y_{3k} + \cdots + y_{2(t-1)k} y_{(2t-1)k} + L(y_0, y_k, \dots, y_{(2t)k}).$$

Obviously, $Cor(g) = 0$ if $L(y_0, y_k, \dots, y_{(2t)k})$ contains the term $y_{(2t)k}$, otherwise $Cor(g) = 2^{-t}$. And $L(y_0, y_k, \dots, y_{(2t)k})$ has the term $y_{(2t)k}$ if and only if $L_0(x_0, x_{2k}, \dots, x_{(2t)k})$ contains an odd number of terms according to Eq. (2). □

440 Technically, for an even block with $2t, t > 0$ chained active AND operations, it
 441 requires $t + 1$ iterations to check the condition *cond*. Hence, the longer an even block
 442 is, the more time-consuming for the checking. As the state size of Subterranean 2.0
 443 is 257 which is relatively large when compared to block ciphers like SIMON, the
 444 length of even block can reach 256 theoretically. In order to speed up the search
 445 for linear trails of Subterranean 2.0, it would be useful to identify a tighter upper
 446 bound of block length ℓ for each round. This can be done as follows when the range
 447 of correlation or the target correlation is given.

- 448 1. For round r , set the target correlation C , time limit D and set the block length
 449 as state size, *i.e.*, $\ell = b$
 - 450 (a) For all possible positions for a block with ℓ chained ANDs:
 - 451 i. Set the ℓ ANDs active. If a solution is found or the searching time exceeds
 452 D , exit.
 - 453 (b) $\ell = \ell - 1$ and go to (a).

454 We then propose two models:

- 455 1. Set ℓ to a reasonable value for all rounds, *e.g.*, $\ell = 6$. This model is used for
 456 searching linear trails with good correlations.
- 457 2. For each round, set ℓ to the upper bound found by the above procedure. This
 458 model is used for providing tighter lower bounds of correlation of linear trails.

459 We apply these two models to Subterranean 2.0 and Subterranean 2.0- $m(d)$. The
 460 results in Table 4 are obtained. Note that, the search space of linear trails over n
 461 blocks covers the search space of linear trails over less blocks.

- 462 – For Subterranean- $m(d)$
 - 463 – The correlations of linear trails become stable when four blocks are involved,
 464 as shown in Figure 7.
 - 465 – When $d = 58$, there exists a linear trail over three output blocks with corre-
 466 lation 2^{-23} , as shown in Table 9. This means $d = 58$ is not a safe parameter
 467 for Subterranean- m .
- 468 – For Subterranean 2.0
 - 469 – There does not exist any linear trail over four blocks with correlation higher
 470 or equal to 2^{-49} .

471 When $d = 58$, the curve in Figure 7 goes significantly low. We conjecture that it
 472 may come from the interplay between operations π and extraction/injection which
 473 depend on d , and other operations, *i.e.*, χ , ι , and θ . The indices used in χ , ι , and
 474 θ are computed through additions in \mathbb{Z} . Conversely, the indices used in π and ex-
 475 traction/injection are computed through multiplications in \mathbb{Z}^* (except 0). When d
 476 varies, we have different combinations of these two parts and each combination is
 477 unique. It may be possible that there are good linear trails for certain combination.
 478 A similar conjecture could be made for the differential case that will be discussed
 479 subsequently.

480 4.4 Differential Analysis

481 In differential cryptanalysis of Subterranean 2.0, we adapt Theorem 1 from [12] and
 482 then apply it to Subterranean 2.0.

Table 4: Correlation of keystreams

Version	(s , K)	$ Z^i $	$\#Z^i$	$\min - \log_2(Cor)$
Subterranean-SAE	(257, 128)	32	≤ 4	(49, 90]
Subterranean-m	(97, 48)	12	≤ 5	23 \sim 34

483 **Theorem 1** ([12]) Let $f(x) = (x \lll 1) \odot x$ be a Boolean function on \mathbb{F}_2^n . The
 484 probability that difference α goes to difference β through f is

$$485 \Pr(\alpha \xrightarrow{f} \beta) = \begin{cases} 2^{-n+1} & \alpha = \mathbf{1} \text{ and } wt(\beta) \equiv 0 \pmod{2}, \\ 2^{-wt(vb+db)} & \alpha \neq \mathbf{1} \text{ and } \beta \odot \overline{vb} = \mathbf{0} \text{ and } ((\beta \lll 1) \oplus \beta) \odot db = \mathbf{0}, \\ 0 & \text{otherwise,} \end{cases}$$

486
 487 where $vb = (\alpha \lll 1) \vee \alpha$, $db = \alpha \odot \overline{(\alpha \lll 1)} \odot (\alpha \lll 2)$ and $wt(x)$ is the Hamming
 488 weight of x .

489 The original Theorem 1 considers bit vector x of an even number of bits. When
 490 the state size is odd, the condition for the first case should be adapted to $wt(\beta) \equiv 1$.
 491 Based on Theorem 1, the results in Table 5 are obtained. Also, the search space of
 492 differential trails using n blocks covers the search space of differential trails using
 493 less blocks.

- 494 – For Subterranean-m(d)
 - 495 – The probabilities of differential trails become stable when five blocks are
 - 496 involved, as shown in Figure 8.
 - 497 – When $d = 41$, there exists a differential trail using four input blocks with
 - 498 probability 2^{-47} , as shown in Table 8. This means $d = 41$ is not a safe
 - 499 parameter for Subterranean-m.
- 500 – For Subterranean 2.0
 - 501 – There does not exist any differential trail over four blocks with probability
 - 502 higher or equal to 2^{-108} .

Table 5: Result of searching differential trails for state collisions

Version	(s , K)	$ \Delta \overline{M}^i $	$\#\Delta \overline{M}^i$	$\min - \log_2(p)$
Subterranean-SAE	(257,128)	32+1	≤ 4	(108, 180]
Subterranean-m	(97,48)	12+1	≤ 6	47 \sim 64

503 4.5 Impact on Subterranean-deck and Subterranean-SAE

504 As between extractions or injections, there is only one round, there is little clustering
 505 effect in the differential/linear analysis of Subterranean 2.0³. Thus the security of
 506 Subterranean 2.0 against the linear attack and the state collision attack can be
 507 almost deduced from optimal differential/linear trails.

³ If there are inactive output (resp. input) blocks in between, there is also clustering effect in linear (resp. differential) analysis. For example, in the linear trail in Table 9, there are active bits in Z_0 and Z_2 but Z_1 . In this case, two solutions form a linear hull. However, the involved input or output blocks are continuously active in most cases.

508 **Bias of keystreams.** For both Subterranean-deck and Subterranean-SAE, the se-
 509 curity is claimed against attackers that are limited to 2^{96} data blocks. Thus a useful
 510 linear trail should have correlation higher than 2^{-48} . In the specification of Subter-
 511 ranean 2.0 [8], there is a statement below.

512 *This provides evidence that there is probably no bias for masks Z of less than*
 513 *5 blocks and we believe there is no bias in Z measurable from output sequences*
 514 *of 2^{96} blocks or less.*

515 Our linear analysis is twofold: we find that the first half of the statement is not a
 516 reasonable conjecture and we support the second half of the statement with detailed
 517 experiments. Our results show that there exist linear trails over three or four blocks
 518 for both Subterranean 2.0 and Subterranean-m. Within four keystream blocks, lin-
 519 ear trails with correlation higher than 2^{-48} do not exist for Subterranean 2.0. The
 520 experiments on the toy cipher Subterranean-m show that there are no better linear
 521 trails when we increase the number of keystream blocks to five, which gives some
 522 confidence that there is no better linear trails as well for Subterranean 2.0 over more
 523 output blocks. In short, our results support the designers' claim on the security
 524 against linear cryptanalysis.

The designers' conclusion that there is probably no bias over less than five blocks
 lies in an analysis considering a single active output bit. Recall that the expression
 of the output block

$$Z_i^{t+1} = s_{12^{4i}}^{t+1} + s_{-12^{4i}}^{t+1}$$

and the round function

$$s_j^{t+1} = s_i^t + s_{i+3}^t + s_{i+8}^t + (s_{i+1}^t + 1) \cdot s_{i+2}^t + (s_{i+4}^t + 1) \cdot s_{i+5}^t + (s_{i+9}^t + 1) \cdot s_{i+10}^t$$

525 where $i = 12j$. It can then be obtained that $Z_i^{t+1} = s_{12^{4i+1}}^t + s_{-12^{4i+1}}^t + q(s^t)$. Note
 526 that if there is an isolated term of degree 1 in the approximation, the correlation
 527 will be zero. As 12^{4i+1} and -12^{4i+1} are not elements of the subgroup $\langle 12^4 \rangle$, they
 528 cannot be cancelled out by Z_j^t . Based on this, the designers reached the conclusion
 529 about the length of linear trails of Subterranean 2.0. Nevertheless, state bits outside
 530 $\langle 12^4 \rangle$, like $s_{12^{4i+1}}^t$ and $s_{-12^{4i+1}}^t$, may be cancelled out when there are multiple active
 531 bits in the output block. Let us take the 3-block linear trail of Subterranean-m(58)
 532 (see Table 9) as an example. In this linear trail, both Z_0^2 and Z_1^2 , *i.e.*, the first and
 533 the second bits of the third output block, are active. According to the expressions
 534 below, we can see that s_{-58}^1 is cancelled out.

$$\begin{aligned} 535 \quad Z_0^2 &= s_{58^{4 \cdot 0}}^2 + s_{-58^{4 \cdot 0}}^2 \\ 536 \quad &= s_{58}^1 + s_{60}^1 + s_{61}^1 + s_{63}^1 + s_{66}^1 + s_{68}^1 + s_{-58}^1 + s_{41}^1 + s_{42}^1 + s_{44}^1 + s_{47}^1 + s_{49}^1 + q_1(s^1), \\ 537 \quad Z_1^2 &= s_{58^{4 \cdot 1}}^2 + s_{-58^{4 \cdot 1}}^2 \\ 538 \quad &= s_{58^5}^1 + s_{62}^1 + s_{63}^1 + s_{65}^1 + s_{68}^1 + s_{70}^1 + s_{-58^5}^1 + s_{-58}^1 + s_{40}^1 + s_{42}^1 + s_{45}^1 + s_{47}^1 + q_2(s^1). \end{aligned}$$

540 The full expression of the approximation can be found in Table 10. Consequently,
 541 treating the active bits globally, the invoked active bits located outside the group
 542 $\langle 12^4 \rangle$ maybe cancelled out by each other. Thus, it does not necessarily take four
 543 rounds to make them fall back into $\langle 12^4 \rangle$. More importantly, concrete linear trails
 544 with three or four blocks are found for both Subterranean 2.0⁴ and Subterranean-m.

⁴ As the obtained linear trails of Subterranean 2.0 have a very low correlation, the details
 of the linear trails are not included in the paper

545 **State collisions.** State collisions can be used for probabilistic forgeries as long as
 546 the differential probability $p > 2^{-|K|}$ when the tag length is the same as the key
 547 length. That is, the forgery attack is not constrained by the data limit. Searching
 548 differential trails for Subterranean 2.0 is hard due to the large internal state. The
 549 experiments on the toy cipher Subterranean-m show that there is only one value for
 550 the parameter d such that the state collision attack is possible. When the injection
 551 rate of Subterranean-m is reduced to a smaller value, say 8, all values of d allow
 552 resistance against the state collision attack. It is very likely that these results of
 553 Subterranean-m reflect the security of Subterranean 2.0 against the state collision
 554 attack due to similar designs.

555 5 Key Recovery of Subterranean-SAE in the Nonce-misuse Setting

556 In this section, it is shown that a practical state recovery attack can be mounted with
 557 only 88 32-bit blocks and 20 repetitions of nonce by one-round differential analysis.

558 5.1 One-round Differential Analysis

559 In the duplex call of Subterranean 2.0, a single-round permutation is used. As the
 560 round function has algebraic degree only 2, the output difference of the round func-
 561 tion will be linear in the input. So is the difference of the following keystream block.
 562 Let us explain the idea with an example as follows.

563 **Example 3** Suppose one bit difference is injected at position 1 of s^i (see Figure 6).
 564 After one round, the bits at positions $[0, 64, 85, 107, 150, 171, 192, 214, 235]$ of s^{i+1}
 565 have difference $[s_2^i, s_2^i, s_2^i, s_0^i + 1, 1, s_0^i + 1, s_0^i + 1, 1, 1]$ and there is no difference at
 566 other positions. From the extraction, we have $\Delta Z_8^{i+2} = \Delta s_{64}^{i+1} + \Delta s_{193}^{i+1} = s_2^i$. Thus
 567 obtain one state bit s_2^i by observing ΔZ^{i+2} .

568 This means, in the message processing phase, if a difference is injected at s^i ,
 569 some state bits of s^i can be recovered by observing the output difference after one
 570 round. We call this *one-round differential* of Subterranean 2.0. As can be seen that
 571 the recovered bits are among the neighbouring bits of the injected difference. For
 572 Subterranean-SAE, the number of bit positions for injection is 32. Further analysis
 573 shows that only 41 neighbouring bits can be recovered by one-round differentials.

574 5.2 Nested One-round Differential Analysis

575 To enlarge the number of state bits that can be recovered, we propose a *nested one-*
 576 *round differential analysis* which exploits the output difference in two consecutive
 577 rounds. The core idea is that injecting difference at s^i will lead to differences of
 578 s^{i+1} at positions that may fall outside the set of 32 injection positions. Therefore,
 579 besides injecting difference through the input block, we can also utilize the differ-
 580 ence generated by the previous round by treating the previous round as a difference
 581 injector.

582 It is known that the difference after two rounds is not linear in the input bits
 583 anymore. However, by our nested one-round differential analysis, some bits of the

584 internal state can still be recovered as long as the input difference to the second
585 round is sparse. Next, we illustrate the nested one-round differential by Example 4.

586 **Example 4** Suppose one bit difference is injected at position 1 of s^i (see Figure 6).
587 Treat the second round independently with input difference $[s_2^i, s_2^i, s_2^i, s_0^i + 1, 1, s_0^i +$
588 $1, s_0^i + 1, 1, 1]$ at positions $[0, 64, 85, 107, 150, 171, 192, 214, 235]$ based on Example 3.
589 By observing the difference of the output block after the second round ΔZ^{i+3} , retrieve
590 relations between s^{i+1} , s_0^i, s_2^i through ΔZ^{i+3} , and select the linear ones which are:

$$\begin{aligned}
591 \quad \Delta Z_1^{i+3} &= s_2^0, \\
592 \quad \Delta Z_3^{i+3} &= s_0^0 + 1, \\
593 \quad \Delta Z_8^{i+3} &= s_2^0, \\
594 \quad \Delta Z_{12}^{i+3} &= s_{234}^1 + 1, \\
595 \\
596 \\
597 \quad \Delta Z_{13}^{i+3} &= s_{149}^1 + 1, \\
598 \quad \Delta Z_{14}^{i+3} &= s_2^0, \\
599 \quad \Delta Z_{16}^{i+3} &= s_0^0 + 1, \\
600 \quad \Delta Z_{22}^{i+3} &= s_{213}^1 + 1, \\
601 \quad \Delta Z_{23}^{i+3} &= s_{215}^1. \\
602
\end{aligned}$$

603 Therefore, 6 bits: $s_0^0, s_2^0, s_{149}^1, s_{213}^1, s_{215}^1, s_{234}^1$ can be recovered.

604 5.3 Key Recovery

605 In our attack, we utilize 9 types of difference injections No. 1 ~ 9 as listed in Table 6,
606 each of which recovers a set of bits in s^i . Using 19 injections of difference in total,
607 131 bits information of s^1 and 128 bits information of s^2 can be known, as illustrated
608 in Table 7. With this information, the full state s^1 can be recovered as follows.

609 Guess another 26 bits of s^1 , as listed in the last row of Table 7. Then all bits of
610 s^2 can be expressed in $257-131-26 = 100$ unknowns and there remain 26 quadratic
611 terms composed of these unknowns. When the 26 quadratic terms are treated as
612 independent unknowns, there will be $100+26$ unknown. As 128 bits of s^2 are known,
613 a system of 128 linear equations in 126 unknowns can be constructed and solved
614 easily. There may be multiple solutions for s^1 , most of which are not the actual one
615 and can be discarded by exploiting unused output bits (without increasing the data
616 complexity). The time complexity of recovering the full s^1 is dominated by solving
617 2^{26} systems, each of which has 128 linear equations and 126 unknowns.

618 *Recover the key* Once the unique state s^1 is identified, the 128-bit key can be recovered
619 by a guess-and-determine procedure as in [13]. First, with s^1 , the state after
620 injecting K^4 can be computed. As K^4 is unknown, only 225 bits of the state before
621 the injection are known. Then, guess 32 bits of K^1 and 3 bits of K^2 at positions
622 $[2, 136, 189]$ so that the state after injecting K^3 are linear in the remaining 29 bits
623 of K^2 and the full 32 bits of K^3 . Hence, the 225 known bits before injecting K^4 are
624 quadratic in these 61 key bits. A detailed analysis shows that the expressions of the
625 225 known bits contain at most 128 quadratic terms. Again if we treat these 128

Table 6: Difference injection and state recovery

No.	Pos. of s^i with difference	Recovered bits	#Recovered bits
1	15, 213, 223, 211, 134, 128, 35, 234, 70, 190, 184, 111, 165, 169, 11, 4, 22	$s_5^i, s_{12}^i, s_{16}^i, s_{21}^i, s_{34}^i, s_{69}^i, s_{71}^i, s_{110}^i, s_{112}^i, s_{133}^i, s_{129}^i, s_{135}^i, s_{164}^i, s_{166}^i, s_{168}^i, s_{185}^i, s_{189}^i, s_{191}^i, s_{210}^i, s_{212}^i, s_{214}^i, s_{224}^i, s_{233}^i, s_{235}^i, s_3 + s_{10}^i$, and 5 extra bits $s_{241}^i, s_{223}^i, s_{128}^i, s_{68}^i, s_{22}^i$	30 bits of s^i
2	137, 140, 30, 225, 197, 189, 95, 2, 256, 249	$s_1^i, s_3^i, s_{29}^i, s_{94}^i, s_{96}^i, s_{136}^i, s_{139}^i, s_{190}^i, s_{198}^i, s_{196}^i, s_{226}^i, s_{250}^i, s_{255}^i, s_{169}^{i+1} + s_{172}^{i+1}$ and 4 extra bits $s_{256}^i, s_{121}^i, s_{67}^i, s_2^i$	17 bits of s^i , 1 bit of s^{i+1}
3	136, 176, 1	$s_{177}^i, s_2^i, s_{137}^i, s_0^i, s_{175}^i, s_{234}^{i+1}, s_{181}^{i+1}, s_{215}^{i+1}, s_{213}^{i+1}, s_{160}^{i+1}, s_{162}^{i+1}, s_{13}^{i+1} + s_{249}^{i+1}$ and 3 extra bits $s_{23}^{i+1}, s_{44}^{i+1}, s_{95}^{i+1}$	5 bits of s^i , 10 bits of s^{i+1}
4	137, 64	$s_{83}^i, s_{138}^i, s_{246}^i, s_{92}^i, s_{76}^i, s_{248}^i, s_{154}^i, s_{74}^i, s_{55}^i, s_{156}^{i+1}$ and 2 extra bits $s_{11}^{i+1}, s_{165}^{i+1}$	2 bits of s^i , 10 bits of s^{i+1}
5	4,22	$s_{23}^i, s_{172}^{i+1}, s_{170}^{i+1}, s_{24}^{i+1}, s_{149}^{i+1}, s_{87}^{i+1}, s_{217}^{i+1}, s_{85}^{i+1}$, and 1 extra bit s_{234}^i	2 bits of s^i , 7 bits of s^{i+1}
6	11, 140, 241	$s_{242}^i, s_{240}^i, s_{171}^{i+1}, s_{192}^{i+1}, s_{107}^{i+1}, s_{194}^{i+1}, s_{254}^{i+1}, s_{182}^{i+1}$ and 2 extra bits s_{15}^i, s_{17}^i	4 bits of s^i , 6 bits of s^{i+1}
7	17,70,35,165	$s_{36}^i, s_{66}^{i+1}, s_{109}^{i+1}, s_{238}^{i+1}, s_{79}^{i+1}, s_{141}^{i+1}, s_{143}^{i+1}, s_{47}^{i+1} + s_{221}^{i+1}, s_{49}^{i+1} + s_{219}^{i+1}$	1 bit of s^i , 8 bits of s^{i+1}
8	211, 95, 169	$s_{170}^i, s_{201}^{i+1}, s_{116}^{i+1}, s_{40}^{i+1}, s_{229}^{i+1}, s_{163}^{i+1}, s_{114}^{i+1}, s_{104}^{i+1}, s_{123}^{i+1}$ and 1 extra bit s_{134}^{i+1}	1 bit of s^i , 9 bits of s^{i+1}
9	256,189, 223	$s_{222}^i, s_{103}^{i+1}, s_{193}^{i+1}, s_{108}^{i+1}, s_{106}^{i+1}, s_{105}^{i+1}, s_{81}^{i+1}, s_0 \cdot s_{43}^{i+1} + s_{39}^{i+1}$ and 3 extra bits $s_{35}^i, s_{64}^i, s_{176}^i$	2 bits of s^i , 9 bits of s^{i+1}

626 quadratic terms as independent unknowns, then there will be a system of 61+128
627 unknowns and 225 linear equations. The solution of the system provides information
628 of (K^1, K^2, K^3) . When (K^1, K^2, K^3) is obtained, recovering K^4 is trivial. As a result,
629 recovering the key from s^1 requires to solve 2^{35} systems, each of which has 225
630 linear equations in 189 unknowns. In summary, the key can be recovered practically
631 if the same nonce repeats 20 times.

632 *Relation to the extraction function.* In the squeezing phase, Subterranean 2.0 outputs
633 a block of 32 bits, each of which is the sum of two state bits: $Z_i = s_{12^{4i}} + s_{-12^{4i}}$,
634 for $0 \leq i < 32$. Instead of outputting state bits directly, this extraction function
635 is meant to frustrate state recovery attacks [10] in the nonce respected setting. In
636 our one-round differential analysis, this extraction function allows more state bits
637 involved in the output block and thus more state bits can be recovered. For example,
638 if we set $Z_i = s_{12^{4i}}$, for $0 \leq i < 32$, type 1 injection of difference will lead to a
639 recovery of 17 bits versus 30 bits under the original extraction and 20 state bits
640 can be recovered with ordinary one-round differential analysis versus 41 state bits
641 under the original extraction. Note that our one-round differential analysis requires
642 a nonce-misuse setting.

643 *Comparison to the work by Liu, Isobe and Meier* In [13], Liu, Isobe and Meier pre-
644 sented a practical state-recovery attack in the nonce-misuse setting with 2^{13} 32-bit

Table 7: State recovery with 19 injections of difference under the nonce-misuse setting

	Recovered bits of s^1	Recovered bits of s^2
No. 3 ~ 9 at s^0	59 bits: $s_{234}^1, s_{181}^1, s_{215}^1, s_{213}^1, s_{160}^1, s_{162}^1, s_{13}^1 + s_{249}^1, s_{23}^1, s_{44}^1, s_{95}^1, s_{246}^1, s_{92}^1, s_{76}^1, s_{248}^1, s_{154}^1, s_{74}^1, s_{55}^1, s_{156}^1, s_{11}^1, s_{165}^1, s_{172}^1, s_{170}^1, s_{24}^1, s_{149}^1, s_{87}^1, s_{217}^1, s_{85}^1, s_{171}^1, s_{192}^1, s_{107}^1, s_{194}^1, s_{254}^1, s_{182}^1, s_{66}^1, s_{109}^1, s_{238}^1, s_{79}^1, s_{141}^1, s_{143}^1, s_{17}^1 + s_{221}^1, s_{49}^1 + s_{219}^1, s_{201}^1, s_{116}^1, s_{40}^1, s_{229}^1, s_{163}^1, s_{114}^1, s_{104}^1, s_{123}^1, s_{134}^1, s_{103}^1, s_{193}^1, s_{108}^1, s_{106}^1, s_{105}^1, s_{81}^1, s_{64}^1, s_{176}^1, s_0^i \cdot s_{43}^1 + s_{39}^1$ (as s_0^i can be known)	
No. 1 ~ 9 at s^1	60 bits: $s_5^1, s_{12}^1, s_{16}^1, s_{21}^1, s_{34}^1, s_{69}^1, s_{71}^1, s_{110}^1, s_{112}^1, s_{133}^1, s_{129}^1, s_{135}^1, s_{166}^1, s_{168}^1, s_{185}^1, s_{189}^1, s_{191}^1, s_{210}^1, s_{212}^1, s_{214}^1, s_{224}^1, s_{233}^1, s_{235}^1, s_3^1 + s_{10}^1, s_{241}^1, s_{223}^1, s_{128}^1, s_{68}^1, s_{22}^1, (s_{164}^1), s_1^1, s_3^1, s_{29}^1, s_{94}^1, s_{96}^1, s_{136}^1, s_{139}^1, s_{190}^1, s_{198}^1, s_{196}^1, s_{226}^1, s_{250}^1, s_{255}^1, s_{256}^1, s_{121}^1, s_{67}^1, s_{2}^1 s_{177}^1, s_2^1, s_{137}^1, s_0^1, s_{175}^1, s_{63}^1, s_{138}^1 (s_{234}^1), (s_{23}^1), s_{242}^1, s_{240}^1, s_{15}^1, s_{17}^1, s_{36}^1, (s_{170}^1), s_{222}^1, s_{35}^1$	60 bits: $s_{169}^2 + s_{172}^2, s_{234}^2, s_{181}^2, s_{215}^2, s_{213}^2, s_{160}^2, s_{162}^2, s_{13}^2 + s_{249}^2, s_{23}^2, s_{44}^2, s_{95}^2, s_{246}^2, s_{92}^2, s_{76}^2, s_{248}^2, s_{154}^2, s_{74}^2, s_{55}^2, s_{156}^2, s_{11}^2, s_{165}^2, s_{172}^2, s_{170}^2, s_{24}^2, s_{149}^2, s_{87}^2, s_{217}^2, s_{85}^2, s_{171}^2, s_{192}^2, s_{107}^2, s_{194}^2, s_{254}^2, s_{182}^2, s_{66}^2, s_{109}^2, s_{238}^2, s_{79}^2, s_{141}^2, s_{143}^2, s_{17}^2 + s_{221}^2, s_{49}^2 + s_{219}^2, s_{201}^2, s_{116}^2, s_{40}^2, s_{229}^2, s_{163}^2, s_{114}^2, s_{104}^2, s_{123}^2, s_{134}^2, s_{103}^2, s_{193}^2, s_{108}^2, s_{106}^2, s_{105}^2, s_{81}^2, s_{64}^2, s_{176}^2, s_0^i \cdot s_{43}^2 + s_{39}^2$
No. 1 ~ 3 at s^2		52 bits: $s_5^2, s_{12}^2, s_{16}^2, s_{21}^2, s_{34}^2, s_{69}^2, s_{71}^2, s_{110}^2, s_{112}^2, s_{133}^2, s_{129}^2, s_{135}^2, s_{164}^2, s_{166}^2, s_{168}^2, s_{185}^2, s_{189}^2, s_{191}^2, s_{210}^2, s_{212}^2, s_{214}^2, s_{224}^2, s_{233}^2, s_{235}^2, s_3^2 + s_{10}^2, s_{241}^2, s_{223}^2, s_{128}^2, s_{68}^2, s_{22}^2, s_1^2, s_3^2, s_{29}^2, s_{94}^2, s_{96}^2, s_{136}^2, s_{139}^2, s_{190}^2, s_{198}^2, s_{196}^2, s_{226}^2, s_{250}^2, s_{255}^2, s_{256}^2, s_{121}^2, s_{67}^2, s_2^2 s_{177}^2, s_2^2, s_{137}^2, s_0^2, s_{175}^2$
In total	1 additional bit from No. 9 injection: $s_{51}^1 = s_{76}^2 + s_{201}^2 + s_{196}^2 + s_{94}^2 + s_{226}^2 \cdot s_{189}^2 + s_{226}^2 + 1 + \Delta Z_5^2 + \Delta Z_{15}^2$. Thus, 120 bits plus 11 remaining extraction equations	112 bits plus 16 remaining extraction equations
	Guess 26 bits: $s_{49}^1, s_{47}^1, s_8^1, s_{184}^1, s_{60}^1, s_{43}^1, s_{111}^1, s_{19}^1, s_{26}^1, s_{51}^1, s_{53}^1, s_{57}^1, s_{62}^1, s_{83}^1, s_{89}^1, s_{98}^1, s_{100}^1, s_{118}^1, s_{125}^1, s_{131}^1, s_{152}^1, s_{158}^1, s_{179}^1, s_{203}^1, s_{205}^1, s_{207}^1$, and there remains only 26 quadratic terms in the expressions of s^2 .	

645 blocks based on conditional cube analysis. It was exploited that when the condi-
646 tion holds, the sum of over a set of outputs will be zero. They mainly utilized a
647 2-dimensional set to recover one bit, which means 4 repetitions of nonce are required
648 for retrieving 1 state bit. On the contrary, as many as 30 state bits can be recov-
649 ered with 2 repetitions of nonce by a one-round differential. Therefore, the data
650 complexity is much lower in our one-round differential analysis.

651 6 Concluding Remarks

652 In this paper, we investigated the “single-round permutation” in various phases of
653 Subterranean 2.0 and identified three related attack scenarios that deserve further
654 analysis: keystream biases in the keyed squeezing phase, state collisions in the keyed
655 absorbing phase, and one-round differentials in the message processing phase when
656 a nonce is reused.

657 To carry out a study on the security in the first two attack scenarios, it is nec-
658 essary to search for differential/linear trails under special constraints. First, we pro-
659 posed a set of toy versions of Subterranean 2.0: Subterranean-m(d) to understand

Subterranean 2.0 with easier effort. Besides, we observed a resemblance between the non-linear layer of the round function of Subterranean 2.0 and SIMON's round function. Such resemblance offers a good starting point for differential/linear analysis of Subterranean 2.0. Inspired by the existing work on SIMON, we proposed explicit formulas for computing the correlation of linear trails of ciphers that exploit chaining AND operations like Subterranean 2.0, and built our own models for Subterranean 2.0. The experiments on Subterranean- $m(d)$ show that for most choices of d , Subterranean- m is secure against linear attacks and state collision attacks, but Subterranean- $m(58)$ (resp. Subterranean- $m(41)$) is vulnerable to linear attacks (resp. state collision attacks). It is very likely that these results of Subterranean- m reflect the security of Subterranean 2.0 due to similar designs. We also found a flaw in the designers' reasoning of Subterranean 2.0's linear bias but supported the designers' claim that there is no bias measurable from 2^{96} data blocks or less. Due to the time-consuming search for differential trails of Subterranean 2.0, its security against the state collision attack in keyed modes still remains an open question.

Finally, we observed that one-round differentials allow to recover state bits in the nonce-misuse setting. In order to recover a sufficient number of state bits, we further proposed nested one-round differentials where a one-round differential is prepended to another, acting as a difference injector. As a result, a practical state recovery attack can be achieved with only 20 repetitions of the nonce and 88 blocks of data. Our analysis shows that Subterranean-like constructions with quadratic single-round permutation must be used carefully in practice as the security crashes when nonce uniqueness is lost.

Acknowledgements The authors would like to thank anonymous reviewers for their helpful comments and suggestions. The work of this paper was supported by the National Natural Science Foundation of China (Grants 62022036, 61802399, 61802400, 61732021 and 61772519), the National Key Research and Development Program of China (Grant 2018YFA0704704), the Youth Innovation Promotion Association CAS, Nanyang Technological University in Singapore (Grant 04INS000397C230), and Singapore's Ministry of Education (Grants RG91/20 and MOE2019-T2-1-060).

References

1. Ashur, T., Eichlseder, M., Lauridsen, M.M., Leurent, G., Minaud, B., Rotella, Y., Sasaki, Y., Viguier, B.: Cryptanalysis of MORUS. In: T. Peyrin, S.D. Galbraith (eds.) *Advances in Cryptology - ASIACRYPT 2018 - 24th International Conference on the Theory and Application of Cryptology and Information Security*, Brisbane, QLD, Australia, December 2-6, 2018, Proceedings, Part II, *Lecture Notes in Computer Science*, vol. 11273, pp. 35–64. Springer (2018). DOI 10.1007/978-3-030-03329-3_2. URL https://doi.org/10.1007/978-3-030-03329-3_2
2. Beaulieu, R., Shors, D., Smith, J., Treatman-Clark, S., Weeks, B., Wingers, L.: The SIMON and SPECK Families of Lightweight Block Ciphers. *Cryptology ePrint Archive*, Report 2013/404 (2013)
3. Bertoni, G., Daemen, J., Peeters, M., Van Assche, G.: Cryptographic Sponge Functions. *Ecrypt Hash Workshop 2007 (May 2007)* (2007). URL http://www.csrc.nist.gov/pki/HashWorkshop/Public_Comments/2007_May.html
4. Bertoni, G., Daemen, J., Peeters, M., Van Assche, G.: Duplexing the Sponge: Single-Pass Authenticated Encryption and Other Applications. In: A. Miri, S. Vaudenay (eds.) *SAC 2011, LNCS*, vol. 7118, pp. 320–337. Springer (2011). DOI 10.1007/978-3-642-28496-0_19. URL https://doi.org/10.1007/978-3-642-28496-0_19
5. Bogdanov, A., Mendel, F., Regazzoni, F., Rijmen, V., Tischhauser, E.: ALE: AES-Based Lightweight Authenticated Encryption. In: S. Moriai (ed.) *Fast Software Encryption -*

- 710 20th International Workshop, FSE 2013, Singapore, March 11-13, 2013. Revised Selected
711 Papers, *Lecture Notes in Computer Science*, vol. 8424, pp. 447–466. Springer (2013). DOI
712 10.1007/978-3-662-43933-3_23. URL https://doi.org/10.1007/978-3-662-43933-3_23
713 23
- 714 6. Claesen, L.J.M., Daemen, J., Genoe, M., Peeters, G.: Subterranean: A 600 Mbit/Sec Cryptographic VLSI Chip. In: Proceedings 1993 International Conference on Computer Design: VLSI in Computers & Processors, ICCD '93, Cambridge, MA, USA, October 3-6, 1993, pp. 610–613. IEEE Computer Society (1993). DOI 10.1109/ICCD.1993.393304. URL <https://doi.org/10.1109/ICCD.1993.393304>
715 716 717 718
- 719 7. Daemen, J., Massolino, P.M.C., Mehrdad, A., Rotella, Y.: The Subterranean 2.0 Cipher Suite. the NIST Lightweight Cryptography (LWC) Standardization project (A Round-2 Candidate) (2019). URL <https://csrc.nist.gov/CSRC/media/Projects/lightweight-cryptography/documents/round-2/spec-doc-rnd2/subterranean-spec-round2.pdf>
720 721 722 723
- 724 8. Daemen, J., Massolino, P.M.C., Mehrdad, A., Rotella, Y.: The Subterranean 2.0 Cipher Suite. *IACR Trans. Symmetric Cryptol.* **2020**(S1), 262–294 (2020). DOI 10.13154/tosc.v2020.iS1.262-294. URL <https://doi.org/10.13154/tosc.v2020.iS1.262-294>
725 726 727
- 728 9. Daemen, J., Rijmen, V.: The Design of Rijndael: AES - The Advanced Encryption Standard. Information Security and Cryptography. Springer (2002). DOI 10.1007/978-3-662-04722-4. URL <https://doi.org/10.1007/978-3-662-04722-4>
729
- 730 10. Fuhr, T., Naya-Plasencia, M., Rotella, Y.: State-Recovery Attacks on Modified Ketje Jr. *IACR Trans. Symmetric Cryptol.* **2018**(1), 29–56 (2018). DOI 10.13154/tosc.v2018.i1.29-56. URL <https://doi.org/10.13154/tosc.v2018.i1.29-56>
731 732
- 733 11. Khovratovich, D., Rechberger, C.: The LOCAL Attack: Cryptanalysis of the Authenticated Encryption Scheme ALE. In: T. Lange, K.E. Lauter, P. Lisonek (eds.) Selected Areas in Cryptography - SAC 2013 - 20th International Conference, Burnaby, BC, Canada, August 14-16, 2013, Revised Selected Papers, *Lecture Notes in Computer Science*, vol. 8282, pp. 174–184. Springer (2013). DOI 10.1007/978-3-662-43414-7_9. URL https://doi.org/10.1007/978-3-662-43414-7_9
734 735 736 737 738
- 739 12. Kölbl, S., Leander, G., Tiessen, T.: Observations on the SIMON Block Cipher Family. In: R. Gennaro, M. Robshaw (eds.) Advances in Cryptology - CRYPTO 2015 - 35th Annual Cryptology Conference, Santa Barbara, CA, USA, August 16-20, 2015, Proceedings, Part I, *Lecture Notes in Computer Science*, vol. 9215, pp. 161–185. Springer (2015). DOI 10.1007/978-3-662-47989-6_8. URL https://doi.org/10.1007/978-3-662-47989-6_8
740 741 742 743
- 744 13. Liu, F., Isobe, T., Meier, W.: Cube-Based Cryptanalysis of Subterranean-SAE. *IACR Trans. Symmetric Cryptol.* **2019**(4), 192–222 (2019). DOI 10.13154/tosc.v2019.i4.192-222. URL <https://doi.org/10.13154/tosc.v2019.i4.192-222>
745 746
- 747 14. Matsui, M.: Linear Cryptanalysis Method for DES Cipher. In: T. Hellesest (ed.) Advances in Cryptology - EUROCRYPT '93, Workshop on the Theory and Application of Cryptographic Techniques, Lofthus, Norway, May 23-27, 1993, Proceedings, *Lecture Notes in Computer Science*, vol. 765, pp. 386–397. Springer (1993). DOI 10.1007/3-540-48285-7_33. URL https://doi.org/10.1007/3-540-48285-7_33
748 749 750 751
- 752 15. Minaud, B.: Linear Biases in AEGIS Keystream. In: A. Joux, A.M. Youssef (eds.) Selected Areas in Cryptography - SAC 2014 - 21st International Conference, Montreal, QC, Canada, August 14-15, 2014, Revised Selected Papers, *Lecture Notes in Computer Science*, vol. 8781, pp. 290–305. Springer (2014). DOI 10.1007/978-3-319-13051-4_18. URL https://doi.org/10.1007/978-3-319-13051-4_18
753 754 755 756
- 757 16. National Institute of Standards and Technology: Lightweight Cryptography (LWC) Standardization Project (2019). <https://csrc.nist.gov/projects/lightweight-cryptography>
758 759
- 760 17. Saha, D., Sasaki, Y., Shi, D., Sibleyras, F., Sun, S., Zhang, Y.: On the Security Margin of TinyJAMBU with Refined Differential and Linear Cryptanalysis. *IACR Trans. Symmetric Cryptol.* **2020**(3), 152–174 (2020). DOI 10.13154/tosc.v2020.i3.152-174. URL <https://doi.org/10.13154/tosc.v2020.i3.152-174>
761 762 763
- 764 18. Shi, D., Sun, S., Sasaki, Y., Li, C., Hu, L.: Correlation of Quadratic Boolean Functions: Cryptanalysis of All Versions of Full MORUS. In: A. Boldyreva, D. Micciancio (eds.) Advances in Cryptology - CRYPTO 2019 - 39th Annual International Cryptology Conference, Santa Barbara, CA, USA, August 18-22, 2019, Proceedings, Part II, *Lecture Notes in Computer Science*, vol. 11693, pp. 180–209. Springer (2019). DOI 10.1007/978-3-030-26951-7_7. URL https://doi.org/10.1007/978-3-030-26951-7_7
765 766 767 768 769

- 770 19. Sun, S., Hu, L., Wang, P., Qiao, K., Ma, X., Song, L.: Automatic Security Evaluation
 771 and (Related-key) Differential Characteristic Search: Application to SIMON, PRESENT,
 772 LBlock, DES(L) and Other Bit-Oriented Block Ciphers. In: P. Sarkar, T. Iwata (eds.)
 773 Advances in Cryptology - ASIACRYPT 2014 - 20th International Conference on the
 774 Theory and Application of Cryptology and Information Security, Kaoshiung, Taiwan,
 775 R.O.C., December 7-11, 2014. Proceedings, Part I, *Lecture Notes in Computer Science*,
 776 vol. 8873, pp. 158–178. Springer (2014). DOI 10.1007/978-3-662-45611-8_9. URL
 777 https://doi.org/10.1007/978-3-662-45611-8_9
- 778 20. Wu, H., Huang, T.: The authenticated cipher MORUS (v2). Submission to CAESAR: Com-
 779 petition for Authenticated Encryption. Security, Applicability, and Robustness (Round 3
 780 and Finalist) (2016). URL <https://competitions.cr.yj.to/round3/morusv2.pdf>
- 781 21. Wu, H., Huang, T.: TinyJAMBU: A Family of Lightweight Authenticated En-
 782 cryption Algorithms. the NIST Lightweight Cryptography (LWC) Standardiza-
 783 tion project (A Round-2 Candidate) (2019). URL [https://csrc.nist.gov/CSRC/
 784 media/Projects/lightweight-cryptography/documents/round-2/spec-doc-rnd2/
 785 TinyJAMBU-spec-round2.pdf](https://csrc.nist.gov/CSRC/media/Projects/lightweight-cryptography/documents/round-2/spec-doc-rnd2/TinyJAMBU-spec-round2.pdf)
- 786 22. Wu, S., Wu, H., Huang, T., Wang, M., Wu, W.: Leaked-State-Forgery Attack against
 787 the Authenticated Encryption Algorithm ALE. In: K. Sako, P. Sarkar (eds.) Advances
 788 in Cryptology - ASIACRYPT 2013 - 19th International Conference on the Theory and
 789 Application of Cryptology and Information Security, Bengaluru, India, December 1-5,
 790 2013, Proceedings, Part I, *Lecture Notes in Computer Science*, vol. 8269, pp. 377–404.
 791 Springer (2013). DOI 10.1007/978-3-642-42033-7_20. URL [https://doi.org/10.1007/
 792 978-3-642-42033-7_20](https://doi.org/10.1007/978-3-642-42033-7_20)

793 A Algebraic Properties of θ

For studying the algebraic properties of θ , we treat the state s as a binary polynomial $\sum_i s_i X^i$, following the way in [8]. Then the θ operation becomes a modular multiplication

$$\theta(s(X)) = s(X)(1 + X^3 + X^8) \bmod (1 + X^b).$$

794 In particular, we consider $b = 97$. The modulus $1 + X^{97}$ is the product of $X + 1$ and two
 795 irreducible polynomials of degree 48.

$$\begin{aligned} 796 & X^{48} + X^{43} + X^{41} + X^{40} + X^{38} + X^{36} + X^{32} + X^{29} + X^{24} + X^{19} + X^{16} + X^{12} + X^{10} + X^8 + X^7 + X^5 + 1, \\ 797 & X^{48} + X^{47} + X^{46} + X^{45} + X^{44} + X^{41} + X^{36} + X^{35} + X^{33} + X^{32} + X^{30} + X^{29} + X^{25} + X^{24} + X^{23} + X^{19} + \\ 798 & X^{18} + X^{16} + X^{15} + X^{13} + X^{12} + X^7 + X^4 + X^3 + X^2 + X + 1. \end{aligned}$$

800 Let $P(X) = 1 + X^3 + X^8$. As $P(X)$ is coprime with $1 + X^{97}$, the inverse of $P(X)$ is

$$\begin{aligned} 801 & X^{92} + X^{91} + X^{87} + X^{86} + X^{84} + X^{83} + X^{82} + X^{81} + X^{77} + X^{75} + X^{74} + X^{73} + X^{72} + X^{70} + X^{68} + X^{66} + \\ 802 & X^{64} + X^{63} + X^{62} + X^{61} + X^{60} + X^{59} + X^{57} + X^{53} + X^{51} + X^{49} + X^{48} + X^{46} + X^{45} + X^{44} + X^{39} + X^{38} + \\ 803 & X^{37} + X^{36} + X^{34} + X^{33} + X^{32} + X^{30} + X^{27} + X^{26} + X^{24} + X^{21} + X^{18} + X^{10} + X^5 + X^2 + 1, \end{aligned}$$

805 where there are 47 terms (versus 127 for $b = 257$). Hence, the high diffusion in the backward
 806 direction still remains for $b = 97$.

Also, the order of $P(X)$ is sufficiently large. The order of 2 in $(\mathbb{Z}/97\mathbb{Z}^*, \times)$ is 48. Therefore,

$$P^{2^{48}}(X) \bmod (1 + X^{97}) = P(X^{2^{48} \bmod 97}) = P(X).$$

807 This means the order of $P(X)$ divides $2^{48} - 1 = 3^2 \cdot 5 \cdot 7 \cdot 13 \cdot 17 \cdot 97 \cdot 241 \cdot 257 \cdot 673$. Through a
 808 computation on Sage, it shows that the order of $P(X)$ is $2^{48} - 1$ (versus $2^{16} - 1$ for $b = 257$).

809 When b is set to another primes of the form $8k+1 < 257$, for $k = 2, 5, 9, 11, 12, 14, 17, 24, 29,$
 810 30 , a similar analysis can be done for studying algebraic properties of θ . It shows that in all
 811 cases θ is invertible and its inverse is dense.

812 **B Differential/Linear Trails**

813 This section presents two exact differential/linear trails of Subterranean-m in Table 8 and 9,
 814 based on which state collisions or linear bias can be detected. The approximation derived from
 815 the linear trail in Table 9 can be found in Table 10 and its correlation can be verified using
 816 Lemma 1 and 2. When d varies, the correlations (resp. probabilities) of linear (resp. differential)
 817 trails of Subterranean-m regarding keystream bias (resp. state collisions) are displayed in
 818 Figure 7 (resp. Figure 8).

Table 8: Differential trail of Subterranean-m(41) using 4 blocks with probability 2^{-47}
 for state collisions

Round i	Difference		$-\log_2(p_i)$
0	ΔZ	0x000000000000000020000010	4
	α	0x000000000000000020000010	
	β	0x000000000000000020000010	
	$\pi \circ \theta(\beta)$	0x024000080000000020008080	
1	ΔZ	0x00100000000000000400052	19
	α	0x0250000800000000204080D2	
	β	0x125C0008000000002040C0DB	
	$\pi \circ \theta(\beta)$	0x0D1215A000040801200404EAC	
2	ΔZ	0x0010000000040801200400042	24
	α	0x0D0215A0000000000004EEE	
	β	0x1BC29080000000000004965	
	$\pi \circ \theta(\beta)$	0x00000000000080001000010	
3	ΔZ	0x00000000000080001000010	
	α	0x00000000000000000000000	

Table 9: Linear trail of Subterranean-m(58) using 3 blocks with correlation 2^{-23}

Round i	Difference		$-\log_2(Cor)$
0	Z	0x10900000000000000000242	11
	α	0x10900000000000000000242	
	β	0x10900000000000000015FF40	
	$\pi \circ \theta(\beta)$	0x000000080200A0200000000	
1	Z	0x00000000000000000000000	12
	α	0x000000080200A0200000000	
	β	0x0000001EEE01EEE00000000	
	$\pi \circ \theta(\beta)$	0x12900000000000000000252	
2	Z	0x12900000000000000000252	
	α	0x00000000000000000000000	

Table 10: Detailed approximation and the final approximation derived from Table 9

$Z_0^0 = s_1^0 + s_{96}^0,$ $Z_{10}^0 = s_{91}^0 + s_6^0,$ $w_8^0 = s_8^0 + s_9^0 * s_{10}^0 + s_{10}^0,$ $w_{10}^0 = s_{10}^0 + s_{11}^0 * s_{12}^0 + s_{12}^0,$ $w_{12}^0 = s_{12}^0 + s_{13}^0 * s_{14}^0 + s_{14}^0,$ $w_{14}^0 = s_{14}^0 + s_{15}^0 * s_{16}^0 + s_{16}^0,$ $w_{16}^0 = s_{16}^0 + s_{17}^0 * s_{18}^0 + s_{18}^0,$ $w_{20}^0 = s_{20}^0 + s_{21}^0 * s_{22}^0 + s_{22}^0,$ $w_{91}^0 = s_{91}^0 + s_{92}^0 * s_{93}^0 + s_{93}^0,$ $s_{67}^1 = w_6^0 + w_9^0 + w_{14}^0,$ $s_{47}^1 = w_{10}^0 + w_{13}^0 + w_{18}^0,$ $s_{45}^1 = w_{88}^0 + w_{91}^0 + w_{96}^0,$ $w_{38}^1 = s_{38}^1 + s_{39}^1 * s_{40}^1 + s_{40}^1,$ $w_{41}^1 = s_{41}^1 + s_{42}^1 * s_{43}^1 + s_{43}^1,$ $w_{43}^1 = s_{43}^1 + s_{44}^1 * s_{45}^1 + s_{45}^1,$ $w_{46}^1 = s_{46}^1 + s_{47}^1 * s_{48}^1 + s_{48}^1,$ $w_{48}^1 = s_{48}^1 + s_{49}^1 * s_{50}^1 + s_{50}^1,$ $w_{58}^1 = s_{58}^1 + s_{59}^1 * s_{60}^1 + s_{60}^1,$ $w_{61}^1 = s_{61}^1 + s_{62}^1 * s_{63}^1 + s_{63}^1,$ $w_{63}^1 = s_{63}^1 + s_{64}^1 * s_{65}^1 + s_{65}^1,$ $w_{66}^1 = s_{66}^1 + s_{67}^1 * s_{68}^1 + s_{68}^1,$ $w_{68}^1 = s_{68}^1 + s_{69}^1 * s_{70}^1 + s_{70}^1,$ $s_4^2 = w_{38}^1 + w_{41}^1 + w_{46}^1,$ $s_{91}^2 = w_{40}^1 + w_{43}^1 + w_{48}^1,$ $s_1^2 = w_{58}^1 + w_{61}^1 + w_{66}^1,$ $s_{88}^2 = w_{60}^1 + w_{63}^1 + w_{68}^1,$ $Z_1^2 = s_{88}^2 + s_9^2,$ $Z_{10}^2 = s_{91}^2 + s_6^2.$	$Z_1^0 = s_{88}^0 + s_9^0,$ $w_6^0 = s_6^0 + s_7^0 * s_8^0 + s_8^0,$ $w_9^0 = s_9^0 + s_{10}^0 * s_{11}^0 + s_{11}^0,$ $w_{11}^0 = s_{11}^0 + s_{12}^0 * s_{13}^0 + s_{13}^0,$ $w_{13}^0 = s_{13}^0 + s_{14}^0 * s_{15}^0 + s_{15}^0,$ $w_{15}^0 = s_{15}^0 + s_{16}^0 * s_{17}^0 + s_{17}^0,$ $w_{18}^0 = s_{18}^0 + s_{19}^0 * s_{20}^0 + s_{20}^0,$ $w_{88}^0 = s_{88}^0 + s_{89}^0 * s_{90}^0 + s_{90}^0,$ $w_{96}^0 = s_{96}^0 + s_0^0 * s_1^0 + s_1^0,$ $s_{57}^1 = w_8^0 + w_{11}^0 + w_{16}^0,$ $s_{37}^1 = w_{12}^0 + w_{15}^0 + w_{20}^0,$ $w_{37}^1 = s_{37}^1 + s_{38}^1 * s_{39}^1 + s_{39}^1,$ $w_{39}^1 = s_{39}^1 + s_{40}^1 * s_{41}^1 + s_{41}^1,$ $w_{42}^1 = s_{42}^1 + s_{43}^1 * s_{44}^1 + s_{44}^1,$ $w_{45}^1 = s_{45}^1 + s_{46}^1 * s_{47}^1 + s_{47}^1,$ $w_{47}^1 = s_{47}^1 + s_{48}^1 * s_{49}^1 + s_{49}^1,$ $w_{57}^1 = s_{57}^1 + s_{58}^1 * s_{59}^1 + s_{59}^1,$ $w_{59}^1 = s_{59}^1 + s_{60}^1 * s_{61}^1 + s_{61}^1,$ $w_{62}^1 = s_{62}^1 + s_{63}^1 * s_{64}^1 + s_{64}^1,$ $w_{65}^1 = s_{65}^1 + s_{66}^1 * s_{67}^1 + s_{67}^1,$ $w_{67}^1 = s_{67}^1 + s_{68}^1 * s_{69}^1 + s_{69}^1,$ $s_9^2 = w_{37}^1 + w_{40}^1 + w_{45}^1,$ $s_{96}^2 = w_{39}^1 + w_{42}^1 + w_{47}^1,$ $s_6^2 = w_{57}^1 + w_{60}^1 + w_{65}^1,$ $s_{93}^2 = w_{59}^1 + w_{62}^1 + w_{67}^1,$ $Z_0^2 = s_1^2 + s_{96}^2,$ $Z_7^2 = s_4^2 + s_{93}^2,$
$Z_0^0 + Z_1^0 + Z_{10}^0 + Z_0^2 + Z_1^2 + Z_7^2 + Z_{10}^2 =$ $s_0^0 * s_1^0 + s_7^0 * s_8^0 + s_9^0 * s_{10}^0 + s_{10}^0 * s_{11}^0 + s_{11}^0 * s_{12}^0 + s_{12}^0 * s_{13}^0 + s_{13}^0 * s_{14}^0 +$ $s_{14}^0 * s_{15}^0 + s_{15}^0 * s_{16}^0 + s_{16}^0 * s_{17}^0 + s_{17}^0 * s_{18}^0 + s_{18}^0 * s_{19}^0 + s_{19}^0 * s_{20}^0 + s_{20}^0 * s_{21}^0 + s_{21}^0 * s_{22}^0 + s_{89}^0 * s_{90}^0 +$ $s_{92}^0 * s_{93}^0 + s_{38}^1 * s_{39}^1 + s_{39}^1 * s_{40}^1 + s_{40}^1 * s_{41}^1 + s_{42}^1 * s_{43}^1 + s_{43}^1 * s_{44}^1 + s_{44}^1 * s_{45}^1 +$ $s_{46}^1 * s_{47}^1 + s_{47}^1 * s_{48}^1 + s_{48}^1 * s_{49}^1 + s_{49}^1 * s_{50}^1 + s_{58}^1 * s_{59}^1 + s_{59}^1 * s_{60}^1 + s_{60}^1 * s_{61}^1 +$ $s_{62}^1 * s_{63}^1 + s_{63}^1 * s_{64}^1 + s_{64}^1 * s_{65}^1 + s_{66}^1 * s_{67}^1 + s_{67}^1 * s_{68}^1 + s_{68}^1 * s_{69}^1 + s_{69}^1 * s_{70}^1 +$ $s_{17}^0 + s_{22}^0 + s_{90}^0 + s_{93}^0 + s_{38}^1 + s_{40}^1 + s_{42}^1 + s_{44}^1 + s_{45}^1 + s_{46}^1 + s_{47}^1 + s_{49}^1 + s_{50}^1 +$ $s_{58}^1 + s_{60}^1 + s_{62}^1 + s_{64}^1 + s_{66}^1 + s_{67}^1 + s_{69}^1 + s_{70}^1$	




Fig. 7: Correlations of keystreams with 3 ~ 5 blocks for Subterranean-m




Fig. 8: Differential probabilities with 3 ~ 6 blocks for Subterranean-m