

Cryptographic Oracle-Based Conditional Payments

Varun Madathil
North Carolina State University
Giulio Malavolta

Max Planck Institute for Security and Privacy

Sri AravindaKrishnan Thyagarajan
Carnegie Mellon University
Lloyd Fournier,

Independent Researcher

Dimitrios Vasilopoulos
IMDEA
Pedro Moreno-Sanchez
IMDEA

Abstract—We consider a scenario where two mutually distrustful parties, Alice and Bob, want to perform a payment conditioned on the outcome of some real-world event. A semi-trusted oracle (or a threshold number of oracles in a distributed trust setting) is entrusted to attest that such an outcome indeed occurred, and only then the payment is made successfully. We refer to such scenario as *oracle-based conditional (ObC) payments* that are ubiquitous in many real-world applications, like financial adjudication, pre-scheduled payments or trading, and are a necessary building block to introduce information about real-world events into blockchains.

The focus of this work is to realize such ObC payments with provable security guarantees and efficient instantiations. To do this, we propose a new cryptographic primitive that we call *verifiable witness encryption based on threshold signatures (VweTS)*: Users can encrypt signatures on messages in a verifiable manner, such that, the decryption is successful only if a threshold number of signers (e.g., oracles) sign another message (e.g., the description of an event outcome). We require two security notions: (1) *one-wayness* that guarantees that without the threshold number of signatures, the ciphertext hides the encrypted signature, and (2) *verifiability*, that guarantees that a ciphertext that verifies successfully can be successfully decrypted to reveal the underlying signature.

We present provably secure and efficient instantiations of VweTS where the encrypted signature can be some of the widely used schemes like Schnorr, ECDSA or BLS signatures. To provide verifiability in a practically efficient manner, we make use of a new batching technique for cut-and-choose, inspired by the work of Lindell-Riva on garbled circuits. Our VweTS instantiations can be readily used to realize ObC payments on virtually all cryptocurrencies of today in a fungible, cost-efficient, and scalable manner. Our instantiations are the first to support ObC payments in a distributed trust setting without requiring any form of synchrony or coordination among the users and the oracles. To demonstrate the practicality of our scheme, we present a prototype implementation and our benchmarks in commodity hardware show that the computation overhead is less than 13 seconds even for a threshold of 4 out of 7 and a payment conditioned on up to 1000 different real-world event outcomes, while the communication overhead is below 1.3MB. Therefore, our approach is practical even in commodity hardware.

I. INTRODUCTION

Imagine a scenario where Alice wants to make a payment (denoted by m) to Bob provided Olivia attests to the occurrence of some event outcome (denoted by \bar{m}). For the payment to be successful, Bob requires a digital signature σ on this payment message m from Alice. As parties are mutually distrustful, a secure implementation of this scenario requires strong cryptographic guarantees: On the one hand, Bob wants to be ensured that if Olivia indeed attests the outcome \bar{m} , he would indeed obtain the signature σ and therefore redeem

the payment m (verifiability). On the other hand, Alice wants to ensure that in the absence of the attestation on \bar{m} , Bob cannot obtain the signature σ (one-wayness). Furthermore, Alice and Bob may not trust Olivia and may instead avail the service of N different Olivia(s) with the promise that, if a large enough fraction of Olivia(s) agrees on an outcome \bar{m} , then the payment is made. The natural requirement for this scenario is that corrupting a small fraction of Olivia(s) does not jeopardize the security of the overall system (threshold security).

We refer to this type of conditional payments between Alice and Bob as *oracle-based conditional (ObC) payments*. While this may appear to be an abstract problem, it is in fact a recurrent scenario in many real-world applications. Somewhat surprisingly, ObC payments have not been thoroughly investigated in the literature and there is a lack of formal models and efficient instantiations. The focus of this work is to place ObC payments on firm cryptographic foundations and propose *practical* protocols based on well-studied cryptographic assumptions.

Applications of ObC payments. To motivate our work, we discuss a few representative examples for applications of ObC payments.

- *Financial Adjudication*: Companies and business firms often get involved in mergers and acquisitions. In such cases they have a clearly worded and binding terms of agreement. Violating the agreement can result in a financial settlement after adjudication by a designated entity like a court of law [2]. Here the trusted entity acts as an oracle, and the adjudication by the court acts as an attestation upon which a financial payment is made to the grieving party from the other one that is involved.
- *Pre-scheduled Payments*: Companies hire contractors for services and schedule payments upon different stages of project completion [3]. All payments are set at the beginning of the contract and a third party or an oracle attests the completion of a stage upon which the corresponding payment is made to the contractor. Similar scenario is that of a monthly subscription fee for Netflix or some news feed, where subscribers can schedule payments for the entire duration of the subscription in one shot. Here the payments are made with an oracle attesting the start of a month as the event outcome. Other examples are that of monthly utility bills, salaries/bonuses to employees, shipping, etc.
- *Trading*: Betting on future events like a football match, trade

prices, etc., are facilitated by attestations of oracles who attest the outcome of such events [5]. Users can avail the services of such oracles and make bets with each other, without even requiring the oracles to learn any information about the users or their bet.

- *Blockchain payments based on real-world events:* Many Decentralized Finance (DeFi) applications that offer a complex financial architecture for scenarios like money lending, decentralized exchange of assets, markets of derivatives, etc [37], [29], make use of services of such *oracles* or external *data feeds* to input information that is external to the blockchain. Using ObCs, one can schedule blockchain payments that depend the outcome of some real-world event, by conditioning the payment upon the oracle certifying a given outcome. For example, many Ethereum-based DeFi applications [4] rely on such oracles at their core and there exist companies such as Chainlink [1] whose business model consists on offering the oracle service to current and future smart contracts.

Our focus in this work is to realize cryptographic protocols for ObC payments (for scenarios like the ones described above) that are *provably secure* and *practically efficient, even with distributed trust and large outcome spaces*. We also propose a formal model for ObC payments (definitions can be found in Appendix F).

A. Our Contribution

Our contributions can be summarized as follows:

- 1) **New Cryptographic Primitive.** We present a new cryptographic primitive, *verifiable witness encryption based on threshold signatures* (VweTS). On an intuitive level, VweTS allows a user (Alice) to encrypt signatures $(\sigma_1, \dots, \sigma_M)$ on payment messages (m_1, \dots, m_M) , each under the public key pk . The resultant ciphertext c can be decrypted by anyone (Bob) to reveal the signature σ_i on m_i , if they possess ρ number of valid signatures (attestations) on another message \bar{m}_i (i -th outcome message). Here the ρ signatures on \bar{m}_i are computed under the public keys of ρ different oracles (Olivia(s)). Our VweTS scheme satisfies *one-wayness*, which guarantees that Bob cannot recover Alice’s signatures unless he collects enough ρ valid signatures from the oracles, and *verifiability*, which guarantees that Bob can efficiently verify if Alice’s ciphertext c is well-formed, and consequently contains valid signatures $(\sigma_1, \dots, \sigma_M)$. We show how VweTS are the cryptographic cornerstone to realize oracle based conditional payments, thus enabling a host of new applications.
- 2) **Practically Efficient Constructions.** We give two practically efficient constructions for VweTS: In the first construction, the signatures $(\sigma_1, \dots, \sigma_M)$ that are encrypted are either Schnorr or ECDSA signatures, and in the second construction the signatures that are encrypted are BLS signatures [14]. In both constructions, the oracle attestations are BLS signatures on outcome-encoded messages. Our constructions support a polynomial number of oracles (N) and a polynomial number of outcomes (M). The main

ingredient for high practical efficiency of all our VweTS constructions is a new technique to batch cut-and-choose proofs of well-formedness of ciphertexts, inspired by the batching technique of Lindell and Riva [32], originally developed to optimize garbled circuit computations over many executions. We also present an amortized version of our VweTS constructions, referred to as *VweTS-extension*,¹ that can efficiently support a large outcome space. Here the computationally intense work is performed only for a handful of instances (logarithmic in M) while the security for all other instances comes almost for free, with a minimal amount of work required by both parties.

- 3) **Implementation.** We provide a prototype implementation of VweTS and evaluate how the running time and the communication overhead is affected by the system parameters such as the security parameter, the oracle threshold setting as well as the number of possible outcomes of an event. Our evaluation shows that our construction imposes a computation overhead less than 13 seconds even for a threshold of 4 out of 7 and a payment conditioned on up to 1000 different real-world event outcomes, while the communication overhead is below 1.3MB. Moreover, our approach scales better with the number of oracles compared to current solutions and is practical to be executed even in commodity hardware.

B. ObC Payments: VweTS vs. Smart Contracts

Many blockchain-related applications of ObC payments can alternatively be realized using smart contracts [37], [33], [29] or scripts specific to cryptocurrencies. Compared to the *cryptographic* variant that we study in this paper, a smart contract-based solution suffers from several drawbacks: (i) it is tailored to the characteristics offered by a *restricted* set of currencies (e.g., those supporting Turing-complete scripting languages); (ii) it hinders *scalability* since the complete event-outcome information as well as attestation data is stored on the blockchain; (iii) it hampers *fungibility* since tokens involved in such an oracle-based smart contract is trivially distinguishable from the ones of other contracts by a blockchain observer; (iv) finally, it also results in high on-chain costs as attestation data needs to be stored and interpreted, which requires high transaction fees or gas cost in case of Ethereum.

On the other hand, VweTS solves all of the above issues in the case of ObC payments over blockchains. This is because the operational logic of attestation based payment is encoded in the cryptographic operations of VweTS and *no* information is leaked or required to be stored on the blockchain. Using VweTS, Alice and Bob can start a ObC payment such that the oracles can either publish their attestations on real-world event-outcomes onto any public bulletin board (or the internet) or communicate the attestations privately to the users. The payment messages (m_1, \dots, m_M) are now cryptocurrency transactions for example, spending coins from an address of

¹This terminology is similar in spirit to the terminology used to refer to the amortization of *Oblivious Transfer (OT)* as *OT-extension* [27].

Alice to an address of Bob. Importantly all the communication and computation between Alice and Bob also happens off the chain. Given enough attestations on the outcome \bar{m}_i , Bob can obtain a signature σ_i on the transaction m_i , and publish the transaction and the signature on the blockchain. The blockchain is only ever involved in verifying the signature σ_i on the transaction m_i . We can view this protocol as bringing real-world information onto the blockchain without actually recording or needing to interpret any of that on the blockchain.

Since no information about the ObC payment is recorded on the blockchain except the transaction m_i and the signature σ_i , our VweTS-based solution improves scalability. Moreover, given its simple signature verification on a regular looking transaction, we get better fungibility (compared to using smart contracts) and low on-chain cost. Finally, our VweTS constructions support the encryption of Schnorr, ECDSA or BLS signatures which are the payment signatures used in most major cryptocurrencies today. In short, VweTS enables ObC payment compatibility with a wide class of cryptocurrencies with better scalability, fungibility and on-chain cost.

C. Other Related Work

Zhang et al. [38] proposed an approach for oracle contracts for data provenance where the functionality of the oracle (Olivia) is executed within a trusted execution environment (TEE). However, this approach again relies on smart contracts and requires trust assumption on the TEE which is unclear if it holds in practise [19], [15]. Zhang et al. [39] also present DECO, where they replace the TEE assumption with decentralized oracles while relying on smart contracts.

A somewhat different approach was initiated by the name of Discreet Log Contracts [23], [31] and put forward by the Bitcoin community [30]. A Discreet Log Contract (DLC) is a Bitcoin-compatible oracle contract enabling transactions from Alice to Bob to be contingent on signatures published by Olivia. This approach is promising because (i) it requires ECDSA or Schnorr signature verification and a timelock functionality from the underlying blockchain, which is available in many cryptocurrencies today; (ii) it requires storing on the blockchain only a signed transaction from Alice to Bob (not even the signed message from Olivia), thereby minimizing the on-chain overhead (fee cost), and helping to preserve the fungibility of the cryptocurrency.

However, this approach comes with a number of shortcomings: (i) It only supports a single oracle and only a constant amount of oracle outcomes. It is unclear how one can extend their protocol to capture distributed trust, without assuming some sort of coordination among the oracles. (ii) The protocol in [23] assumes synchronous communication between the oracle and Alice, where the oracle has to announce some secret value periodically which Alice later uses in her promises to Bob. (iii) The oracle attestation is strongly tied to the payment signature scheme used by Alice and Bob (or the transaction scheme in case of oracle contracts using cryptocurrencies), and finally (iv) their solution is not formally analyzed and in fact a number of attacks have been subsequently discovered [34].

On the other hand, our VweTS-based solution supports distributed trust using the threshold setting with many independent oracles who need not interact with each other at any point in time. In our framework, there is no communication between the oracles and Alice prior to her promises to Bob, which for example, allows for Alice to make pre-scheduled payment promises to Bob. With the solution from [23], Alice had to wait for the communication from the oracles every time before making a promise and therefore cannot schedule payments for the future. The oracle attestation in our oracle-based conditional payment scheme is independent of the authentication mechanism, i.e., the signature scheme of the transaction scheme. This makes our solution more versatile to be used on different cryptocurrencies.

Eskandari et al [25] present a systematization of knowledge of the oracle problem, where they present a modular workflow for the oracle system. They show the different phases of an oracle from getting the ground truth to presenting the truth to a requester. The work does not propose a new concrete PbC payment problem and therefore is orthogonal to our work.

Witness Encryption Schemes. In terms of cryptographic work, concurrent to this work, Döttling et al. [22] proposed a witness encryption scheme for threshold signatures which is similar in functionality to VweTS, although in a completely different context. Their main application is to leverage the blockchain to do timed encryption, where if the blockchain reaches a certain height and a committee of validators attests a block, a ciphertext can be decrypted. In contrast to ours, their work is not concerned about the structure of the encrypted message. The technical crux of our paper is to efficiently prove the structure of the encrypted message (specifically, that it consists of a valid signature on a given message), for which we rely on new batching techniques for cut-and-choose.

The functionality of VweTS is also close to the functionality of *multi-authority attribute-based encryption (ABE)* [18]. Here a user can encrypt a message that can be decrypted only if the decryptor has attributes from enough number of authorities. We can think of the attributes as attestations from the oracles in our VweTS. Making use of multi-authority ABE potentially generalizes the attestation mechanism, which we leave as an interesting open problem. However, we wish to note that the verifiability aspect of VweTS is not covered even if we just use a multi-authority ABE. It is quite likely that to add verifiability to the above approach, we will have to make use of the techniques we introduce in this paper.

II. TECHNICAL OVERVIEW

To establish some intuition for our problem, we describe our cryptographic techniques step by step with the goal of building oracle-based conditional (ObC) payments. For this, we consider the setting where Alice, with a key pair (sk, vk) of a digital signature DS, wants to transfer v coins to Bob in a payment m , if a certain outcome (represented by the message \bar{m}) of a real world event is attested by Olivia, with a key pair (\bar{sk}, \bar{vk}) of a digital signature \bar{DS} (possibly different to DS). To keep things simple, we assume that Olivia is honest (we will




Fig. 1. Overview: 1 Alice computes a signature on each transaction that corresponds to a different output. These transactions are then encrypted using a verifiable witness encryption, where the witness is a signature on the corresponding outcome. Alice sends these ciphertexts to Bob. 2 Bob verifies that the encryption is computed correctly. 3 An oracle provides a signature on the winning outcome to Bob. 4 Bob decrypts the corresponding ciphertext to get the signed transaction for the corresponding outcome.

remove this assumption later). One trivial solution (depicted in Figure 1) is to resort to the notion of witness encryption [26]: Alice can create a ciphertext that includes $\sigma \leftarrow \text{Sign}(sk, m)$ and that can only be decrypted if Bob has a witness (i.e., $\bar{\sigma}$) of the NP statement:

$$\{\exists \bar{\sigma} \text{ s.t. } \overline{\text{Vf}}(\overline{vk}, \overline{m}, \bar{\sigma}) = 1\}$$

i.e., Bob knows a valid signature on \overline{m} . While this solution would work theoretically, i.e., it would prevent Bob from getting the v coins if Olivia does not attest \overline{m} , there are two main issues: (i) For starters, general purpose constructions of witness encryption are prohibitively expensive [26]. Second, (ii) Bob needs to trust Alice that the ciphertext contains a valid signature σ . The central challenge of our work is to build an *efficient* protocol that guarantees *verifiability* of Alice’s ciphertexts.

Efficient Witness Encryption for Signatures. Our first observation is that the Boneh-Franklin (BF) identity-based encryption [12] can be thought of as a witness encryption scheme for a particular language. Recall that a key for an identity id in the BF scheme consists of a group element $H(\text{id})^s$, where s is the master secret key. Furthermore, anyone can encrypt with respect to id , in such a way that the ciphertext can only be decrypted using $H(\text{id})^s$ as the secret key. We observe that this is exactly the same structure that BLS [14] signatures have! Substituting identities id with messages \overline{m} , we can now compute ciphertexts that can only be decrypted knowing a signature on \overline{m} (which is exactly $H(\overline{m})^s$). This yields a very efficient witness encryption scheme for the language of interest, provided that \overline{DS} is instantiated using the BLS signature scheme. Recall however that our goal is to let Alice encrypt a signature σ on m using DS, in a verifiable manner. We discuss how to address this challenge next.

Encrypting Adaptor Signatures. To understand our solution, it is useful to recall the notion of an adaptor signature (AS) [9]. In brief, AS allows Alice to generate a pre-signature $\hat{\sigma}$ on m ,

which is a verifiable encryption of a signature σ wrt. an NP statement $\{Y \mid Y := g^y\}$ where y is referred to as the witness and g is the generator of a cyclic group \mathbb{G} . With this tool at hand, Alice can: (i) create a pre-signature $\hat{\sigma}$ on m using a statement Y previously agreed with Bob; (ii) use the BF-based witness encryption scheme mentioned above to encrypt y into ciphertext c for the identity $(\overline{vk}, \overline{m})$; (iii) send $\hat{\sigma}$ and c to Bob. As soon as Olivia attests the event \overline{m} by publishing a BLS signature with her key \overline{sk} , Bob can use the signature to extract y from c , and then use y to extract σ from $\hat{\sigma}$.

Verifiable Witness Encryption. To achieve verifiability efficiently, we adopt ideas from the *cut-and-choose* technique used in the verifiable encryption scheme of Camenisch et al. [16]. In a nutshell, Alice computes a pre-signature on the message as before and instead of generating a single BF ciphertext (*BF-cipher*), she generates λ (security parameter) tuples (*BF-cipher*, *sym-cipher*). Each *BF-cipher* contains a BF ciphertext that encrypts a random integer r_i for the identity $(\overline{vk}, \overline{m})$. In other words, Alice uses the same BF-based witness encryption as explained before to encrypt a random integer, instead of the adaptor witness y . Each *sym-cipher* is set to $(s_i = r_i + y)$, where y is the witness for the statement Y of AS and r_i is the random integer encrypted in *BF-cipher* at index i . Also, for all i , Alice computes $R_i = g^{r_i}$. At this point, Alice sends the λ -many *BF-cipher* _{i} , the λ -many R_i and the statement Y of AS to Bob. Intuitively, in this step, Alice commits to her setup of the cut-and-choose.

After receiving this information, Bob randomly samples² $\lambda/2$ pairs, for which Alice exposes the corresponding values r_i and the random coins used to encrypt r_i in *BF-cipher* _{i} to Bob. For the other non-selected $\lambda/2$ pairs, Alice sends *sym-cipher* to Bob. The key question left, is to understand why this information would convince Bob of the fact that he will be able to get the signature σ after Olivia attests \overline{m} . To see that, Bob checks:

- For all $i \in [\lambda/2]$ not selected by Bob, $g^{s_i} \stackrel{?}{=} g^{r_i} \cdot Y$, intuitively checking that all *sym-cipher* are correctly encrypting the value y using the randomness r_i as symmetric key of the one-time pad;
- For all $j \in [\lambda/2]$ chosen by Bob, recompute the BF ciphertext of r_j with random coins and check if $g^{r_j} \stackrel{?}{=} R_j$.

If all these checks pass, Bob is guaranteed that there exists at least one well-formed BF ciphertext among those $\lambda/2$ not opened by Alice: meaning that it encrypts r_k such that $s_k = r_k + y$ for some k . Thus, when Olivia attests \overline{m} , Bob can decrypt the k -th BF ciphertext to compute r_k , extract $y = s_k - r_k$ from it and then use it to get σ from the pre-signature $\hat{\sigma}$ following the adaptor signature scheme.

Distributing the Trust. At the beginning of this overview, we have made the simplifying assumption that Olivia is honest. In order to relax this assumption, we show how to distribute the task of attesting the event \overline{m} among a set of N oracles, each of them with a key pair $(\overline{sk}_i, \overline{vk}_i)$. Moreover, the event \overline{m} is

²This can be made non-interactive applying the Fiat-Shamir transformation.

attested only when at least a threshold ρ number of oracles have signed it with their respective signing keys. Importantly, the N oracles are not required to coordinate, nor to talk to each other. A naive solution to this problem would be as follows: before proceeding with the cut-and-choose, Alice creates shares of the adaptor witness y into (y_1, \dots, y_N) via $(t\text{-of-}N)$ -Shamir secret sharing and additionally reveals the values (Y_1, \dots, Y_N) where $Y_i := g^{y_i}$ so that one can verify the correctness of the secrete sharing via Lagrange interpolation. Finally, Alice executes N instances of the protocol described above. While this approach is correct, the verifiability proof would be very inefficient in terms of computation and communication cost. To this end, we develop a new batching technique (inspired by the work of Lindell and Riva [32] in the context of garbled circuit), for amortizing the costs of the cut-and-choose.

Batching Cut-and-Choose. We proceed by recalling the high-level idea of the Lindell-Riva cut-and-choose technique, adapted to our settings. As before, we let Alice generate *BF-cipher* encrypting random integers, but this time we generate $2NB$ number of such *BF-cipher*, where B is a statistical security parameter. Bob then asks Alice to “open” NB number of *BF-ciphers* like in the previous case, while the rest of the “unopened” *BF-ciphers* are randomly mapped into N buckets, where each bucket consists of B *BF-ciphers*. By randomly sampling the bucket assignment (in the protocol it is specified by Bob) we are guaranteed that, with overwhelming probability, for *all* buckets there exists at least one “well-formed” ciphertext among the unopened ones. Each bucket is assigned to an oracle public key \overline{vk}_i , and Bob can then use the corresponding signature to recover the witness share y_i and ultimately reconstruct the adaptor witness y , provided that enough oracles signed the event.

However, a crucial step we overlooked in the outline above is that we cannot know ahead of time which bucket a *BF-cipher* will be mapped to later in the cut-and-choose step. In fact, it is *necessary* for the soundness of the cut-and-choose batching that we do not know the random mapping during the ciphertext generation. Therefore, it is unclear how we generate each of the *BF-cipher*, since we do not know the verification key \overline{vk} that we want to encrypt against. To tackle this issue, during *BF-cipher* generation, we generate each of $2NB$ number of *BF-ciphers* (denoted by (c'_1, \dots, c'_{2NB})) w.r.t. to a BLS signature on a random (public) instance message \overline{m}^* and a random instance verification key \overline{vk}^* . The instances \overline{m}^* and \overline{vk}^* can even be fixed ahead of time for the entire session. We proceed exactly as described above with these ciphertexts, until the random bucket mapping. Once we map an “unopened” *BF-cipher* $c'_{i,j}$ to the i -th bucket, we generate another *BF-cipher* $c_{i,j}$ w.r.t. a BLS signature on the correct instance message \overline{m} and instance verification key \overline{vk}_i (corresponding to the i -th bucket), which also encrypts the value r_j . We attach a Non-Interactive Zero-Knowledge (NIZK) proof to verify that the two *BF-ciphers* are well-formed and encrypt the same message. Crucially, such a NIZK corresponds to a simple proof for discrete logarithm equality, provided that we use the same random coins in both

$c'_{i,j}$ and $c_{i,j}$ (which was shown to not compromise the security of the encryption scheme [10]).

The whole procedure can be made non-interactive by using the Fiat-Shamir heuristic, i.e., Alice generates the NB indices to open and the random bucket mapping using a cryptographic hash function applied to values generated prior. This concludes the construction of the cryptographic primitive *verifiable witness encryption based on threshold signatures* (VweTS).

Extensions. The protocol described above forms the backbone of our construction, but a number of additional steps are needed to make the protocol practical. For starters, we need to consider the case where Alice has M different messages $(\overline{m}_1, \dots, \overline{m}_M)$ instead of just one (Section IV-B). This allows Alice to condition a transaction m_i paying to Bob if the outcome \overline{m}_i is attested, which allows us to consider more realistic settings with multiple outcomes. We also consider the case where the signature scheme for authorizing a transaction is *not* an adaptor signature. In Appendix D, we show how to construct a protocol only based on BLS signatures (which do not imply adaptor signatures [24]).

A major bottleneck towards the practicality of the above scheme is the linear dependency on the number of payment messages M , which severely limits the applicability of our scheme. To overcome this, we study the notion of VweTS-*extension* where the expensive protocol (involving cut-and-choose verification) is run only for a handful of instances, where the number is independent of M . Nevertheless, security extends to *all* M instances, using only lightweight operations on the remaining instances. This notion is analogous to OT extension [27] and achieves similar guarantees, although our techniques are substantially different. We refer the curious reader to Section IV-C for more details.

III. PRELIMINARIES

We denote by $\lambda \in \mathbb{N}$ the security parameter and by $x \leftarrow \mathcal{A}(\text{in}; r)$ the output of the algorithm \mathcal{A} on input in using $r \leftarrow \{0, 1\}^*$ as its randomness. We often omit this randomness and only mention it explicitly when required. The notation $[n]$ denotes a set $\{1, \dots, n\}$ and $[i, j]$ denotes the set $\{i, i+1, \dots, j\}$. We consider *probabilistic polynomial time* (PPT) machines as efficient algorithms.

Digital Signatures. A digital signature scheme DS, formally, has a key generation algorithm $\text{KGen}(1^\lambda)$ that takes the security parameter 1^λ and outputs the verification/signing key pair (vk, sk) , a signing algorithm $\text{Sign}(sk, m)$ inputs a signing key and a message $m \in \{0, 1\}^*$ and outputs a signature σ , and a verification algorithm $\text{Vf}(vk, m, \sigma)$ outputs 1 if σ is a valid signature on m under the verification key vk , and outputs 0 otherwise. We require unforgeability, which guarantees that a PPT adversary cannot forge a fresh signature on a message of its choice under a given verification key while having access to a signing oracle.

Non-Interactive Zero Knowledge Proofs. Let $R : \{0, 1\}^* \times \{0, 1\}^* \rightarrow \{0, 1\}$ be a n NP-witness-relation with corresponding NP-language $\mathcal{L} := \{x \mid \exists w \text{ s.t. } R(x, w) = 1\}$. A non-interactive zero-knowledge proof (NIZK) [21] system for the

relation R is initialized with a setup algorithm $\text{Setup}(1^\lambda)$ that, on input the security parameter, outputs a common reference string crs and a trapdoor td . A prover can show the validity of a statement x with a witness w by invoking $\text{Prove}(crs, x, w)$, which outputs a proof π . The proof π can be efficiently checked by the verification algorithm $\text{Vf}(crs, x, \pi)$. We require a NIZK system to be (1) *zero-knowledge*, where the verifier does not learn more than the validity of the statement x , and (2) *simulation sound*, where it is hard for any prover to convince a verifier of an invalid statement (chosen by the prover) even after having access to polynomially many simulated proofs for statements of his choosing.

Threshold Secret Sharing. Secret sharing is a method of creating shares of a given secret and later reconstructing the secret itself only if given a threshold number of shares. Shamir [36] proposed a threshold secret sharing scheme where the sharing algorithm takes a secret $s \in \mathbb{Z}_q$ and generates shares (s_1, \dots, s_n) each belonging to \mathbb{Z}_q . The reconstruction algorithm takes as input at least t shares and outputs the secret s via polynomial interpolation. The security of the secret sharing scheme demands that knowing only a set of shares smaller than the threshold size does *not* help in learning any information about the choice of the secret s .

Hard Relations. We recall the notion of a hard relation R with statement/witness pairs (Y, y) . We denote by \mathcal{L}_R the associated language defined as $\mathcal{L}_R := \{Y \mid \exists y \text{ s.t. } (Y, y) \in R\}$. The relation is called a hard relation if the following holds: (i) There exists a PPT sampling algorithm $\text{GenR}(1^\lambda)$ that outputs a statement/witness pair $(Y, y) \in R$; (ii) The relation is poly-time decidable; (iii) For all PPT adversaries \mathcal{A} the probability of \mathcal{A} on input Y outputting a witness y is negligible.

Adaptor Signatures. Adaptor signatures [9] let users generate a pre-signature on a message m which by itself is not a valid signature, but can later be adapted into a valid signature using knowledge of some secret value. The formal definition of adaptor signatures is given below.

Definition 1 (Adaptor Signatures): An adaptor signature scheme AS w.r.t. a hard relation R and a signature scheme $\text{DS} = (\text{KGen}, \text{Sign}, \text{Vf})$ consists of algorithms $(\text{pSign}, \text{Adapt}, \text{pVf}, \text{Ext})$ defined as:

$\hat{\sigma} \leftarrow \text{pSign}(sk, m, Y)$: the pre-sign algorithm takes as input a signing key sk , message $m \in \{0, 1\}^*$ and statement $Y \in L_R$, outputs a pre-signature $\hat{\sigma}$.

$0/1 \leftarrow \text{pVf}(vk, m, Y, \hat{\sigma})$: the pre-verify algorithm takes as input a verification key vk , message $m \in \{0, 1\}^*$, statement $Y \in L_R$ and pre-signature $\hat{\sigma}$, outputs either 1 (for valid) or 0 (for invalid).

$\sigma \leftarrow \text{Adapt}(\hat{\sigma}, y)$: the adapt algorithm takes as input a pre-signature $\hat{\sigma}$ and witness y , outputs a signature σ .

$y \leftarrow \text{Ext}(\sigma, \hat{\sigma}, Y)$: the extract algorithm takes as input a signature σ , pre-signature $\hat{\sigma}$ and statement $Y \in L_R$, outputs a witness y such that $(Y, y) \in R$, or \perp .

In addition to the standard signature correctness, an adaptor signature scheme has to satisfy *pre-signature correctness*. Informally, an honestly generated pre-signature w.r.t. a statement

$Y \in L_R$ is a valid pre-signature and can be adapted into a valid signature from which a witness for Y can be extracted.

In terms of security, we want standard unforgeability even when the adversary is given access to pre-signatures with respect to the signing key sk . We also require that, given a pre-signature and a witness for the instance, one can always adapt the pre-signature into a valid signature (*pre-signature adaptability*). Finally, we require that, given a valid pre-signature and a signature with respect to the same instance, one can efficiently extract the corresponding witness (*witness extractability*). We refer the reader to Appendix A for the formal definitions of the properties of interest for adaptor signatures.

Witness Encryption based on Signatures. Here we consider a special witness encryption scheme for a language $\mathcal{L} \in \text{NP}$ defined with respect to a digital signature scheme $\text{DS} := (\text{KGen}, \text{Sign}, \text{Vf})$, where

$$\mathcal{L} := \{(vk, m) \mid \exists \sigma, \text{ s.t. } \text{Vf}(vk, m, \sigma) = 1\}$$

where $(vk, sk) \in \text{KGen}(1^\lambda)$. Here the verification key and the message (vk, m) is the instance and the signature σ is the witness. We present below the formal definition of the witness encryption based on signatures scheme, its correctness, as well as its notion of security.

Definition 2 (Witness Encryption based on Signatures): A witness encryption scheme based on signatures (WES) is a cryptographic primitive defined with respect to a digital signature scheme $\text{DS} := (\text{KGen}, \text{Sign}, \text{Vf})$, consisting of two PPT algorithms (Enc, Dec) , defined below:

$c \leftarrow \text{Enc}((\tilde{vk}, \tilde{m}), m)$: the encryption algorithm takes as input a verification key \tilde{vk} of the signature scheme, a message \tilde{m} and the message to be encrypted m . It outputs a ciphertext c .

$m \leftarrow \text{Dec}(\tilde{\sigma}, c)$: the decryption algorithm takes as input a signature $\tilde{\sigma}$ and the ciphertext c . It outputs a message m .

The correctness of a witness encryption based on signatures is defined below.

Definition 3 (Correctness of Witness Encryption for Signatures): A witness encryption scheme for signatures denoted by $\text{WES} := (\text{Enc}, \text{Dec})$ defined with respect to a signature scheme $\text{DS} := (\text{KGen}, \text{Sign}, \text{Vf})$ is said to be correct if for all $\lambda \in \mathbb{N}$, all $(\tilde{vk}, \tilde{sk}) \leftarrow \text{KGen}(\lambda)$, all messages \tilde{m} and m , all $c \leftarrow \text{Enc}((\tilde{vk}, \tilde{m}), m)$, we have that $\Pr[\text{Dec}(\tilde{\sigma}, c) = m] = 1$, where $\text{Vf}(\tilde{vk}, \tilde{m}, \tilde{\sigma}) = 1$.

The notion of security we want is similar to the chosen plaintext security of a standard public key encryption, except now the adversary has access to a signing oracle with key sk while not being allowed to query the oracle on the message \tilde{m}^* , where the instance $(\tilde{vk}, \tilde{m}^*)$ is used to encrypt the challenge ciphertext. The reader familiar with the standard notion of security for witness encryption (which requires security only for false statements) will notice that our definition is stronger, although tailored for our specific language.

Definition 4 (Security): A witness encryption scheme for signatures denoted by $\text{WES} := (\text{Enc}, \text{Dec})$ defined with respect to a signature scheme $\text{DS} := (\text{KGen}, \text{Sign}, \text{Vf})$ is said to be *chosen plaintext attack* secure if for all $\lambda \in \mathbb{N}$, there exists a

IND-CPA _{WES,DS,A} (λ)	Sign $\mathcal{O}(\tilde{sk}, \tilde{m})$
$Q := \emptyset$	$\tilde{\sigma} \leftarrow \text{Sign}(\tilde{sk}, \tilde{m})$
$(\tilde{vk}, \tilde{sk}) \leftarrow \text{KGen}(\lambda)$	$Q := Q \cup \{\tilde{m}\}$
$(\tilde{m}^*, m_0, m_1, \text{st}_0) \leftarrow \mathcal{A}^{\text{Sign}\mathcal{O}}(\tilde{vk})$	return $\tilde{\sigma}$
$b \leftarrow \{0, 1\}$	
$c_b \leftarrow \text{Enc}((\tilde{vk}, \tilde{m}^*), m_b)$	
$b' \leftarrow \mathcal{A}^{\text{Sign}\mathcal{O}}(\text{st}_0, c_b)$	
$b_0 := (b = b')$	
$b_1 := (\tilde{m}^* \notin Q)$	
return $b_0 \wedge b_1$	

Fig. 2. Experiment for CPA security of a witness encryption scheme based on signatures.

<p><u>Enc</u>$((\tilde{vk}, \tilde{m}), m)$: The encryption algorithm proceeds as follows:</p> <ul style="list-style-type: none"> • Sample $r_1 \leftarrow \mathbb{Z}_q$ and $r_2 \leftarrow \mathbb{G}_T$. • Set $c_1 := g_0^{r_1}$. • Compute $h := H_1(r_2)$. • Compute $c_2 := (e(\tilde{vk}, H_0(\tilde{m}))^{r_1} \cdot r_2)$ and $c_3 := (h + m)$. • Return $c := (c_1, c_2, c_3)$. <p><u>Dec</u>$(\tilde{\sigma}, c)$: The decryption algorithm proceeds as follows:</p> <ul style="list-style-type: none"> • Parse $c := (c_1, c_2, c_3)$. • Compute $r := c_2 \cdot e(c_1, \tilde{\sigma})^{-1}$. • Compute $h := H_1(r)$. • Return $m := c_3 - h$.

Fig. 3. Witness encryption based on BLS signatures

negligible function $\text{negl}(\lambda)$, such that for all PPT adversaries \mathcal{A} , the following holds,

$$\Pr[\text{IND-CPA}_{\text{WES,DS,A}}(\lambda) = 1] \leq \frac{1}{2} + \text{negl}(\lambda)$$

where IND-CPA is defined in Figure 2.

We give a construction for WES based on the BLS signature scheme. Our construction described in Figure 3 relies on efficiently computable bilinear pairings. We have the bilinear pairing operation e defined as $e : \mathbb{G}_0 \times \mathbb{G}_1 \rightarrow \mathbb{G}_T$ where $\mathbb{G}_0, \mathbb{G}_1$ and \mathbb{G}_T are groups of prime order q . We let g_0 and g_1 be the generators of \mathbb{G}_0 and \mathbb{G}_1 respectively and H_0, H_1 be a hash functions defined as $H_0 : \{0, 1\}^\lambda \rightarrow \mathbb{G}_1$ and $H_1 : \mathbb{G}_T \rightarrow \{0, 1\}^\lambda$.

The security of the construction follows similar to the IBE scheme from [12] based on Bilinear Diffie-Hellman assumption, when modelling the hash functions H_0 and H_1 as random oracles.

IV. VERIFIABLE WITNESS ENCRYPTION BASED ON THRESHOLD SIGNATURES

Consider the following language $\mathcal{L} \in \text{NP}$ defined with respect to a signature scheme $\text{DS} := (\text{KGen}, \text{Sign}, \text{Vf})$, where

$$\mathcal{L} := \left\{ ((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j)_{j \in [M]}, \rho) \mid \begin{array}{l} \exists j \in [M], (\overline{\sigma}_i)_{i \in K \subset [N]}, \text{ s.t. } , \\ |K| = \rho \wedge \\ \forall i \in K, \text{Vf}(\overline{vk}_i, \overline{m}_j, \overline{\sigma}_i) = 1 \end{array} \right\}$$

where $(\overline{vk}_1, \dots, \overline{vk}_N) \in \text{SUPP}(\overline{\text{KGen}}(1^\lambda))$.

We present a new primitive which is a witness encryption scheme for the above language, where we additionally consider another signature scheme DS. Moreover, the ‘‘secret’’ message(s) being encrypted by the witness encryption are themselves signatures $(\sigma_1, \dots, \sigma_M)$ on messages (m_1, \dots, m_M) verifiable under a verification key vk with respect to DS. Intuitively, the primitive lets us encrypt signatures $(\sigma_1, \dots, \sigma_M)$ such that the signature σ_j can be obtained after decryption, provided one holds a witness to the language \mathcal{L} as defined above.

A. Definitions

Definition 5 (Verifiable Witness Encryption Based on Threshold Signatures): A verifiable witness encryption based on threshold signatures is a cryptographic primitive parameterized by $\rho, N, M \in \mathbb{N}$, and is defined with respect to signature schemes $\text{DS} := (\text{KGen}, \text{Sign}, \text{Vf})$ and $\overline{\text{DS}} := (\overline{\text{KGen}}, \text{Sign}, \text{Vf})$. It consists of three PPT algorithms ($\text{EncSig}, \text{VfEnc}, \text{DecSig}$), that are defined below.

$(c, \pi_c) \leftarrow \text{EncSig}((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j)_{j \in [M]}, sk, (m_j)_{j \in [M]})$: the signature encryption algorithm takes as input tuples of instance verification keys $(\overline{vk}_i)_{i \in [N]}$, instance messages $(\overline{m}_j)_{j \in [M]}$, and messages $(m_j)_{j \in [M]}$ and a signing key sk . It outputs a ciphertext c and a proof π_c .

$0/1 \leftarrow \text{VfEnc}(c, \pi_c, ((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}, vk))$: the encryption verification algorithm takes as input a ciphertext c , a proof π_c , tuples of instance verification keys $(\overline{vk}_i)_{i \in [N]}$, instance messages $(\overline{m}_j)_{j \in [M]}$, and messages $(m_j)_{j \in [M]}$, and a verification key vk . It outputs 1 (for valid) if its a valid ciphertext and 0 (for invalid) otherwise.

$\sigma \leftarrow \text{DecSig}(j, \{\overline{\sigma}_i\}_{i \in K}, c, \pi_c)$: the signature decryption algorithm takes as input an index $j \in [M]$, witness signatures $\{\overline{\sigma}_i\}_{i \in K}$ for $|K| = \rho$ and $K \subset [N]$, a ciphertext c , and proof π_c . It outputs a signature σ .

We define below the notion of correctness.

Definition 6 (Correctness): A verifiable witness encryption based on threshold signatures scheme denoted by $(\rho, N, M)\text{-VweTS} := (\text{EncSig}, \text{VfEnc}, \text{DecSig})$ is parameterized by $\rho, N, M \in \mathbb{N}$ and defined with respect to signature schemes $\text{DS} := (\text{KGen}, \text{Sign}, \text{Vf})$ and $\overline{\text{DS}} := (\overline{\text{KGen}}, \text{Sign}, \text{Vf})$ is said to be *correct* if the following holds. If for all $\lambda \in \mathbb{N}$, all $(\overline{vk}_1, \dots, \overline{vk}_N) \in \text{SUPP}(\overline{\text{KGen}}(\lambda))$, all $(vk, sk) \in \text{KGen}(\lambda)$, all messages $(\overline{m}_j, m_j)_{j \in [M]}$, all (c, π_c) obtained by running

EncSig algorithm on respective inputs, we have the following that hold simultaneously:

- 1) $\Pr[\text{VfEnc}(c, \pi_c, ((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}, vk)) = 1] = 1.$
- 2) For any $j \in [M], K \subset [N]$ and $|K| = \rho$, if for all $i \in K$ we have $\text{Vf}(\overline{vk}_i, \overline{m}_j, \overline{\sigma}_i) = 1$, then

$$\Pr[\text{Vf}(vk, m_j, \text{DecSig}(j, \{\overline{\sigma}_i\}_{i \in K}, c, \pi_c)) = 1] = 1.$$

One-Wayness. We require a notion called *one-wayness* for a VweTS scheme. Intuitively, the property guarantees that an adversary cannot output a valid signature σ^* for an index j^* encrypted in a VweTS ciphertext without access to ρ number of valid witness signatures on the corresponding instance message \overline{m}_{j^*} . The adversary is allowed to choose the signing keys of $\rho - 1$ number of instance verification keys of its choice, and is also given access to signing oracles conditioned on not allowing the adversary to trivially break the scheme. That is, the adversary cannot query the oracles for a signature on m_{j^*} wrt. the signing key sk and cannot query for a witness signature on the instance message \overline{m}_{j^*} . The intuition is captured formally in the following definition.

Definition 7 (One-wayness): A verifiable witness encryption based on threshold signatures scheme denoted by (ρ, N, M) -VweTS := (EncSig, VfEnc, DecSig) is parameterized by $\rho, N, M \in \mathbb{N}$ and defined with respect to signature schemes DS := (KGen, Sign, Vf) and $\overline{\text{DS}}$:= (KGen, Sign, Vf) is said to be *one-way* if for all $\lambda \in \mathbb{N}$, there exists a negligible function $\text{negl}(\lambda)$, such that for all PPT adversaries \mathcal{A} , the following holds,

$$\Pr[\text{ExpOWay}_{\text{VweTS, DS, } \overline{\text{DS}}, \mathcal{A}}^{\rho, N}(\lambda) = 1] \leq \text{negl}(\lambda)$$

where ExpOWay is defined in Figure 4.

Verifiability. We require another notion of security called *verifiability* for a VweTS scheme. This property guarantees that it is infeasible for an adversary to output a ciphertext c along with a valid proof π_c , and valid witness signatures $(\overline{\sigma}_j)_{j \in K}$ on the instance message \overline{m}_{j^*} , such that the signature σ we get after decryption is in fact an invalid signature on the message m_{j^*} under the verification key vk . The intuition is formally captured in the definition below.

Definition 8 (Verifiability): A verifiable witness encryption for threshold signatures scheme denoted by (ρ, N, M) -VweTS := (EncSig, VfEnc, DecSig) parameterized by $\rho, N, M \in \mathbb{N}$ and defined with respect to signature schemes DS := (KGen, Sign, Vf) and $\overline{\text{DS}}$:= (KGen, Sign, Vf) is said to be *verifiable* if, for all $\lambda \in \mathbb{N}$, there exists a negligible function negl and no PPT adversary \mathcal{A} that outputs $((m_j, \overline{m}_j)_{j \in [M]}, vk, (\overline{vk}_i)_{i \in [N]}, (\overline{\sigma}_j)_{j \in K}, j^*, c, \pi_c)$ such that all the following holds simultaneously except with probability $\text{negl}(\lambda)$:

- 1) $K \subset [N]$ and $|K| = \rho$
- 2) $(vk, \cdot) \in \text{SUPP}(\text{KGen})$ and for all $i \in [N]$ we have $(\overline{vk}_i, \cdot) \in \text{SUPP}(\overline{\text{KGen}})$ where SUPP denotes to the support.
- 3) $\forall j \in K, \text{Vf}(vk_j, \overline{m}_{j^*}, \overline{\sigma}_j) = 1$
- 4) $\text{VfEnc}(c, \pi_c, ((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}, vk)) = 1$




Fig. 4. Experiment for one-wayness.

- 5) $\text{Vf}(vk, m_{j^*}, \sigma) = 0$, where $\sigma \leftarrow \text{DecSig}(j^*, \{\overline{\sigma}_j\}_{j \in K}, c, \pi_c)$

B. Construction Based on Adaptor Signatures

Here we present a concrete construction of VweTS with parameters ρ, N and M relying on the following cryptographic building blocks:

- 1) Signature scheme $\overline{\text{DS}}$:= $(\overline{\text{KGen}}, \overline{\text{Sign}}, \overline{\text{Vf}})$ instantiated with BLS signature scheme (see Appendix A2).
- 2) Signature scheme DS := (KGen, Sign, Vf) that is either Schnorr or ECDSA signature schemes (see Appendix A2), based on a group \mathbb{G} with generator g and order q .
- 3) Witness encryption based on signatures WES := (Enc, Dec) scheme (see Figure 3 for a concrete candidate).
- 4) An adaptor signature scheme AS := (KGen, Sign, Vf) for the signature scheme DS. The hard relation R for AS is that of the discrete log relation, where the language is defined as: $\mathcal{L}_R := \{Y \mid \exists y \in \mathbb{Z}_q^*, s.t. Y = g^y\}$.
- 5) A NIZK proof $(\text{Setup}_{\mathcal{L}_c}, \text{Prove}_{\mathcal{L}_c}, \text{Vf}_{\mathcal{L}_c})$ for the language

$$\mathcal{L}_c :=$$

$$\left\{ (\overline{vk}_1, \overline{vk}_2, \overline{m}_1, \overline{m}_2, c_1, c_2) \mid \begin{array}{l} \exists r \in \mathbb{Z}_q, s.t. \\ c_1 = \text{WES.Enc}((\overline{vk}_1, \overline{m}_1), r) \wedge \\ c_2 = \text{WES.Enc}((\overline{vk}_2, \overline{m}_2), r) \end{array} \right\}$$

where (\overline{vk}_1, \cdot) and (\overline{vk}_2, \cdot) are in the support of $\overline{\text{KGen}}$.

Our construction of VweTS based on BLS signatures follows a similar outline and is therefore deferred to Appendix D due to space constraints.

Parameters. We assume the setup algorithm $\text{Setup}_{\mathcal{L}_c}$ has been executed and the resulting crs is part of public parameters which also include the group descriptions of groups $\mathbb{G}, \mathbb{G}_0, \mathbb{G}_1$ and \mathbb{G}_2 , the value q which is the order of the group \mathbb{G} , a value $\gamma := 2NMB$ where B is a statistical parameter, a mapping function $\Phi : [\gamma] \rightarrow [M] \times [N]$ with $\gamma := 2NMB$, and the description of the hash function $H_2 : \{0, 1\}^* \rightarrow I$ such that $I \in ([\gamma] \rightarrow [M] \times [N]) \cup \{0, 1\}^\gamma$, modeled as a random oracle.

Overview. We present a high level overview of our construction, and the formal description is given in Figure 5. The signature encryption algorithm first generates γ number of WES ciphertexts such that ciphertext c'_i encrypts a random integer r_i from \mathbb{Z}_q wrt. the instance $(\overline{vk}^*, \overline{m}^*)$. Here \overline{vk}^* and \overline{m}^* are random verification key and message, respectively. It also encodes the integer r_i in the exponent by setting $R_i := g^{r_i}$. A bucket mapping Φ and γ bit values are generated by applying the Fiat-Shamir transform using the hash H_2 . The algorithm generates for each $i \in [M]$ an adaptor pre-signature on the message m_i wrt. an adaptor instance Y_i whose corresponding witness is y_i . Each of the adaptor witness y_i is further secret shared to generate shares $y_{i,j}$ for $j \in [N]$, such that the sharing can be verified with the aid of the group elements $Y_{i,j} := g^{y_{i,j}}$.

Now the algorithm performs the cut-and-choose, such that for all indices $i \in [\gamma]$ where the bit value from the Fiat-Shamir transform equals 1, the value r_i and the random coins used to generate the i -th WES ciphertext are added in plain to the set \mathcal{S}_{op} . These values are considered to be opened by the cut-and-choose. On the other hand, for all indices i where the bit value equals 0, the index i is mapped to the bucket (α, β) using the map Φ . A value s_i is set to be the one-time pad of the adaptor witness share $y_{\alpha, \beta}$ and the value r_i . A new WES ciphertext c_i is generated encrypting the same value r_i as the WES ciphertext c'_i , but now wrt. the instance $(\overline{vk}_\beta, \overline{m}_\alpha)$, along with a NIZK proof that the two WES ciphertexts c_i and c'_i encrypt the same value r_i . The value s_i , the ciphertext c_i and the associated NIZK proof are added to the set $\mathcal{S}_{\text{unop}}$. These values are considered to be unopened by the cut-and-choose. The algorithm outputs all the WES ciphertexts, the two sets \mathcal{S}_{op} and $\mathcal{S}_{\text{unop}}$, the instance $(\overline{vk}^*, \overline{m}^*)$, the group elements R_i and the adaptor instances along with the group elements for verifying the witness sharing.

To verify, the algorithm VfEnc first checks the correctness of the Fiat-Shamir transform, and checks the well-formedness of the opened values in \mathcal{S}_{op} against the WES ciphertexts generated wrt. instance $(\overline{vk}^*, \overline{m}^*)$. It then checks the unopened values in $\mathcal{S}_{\text{unop}}$ by applying the mapping Φ for the corresponding index i and checking if the one-time pad of the value s_i is consistent by checking the relation in the exponent. It verifies the NIZK proofs and the pre-signatures against the corresponding adaptor instances. Finally, it checks if the adaptor witness sharing was

performed correctly with Lagrange interpolation of the group elements $Y_{i,j}$ in the exponent.

To decrypt the j -th signature, we require at least ρ valid witness signatures on the instance message \overline{m}_j wrt. any ρ verification keys in $(\overline{vk}_i)_{i \in [N]}$. For each index i in the unopened set $\mathcal{S}_{\text{unop}}$, the decrypt algorithm DecSig first applies the bucket mapping Φ to obtain the bucket index (α, β) . It proceeds to decrypt the ciphertext c_i using the i -th witness signature, provided the signature is valid on the instance message \overline{m}_α wrt. the instance verification key \overline{vk}_β (where $\alpha = j$). The decrypted value r is added to a set rShare_β . Notice that it is the case that for many $i' \neq i$ map to the same value β and therefore rShare_β will contain more than one element in it (more precisely, we will have $|\text{rShare}_\beta| = B$).

By the cut-and-choose, we are guaranteed that at least one of the values $r_{i,a} \in \text{rShare}_i$ is consistent with the check $R_a = g^{r_{i,a}}$. For each $i \in [K]$, where K stores the indices of the ρ valid witness signatures we have, we obtain the adaptor witness share $y_{j,i}$ using the consistent values $r_{i,a}$ from the previous step. We obtain ρ witness shares $y_{j,i}$ using which we can reconstruct the adaptor witness y_j . The signature on the message m_j can now be easily output by adapting the j -th pre-signature using the witness y_j .

Analysis. In Appendix B, we formally show that our construction satisfies correctness according to Definition 6. Security of our construction is formally stated in the following theorem, and the proof is deferred to Appendix C.

Theorem 1: Let DS and $\overline{\text{DS}}$ be signature schemes that satisfy unforgeability, WES be a secure witness encryption based on signatures scheme, AS be a secure adaptor signature scheme for the signature scheme DS and $(\text{Setup}_{\mathcal{L}_c}, \text{Prove}_{\mathcal{L}_c}, \text{Vf}_{\mathcal{L}_c})$ be NIZK proof system for the language \mathcal{L}_c satisfying zero-knowledge and simulation soundness. Then the VweTS construction from Figure 5 is one-way and verifiable according to Definition 7 and Definition 8, respectively.

Instantiating NIZK Proof for \mathcal{L}_c . The NIZK proof essentially proves that the two WES ciphertexts encrypt the same message. If we re-use encryption randomness in both WES ciphertexts [10], then the NIZK proof essentially reduces to proving a discrete logarithm relation over \mathbb{G}_T . This can be done efficiently using Schnorr sigma protocol [35].

C. VweTS Extension

In the construction described above, the communication and computation complexity of the protocol depends substantially on the number of messages signed in the EncSig procedure (i.e., the parameter M). Next, we show a modification to our protocol that allows us to substantially reduce this dependency. In particular, instead of executing the verifiable witness encryption for all the M instances $Y_i = g^{y_i}$, we will only execute this for $\log(M) = \mu$ values. In Appendix E we present the security analysis.

1) *Concretely Efficient Construction:* Let M be the size of the universe of outcomes, which we assume to be bounded by some polynomial in the security parameter. For convenience,

Public parameters: $(\mathbb{G}, g, q, \mathbb{G}_0, \mathbb{G}_1, \mathbb{G}_T, \gamma, H_2, crs)$

$(c, \pi_c) \leftarrow \text{EncSig}(\overline{(vk_i)}_{i \in [N]}, \overline{(m_j)}_{j \in [M]}, \rho, sk, (m_j)_{j \in [M]}):$

1) Sample random $\overline{vk}^* \in \mathbb{G}_0$ and $\overline{m}^* \in \{0, 1\}^\lambda$, initialize $\mathcal{S}_{\text{op}} = \mathcal{S}_{\text{unop}} = \emptyset$.

2) For $i \in [\gamma]$:

a) Sample $r_i \leftarrow \mathbb{Z}_q$ and compute $R_i := g^{r_i}$.

b) Compute $c'_i := \text{WES.Enc}(\overline{(vk}^*, \overline{m}^*), r_i; r'_i)$ where r'_i is the random coins used.

3) Compute $\{\Phi, (b_1, \dots, b_\gamma)\} := H_2((c'_i, R_i)_{i \in [\gamma]}).$

4) For $i \in [M]$:

a) Sample $y_i \leftarrow \mathbb{Z}_q$ and compute $Y_i := g^{y_i}$.

b) Compute $\hat{\sigma}_i \leftarrow \text{AS.pSign}(sk, m_i, Y_i)$.

c) For all $j \in [\rho - 1]$ sample a uniform $y_{i,j} \leftarrow \mathbb{Z}_q$ and set $Y_{i,j} := g^{y_{i,j}}$.

d) For all $j \in \{\rho, \dots, N\}$ compute

$$y_{i,j} = \left(\left(y_i - \sum_{k \in [\rho-1]} y_{i,k} \cdot \ell_k(0) \right) \cdot \ell_j(0)^{-1} \right), Y_{i,j} = \left(\frac{Y_i}{\prod_{k \in [\rho-1]} Y_{i,k}^{\ell_k(0)}} \right)^{\ell_j(0)^{-1}}. \text{ Here } \ell_i \text{ is the } i\text{-th Lagrange polynomial.}$$

5) Set $\Sigma_1 := (\hat{\sigma}_i, Y_i, \{Y_{i,j}\}_{j \in [N]})_{i \in [M]}$.

6) For $i \in [\gamma]$:

a) If $b_i = 1$, then $\mathcal{S}_{\text{op}} := \mathcal{S}_{\text{op}} \cup \{(i, r_i, r'_i)\}$.

b) If $b_i = 0$:

i) Let $(\alpha, \beta) := \Phi(i)$.

ii) Compute $s_i := r_i + y_{\alpha, \beta}$.

iii) Compute $c_i := \text{WES.Enc}(\overline{(vk}_\beta, \overline{m}_\alpha), r_i; r''_i)$ with r''_i as the random coins and set $\pi_i \leftarrow \text{Prove}_{\mathcal{L}_c}(crs, (\overline{vk}_\beta, \overline{vk}^*, \overline{m}_\alpha, \overline{m}^*, c_i, c'_i), r_i)$.

iv) Set $\mathcal{S}_{\text{unop}} := \mathcal{S}_{\text{unop}} \cup \{(i, s_i, c_i, \pi_i)\}$.

7) Return $c = \{c'_i\}_{i \in [\gamma]}, \pi_c = \{\mathcal{S}_{\text{op}}, \mathcal{S}_{\text{unop}}, \overline{vk}^*, \overline{m}^*, \{R_i, \}_{i \in [\gamma]}, \Sigma_1\}$.

$0/1 \leftarrow \text{VfEnc}(c, \pi_c, ((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}), vk):$

1) Parse c as $\{c'_i\}_{i \in [\gamma]}$ and π_c as $\{\mathcal{S}_{\text{op}}, \mathcal{S}_{\text{unop}}, \overline{vk}^*, \overline{m}^*, \{R_i, \}_{i \in [\gamma]}, \Sigma_1\}$ where $\Sigma_1 := \{\hat{\sigma}_i, Y_i, \{Y_{i,j}\}_{j \in [N]}\}_{i \in [M]}$.

2) Compute $\{\Phi, (b_1, \dots, b_\gamma)\} := H_2((c'_i, R_i)_{i \in [\gamma]}).$

3) For $i \in [\gamma]$:

a) If $b_i = 1$, check that $(i, r_i, r'_i) \in \mathcal{S}_{\text{op}}$ and that $c'_i := \text{WES.Enc}(\overline{(vk}^*, \overline{m}^*), r_i; r'_i)$

b) If $b_i = 0$:

i) $(\alpha, \beta) := \Phi(i)$

ii) Check that $(i, s_i, c_i, \pi_i) \in \mathcal{S}_{\text{unop}}$

iii) Check that $g^{s_i} = R_i \cdot Y_{\alpha, \beta}$

iv) Check $\text{Vf}_{\mathcal{L}_c}(crs, (\overline{vk}_\beta, \overline{vk}^*, \overline{m}_\alpha, \overline{m}^*, c_i, c'_i), \pi) = 1$

v) Check that $\text{AS.pVf}(vk, m_\alpha, Y_\alpha, \hat{\sigma}_\alpha) = 1$

vi) Let T be a subset of $[N]$ of size $\rho - 1$, check that for every $k \in [N] \setminus T$: $\prod_{j \in T} Y_{\alpha, j}^{\ell_j(0)} \cdot Y_{\alpha, k}^{\ell_k(0)} = Y_\alpha$.

c) If any of the checks fail output 0, else output 1.

$\sigma \leftarrow \text{DecSig}(j, \{\overline{\sigma}_i\}_{i \in [K]}, c, \pi_c):$

1) Parse c as $\{c'_i\}_{i \in [\gamma]}$ and π_c as $\{\mathcal{S}_{\text{op}}, \mathcal{S}_{\text{unop}}, \overline{vk}^*, \overline{m}^*, \{R_i, \}_{i \in [\gamma]}, \Sigma_1\}$ where $\Sigma_1 := \{\hat{\sigma}_i, Y_i, \{Y_{i,j}\}_{j \in [N]}\}_{i \in [M]}$.

2) For all $i \in [K]$, initialize $\text{rShare}_i = \emptyset$.

3) For each $(i, s, c, \pi) \in \mathcal{S}_{\text{unop}}$, compute $(\alpha, \beta) = \Phi(i)$. If $\alpha = j$ and if $\beta \in [K]$ s.t. $\text{DS.Vf}(\overline{vk}_\beta, \overline{m}_\alpha, \overline{\sigma}_i) = 1$

a) Compute $r = \text{WES.Dec}(\overline{\sigma}_i, c)$.

b) Set $\text{rShare}_\beta := \text{rShare}_\beta \cup \{r\}$.

4) Denote each r in rShare_i as $r_{i,a}$, where $(a, s_a, c_a, \pi_a) \in \mathcal{S}_{\text{unop}}$. We are guaranteed that there exists at least one $r_{i,a}$ such that $R_a = g^{r_{i,a}}$.

5) For $i \in [K]$, compute $y_{j,i} = s_a - r_{i,a}$.

6) Compute $y_j := \sum_{i \in [K]} y_{j,i} \cdot \ell_i(0)$.

7) Return $\sigma_j \leftarrow \text{AS.Adapt}(\hat{\sigma}_j, y_j)$.

Fig. 5. Verifiable witness encryption based on threshold signatures from adaptor signatures.

we assume that M is a power of 2 and we denote $M = 2^\mu$, where $\mu = O(\log(\lambda))$. We present the formal construction in Figure 6.

Construction. For all $j = \{1, \dots, M\}$, Alice samples uniformly a $Y_j = g^{y_j}$ to be the instance of the hard relation for the adaptor signature (refer to Section IV-B for more details). Instead of computing the witness encryption of the y_j , Alice additionally samples

$$\begin{bmatrix} Z_{0,1} & \dots & Z_{0,\mu} \\ Z_{1,1} & \dots & Z_{1,\mu} \end{bmatrix} = \begin{bmatrix} g^{z_{0,1}} & \dots & g^{z_{0,\mu}} \\ g^{z_{1,1}} & \dots & g^{z_{1,\mu}} \end{bmatrix}$$

where $z_{b,i} \leftarrow \mathbb{Z}_q$. Alice also computes

$$e_j = y_j + \sum_i z_{j[i],i}$$

for all $j = \{1, \dots, M\}$, where $j[i]$ denotes the i -th bit of j . Alice proceeds as in Section IV-B, except that she computes the witness encryption of all $\{z_{b,i}\}_{b \in \{0,1\}, i \in \{1, \dots, \mu\}}$, each conditioned on knowing the signatures of a large enough fraction of oracles that attests that the i -th bit of the outcome equals b . The cut-and-choose proceeds in a similar fashion in proving that about the witness encryption ciphertexts and the associated group elements $\{Z_{b,i}\}_{b \in \{0,1\}, i \in \{1, \dots, \mu\}}$. Note that in Section IV-B we had the above cut-and-choose run for M such ciphertexts, but only have 2μ now. The bucket mapping Φ is similar to the previous protocol except that the bucket index now also includes a position $pos \in [\mu]$. The verification procedures is unchanged, except that Bob additionally checks whether

$$g^{e_j} \stackrel{?}{=} Y_j \cdot \prod_{i=1}^{\mu} Z_{j[i],i}$$

for all $j = \{1, \dots, M\}$. The attestation is also unchanged, except that the oracles now provide one signature per bit of the outcome. I.e., each signature attests that the i -th bit of the outcome is equal to some bit b . Note that there are exactly μ signatures per oracle.

Correctness and Efficiency. In terms of correctness, obtaining enough attestations for an outcome $j = (j[1], \dots, j[\mu])$ allows one to witness-decrypt the corresponding ciphertexts, thereby recovering the scalars $(z_{j[1],1}, \dots, z_{j[\mu],\mu})$. Then, computing

$$y_j = e_j - \sum_{i=1}^{\mu} z_{j[i],i}$$

allows Bob to unmask y_j and consequently to recover the signature on the transaction corresponding to outcome j . In terms of efficiency, the overall protocol complexity is still linear in the size of M (since Alice still needs to send M adaptor signatures to Bob), but now the “expensive” verifiable (threshold) witness encryption procedure is only run for 2μ values, resulting in substantial savings.

2) *Asymptotically Optimal Construction:* We sketch here a different construction that is asymptotically optimal but concretely inefficient compared to the previous constructions. The main ingredient used in this protocol are garbled circuits

(see [11] for a formal treatment of garbled circuits). Instead of computing signatures for each outcome and encrypting separately, Alice now garbles a circuit that does the following: On input an outcome j , it outputs a signature (using Alice’s secret key) of the corresponding message m_j . Let $\{\ell_{i,0}, \ell_{i,1}\}_{i \in \log(M)}$ be the labels of the garbled circuits, where M is the size of the universe of outcomes (e.g., setting $M = 2^\lambda$ gives us an exponential size universe of outcomes). Alice then uses the scheme described in the previous section to encrypt each label $\ell_{i,b}$, conditioned on the oracle signing a message encoding the position i and the bit b . The output of this algorithm consists of the encryptions of the labels, and the garbled circuit.

For the oracles, the scheme is defined identically, except that, on input an event $j \in M$, each oracle signs separately each bit of $j = (j_1, \dots, j_{\log(M)})$ along with an identifier for the position, e.g., it signs the messages $(j_1, 1), \dots, (j_{\log(M)}, \log(M))$. To decrypt, Bob can then use the signatures of the oracles to recover the set of labels $\{\ell_{i,j_i}\}_{i \in \log(M)}$ and use such labels to evaluate the garbled circuit, which returns a signature on m_j under Alice’s key.

Note that in the description above we did not consider the verifiability of the encryptions. We require two guarantees of verifiability: (i) The encryptions are computed correctly and (ii) the garbled circuits are computed correctly. The first guarantee comes for free using the scheme described in our previous section. To achieve the latter, one can resort to known techniques in the literature, such as cut-and-choose protocols presented in [8], [17]. We leave this extension as ground for future work.

V. PERFORMANCE ANALYSIS

In this section, we describe the implementation and evaluate the practicality of our protocol for VweTS.

A. Implementation

We have developed a prototypical Rust implementation [7] to demonstrate the feasibility of our VweTS construction. The implementation encompasses the EncSig, VfEnc and DecSig algorithms. We omit the operations regarding attestations by the oracles, since they are simple signature creation and verification of a digital signature scheme.

Implementation-level Optimizations. Alice can pre-compute several of the operations required in the VweTS.EncSig algorithm (see Figure 5), concretely bullet points 1, 2, 3, 4 (except for the sub-step b) and 5 (except for the complete sub-step b). The intuition behind this is that these steps use random values that are not linked to the inputs of the algorithm.

B. Performance

We conducted our experiments on a machine with a quad-core Intel Core i7 2,3 GHz and 16 GB of RAM. For our experiments, we run Alice and Bob’s operations within the same machine, therefore they are communicated through localhost.

We evaluate the impact of three system parameters: (i) the security parameter of the cut-and-choose; (ii) the number of oracles; and (iii) the number of outcomes. For each parameter

Public parameters: $(\mathbb{G}, g, q, \mathbb{G}_0, \mathbb{G}_1, \mathbb{G}_T, \gamma, H_2, crs)$

$(c, \pi_c) \leftarrow \text{EncSig}(((vk_i)_{i \in [N]}, (\overline{m}_j)_{j \in [M]}, \rho), sk, (m_j)_{j \in [M]}):$

1) Sample random $\overline{vk}^* \in \mathbb{G}_0$ and $\overline{m}^* \in \{0, 1\}^\lambda$, initialize $\mathcal{S}_{\text{op}} = \mathcal{S}_{\text{unop}} = \emptyset$.

2) For $i \in [\gamma]$: **where γ is $2NB(2\mu)$ and $\mu = \log M$.**

a) Sample $r_i \leftarrow \mathbb{Z}_q$ and compute $R_i := g^{r_i}$.

b) Compute $c'_i := \text{WES.Enc}((\overline{vk}^*, \overline{m}^*), r_i; r'_i)$ where r'_i is the random coins used.

3) Compute $\{\Phi, (b_1, \dots, b_\gamma)\} := H_2((c'_i, R_i)_{i \in [\gamma]}).$

4) For $i \in [\mu]$ and $b \in \{0, 1\}$

a) Compute $z_{i,b} \leftarrow \mathbb{Z}_q$ and $Z_{i,b} = g^{z_{i,b}}$

b) For all $j \in [\rho - 1]$ sample a uniform $z_{i,b,j} \leftarrow \mathbb{Z}_q$ and set $Z_{i,b,j} := g^{z_{i,b,j}}$.

c) For all $j \in \{\rho, \dots, N\}$ compute

$$z_{i,b,j} = \left(\left(z_{i,b} - \sum_{k \in [\rho-1]} z_{i,b,k} \cdot \ell_k(0) \right) \cdot \ell_j(0)^{-1} \right), Z_{i,b,j} = \left(\frac{Z_{i,b}}{\prod_{k \in [\rho-1]} Z_{i,b,k}^{\ell_k(0)}} \right)^{\ell_j(0)^{-1}}. \text{ Here } \ell_i \text{ is the } i\text{-th}$$

Lagrange polynomial.

5) For $i \in [M]$:

a) Sample $y_i \leftarrow \mathbb{Z}_q$ and compute $Y_i := g^{y_i}$. Compute $\hat{\sigma}_i \leftarrow \text{AS.pSign}(sk, m_i, Y_i)$.

b) **Compute** $e_i = y_i + \sum_j z_{j,i[j]}$

6) **Set** $\Sigma_1 = \{(\hat{\sigma}_i, e_i)_{i \in [M]}, \{Z_{i,b}\}_{i \in [\mu], b \in \{0,1\}}, \{Z_{i,b,j}\}_{i \in [\mu], j \in [N], b \in \{0,1\}}\}$

7) For $i \in [\gamma]$:

a) If $b_i = 1$, then $\mathcal{S}_{\text{op}} := \mathcal{S}_{\text{op}} \cup \{(i, r_i, r'_i)\}$.

b) If $b_i = 0$:

i) Let $(\alpha, \beta, pos) := \Phi(i)$. Compute $c_i := \text{WES.Enc}((\overline{vk}_\beta, \overline{m}_\alpha), r_i; r'_i)$ with r'_i as the random coins and set $\pi_i \leftarrow \text{Prove}_{\mathcal{L}_c}(crs, (\overline{vk}_\beta, \overline{vk}^*, \overline{m}_\alpha, \overline{m}^*, c_i, c'_i), r_i)$.

ii) **Compute** $s_i = z_{pos, \alpha[pos], \beta} + r_i$

iii) **Set** $\mathcal{S}_{\text{unop}} := \mathcal{S}_{\text{unop}} \cup \{(i, c_i, s_i, \pi_i)\}$.

8) **Return** $c = \{c'_i\}_{i \in [\gamma]}, \pi_c = \{\mathcal{S}_{\text{op}}, \mathcal{S}_{\text{unop}}, \overline{vk}^*, \overline{m}^*, \{R_i\}_{i \in [\gamma]}, \Sigma_1\}$.

$0/1 \leftarrow \text{VfEnc}(c, \pi_c, ((vk_i)_{i \in [N]}, (\overline{m}_j)_{j \in [M]}, vk)):$

1) Parse c as $\{c'_i\}_{i \in [\gamma]}$ and π_c as $\{\mathcal{S}_{\text{op}}, \mathcal{S}_{\text{unop}}, \overline{vk}^*, \overline{m}^*, \{R_i\}_{i \in [\gamma]}, \Sigma_1\}$ where

$\Sigma_1 := \{(\hat{\sigma}_i, e_i)_{i \in [M]}, \{Z_{i,b}\}_{i \in [\mu], b \in \{0,1\}}, \{Z_{i,b,j}\}_{i \in [\mu], j \in [N], b \in \{0,1\}}\}$.

2) Compute $\{\Phi, (b_1, \dots, b_\gamma)\} := H_2((c'_i, R_i)_{i \in [\gamma]}).$

3) For $i \in [\gamma]$:

a) If $b_i = 1$, check that $(i, r_i, r'_i) \in \mathcal{S}_{\text{op}}$ and that $c'_i := \text{WES.Enc}((\overline{vk}^*, \overline{m}^*), r_i; r'_i)$

b) If $b_i = 0$:

i) $(\alpha, \beta, pos) := \Phi(i)$. Check that $(i, c_i, s_i, \pi_i) \in \mathcal{S}_{\text{unop}}$

ii) **Check that** $g^{s_i} = R_i \cdot Z_{pos, \alpha[pos], \beta}$

iii) Check $\text{Vf}_{\mathcal{L}_c}(crs, (\overline{vk}_\beta, \overline{vk}^*, \overline{m}_\alpha, \overline{m}^*, c_i, c'_i), \pi) = 1$

iv) Check that $\text{AS.pVf}(vk, m_\alpha, Y_\alpha, \hat{\sigma}_\alpha) = 1$

v) **Let T be a subset of $[N]$ of size $\rho - 1$, check that for every $k \in [N] \setminus T$:**

$$\prod_{j \in T} Z_{pos, \alpha[pos], j}^{\ell_j(0)} \cdot Z_{pos, \alpha[pos], k}^{\ell_k(0)} = Z_{pos, \alpha[pos]}.$$

c) **For $i \in [M]$ Check that** $g^{e_i} = Y_i \cdot \prod_i Z_{j,i[j]}$

d) If any of the checks fail output 0, else output 1.

$\sigma \leftarrow \text{DecSig}(j, \{\overline{\sigma}_i\}_{i \in [K]}, c, \pi_c):$

1) Parse c as $\{c'_i\}_{i \in [\gamma]}$ and π_c as $\{\mathcal{S}_{\text{op}}, \mathcal{S}_{\text{unop}}, \overline{vk}^*, \overline{m}^*, \{R_i\}_{i \in [\gamma]}, \Sigma_1\}$ where

$\Sigma_1 := \{(\hat{\sigma}_i, e_i)_{i \in [M]}, \{Z_{i,b}\}_{i \in [\mu], b \in \{0,1\}}, \{Z_{i,b,j}\}_{i \in [\mu], j \in [N], b \in \{0,1\}}\}$.

2) **For all $(i, j) \in [K] \times [\mu]$, initialize $\text{rShare}_{i,j} = \emptyset$.**

3) For each $(i, c, s, \pi) \in \mathcal{S}_{\text{unop}}$, compute $(\alpha, \beta, pos) = \Phi(i)$. If $\alpha = j$ and if $\beta \in [K]$ s.t. $\text{DS.Vf}(\overline{vk}_\beta, \alpha[pos], \overline{\sigma}_i) = 1$

a) Compute $r = \text{WES.Dec}(\overline{\sigma}_i, c)$.

b) Set $\text{rShare}_{\beta, pos} := \text{rShare}_{\beta, pos} \cup \{r\}$.

4) Denote each r in $\text{rShare}_{i,j}$ as $r_{i,a}$, where $(a, s_a, c_a, \pi_a) \in \mathcal{S}_{\text{unop}}$. We are guaranteed that there exists at least one $r_{i,a}$ such that $R_a = g^{r_{i,a}}$.

5) **For $k \in [K]$ and $i \in [\mu]$, compute** $z_{i,j[i],k} = s_a - r_{i,a}$

6) **Compute** $z_{i,j[i]} = \sum_{k \in [K]} z_{i,j[i],k} \cdot \ell_k(0)$

7) **Compute** $y_j = e_j - \sum_i z_{i,j[i]}$

8) **Return** $\sigma_j \leftarrow \text{AS.Adapt}(\hat{\sigma}_j, y_j)$.

Fig. 6. Concretely efficient construction of Verifiable witness encryption based on threshold signatures from adaptor signatures




Fig. 7. Impact of the security parameter (left), oracle setting (middle) and number of outcomes (right) on running time (red) and communication overhead (blue). We set: Left: 1 oracle, 100 outcomes; Middle: security parameter 40, 100 outcomes; Right: 1 oracle, security parameter 40.




Fig. 8. Impact of oracle setting and number of outcomes in the running time (left) and communication (right) of VweTS. Security parameter is 40.

we study, we vary this parameter while we fix a value for the other two. We thereby compute the impact of such parameter in the overall process, that is, the execution of EncSig, VfEnc and DecSig. The results are shown in Figure 7.

We make the following observations. First, augmenting the security parameter of the cut-and-choose used within VweTS has the least impact on both running time and communication time. Second, augmenting the number of oracles, as well as the threshold, has a moderate impact in both running and communication time. They both seem to grow linearly on the number of oracles participating in the protocol. Third, the number of outcomes is the most impactful system parameter, since both running time and communication overhead grow worse than linearly on the number of outcomes. Yet, even considering 1000 outcomes, the running time and communication overhead are well within reach of commodity hardware.

Impact of Increasing Oracles and Outcomes. We evaluate the impact in running time and communication overhead of increasing the threshold (i.e., the number of oracles) and the number of outcomes. The results are shown in Figure 8. As expected from previous experiments, both the running time and communication overhead increase linearly in both number of oracles and outcomes. Yet, even in the (possibly unrealistic) scenario of a threshold of 4 out of 7 oracles and a payment conditioned on up to 1000 different real-world event outcomes, the computation overhead is less than 13 seconds while the communication overhead is below 1.3MB.

Comparison with DLC. DLC is the proposal for oracle based conditional payments put forward by the community [20] and




Fig. 9. Running time of our approach and DLC with an increasing number of oracles. We fix security parameter to 40 and number of outcomes to 100.

it is the closest in goals to our work here. We want to compare our approach with that of DLC when increasing the number of oracles. For that, we have obtained a prototype implementation of the DLC design [6] where we have tested it for an increasing number of oracles. The results are shown in Figure 9. We observe that running time of the DLC approach is the one scaling the worst. While our approach requires a number of operations linear on the total number of oracles, the DLC approach requires a number of operations exponential in the (threshold) number of oracles since to construct a DLC for an outcome event using some threshold t -of- n oracles, they construct adaptor signatures for all outcomes for all possible combinations of t -of- t oracles [20]. Therefore, their approach is less efficient than our implementation starting from a small setting of ($t = 5, n = 9$), and the different keeps asymptotically growing as the values n and t increase.

VI. CONCLUSIONS

In this work, we investigate the problem of oracle-based conditional payment that do not require Turing-complete language or are based on trusted execution environment. In particular, we present a new cryptographic primitive, verifiable witness encryption based on threshold signatures (VweTS). We give two practically efficient constructions: (i) the encrypted signatures are either Schnorr or ECDSA signatures; and (ii) the encrypted signatures are BLS signatures. In this manner, our constructions are compatible with many cryptocurrencies today, including Bitcoin. Moreover, we formally prove the security guarantees of our constructions. Finally, we have provided a

prototype implementation and our benchmarks show that our construction is practical to be executed even in commodity hardware, and it scales better with the number of oracles compared to alternative solutions.

REFERENCES

- [1] “Chainlink,” <https://chain.link/use-cases>.
- [2] “Clear and unambiguous terms of merger agreement,” <https://corpgov.law.harvard.edu/2019/10/09/clear-and-unambiguous-terms-of-merger-agreement/>.
- [3] “Contractor payment schedules,” <https://www.levelset.com/blog/contractor-payment-schedule/>.
- [4] “Defi pulse website,” <https://www.defipulse.com/>.
- [5] “The oracle of truth: Where do blockchain betting projects get their event’s results?” <https://hackernoon.com/the-oracle-of-truth-where-do-blockchain-betting-projects-get-their-event-results-r4112e09>.
- [6] “Source code for the dlc project.” <https://anonymous.4open.science/r/rust-dlc/README.md>.
- [7] “Source code for this project. implementation of bls-based attestations,” <https://anonymous.4open.science/r/bls-based-implementation/README.md>.
- [8] A. Afshar, P. Mohassel, B. Pinkas, and B. Riva, “Non-interactive secure computation based on cut-and-choose,” in *EUROCRYPT 2014*, ser. LNCS, P. Q. Nguyen and E. Oswald, Eds., vol. 8441. Copenhagen, Denmark: Springer, Heidelberg, Germany, May 11–15, 2014, pp. 387–404.
- [9] L. Aumayr, O. Ersoy, A. Erwig, S. Faust, K. Hostáková, M. Maffei, P. Moreno-Sanchez, and S. Riahi, “Generalized channels from limited blockchain scripts and adaptor signatures,” in *International Conference on the Theory and Application of Cryptology and Information Security*. Springer, 2021, pp. 635–664.
- [10] M. Bellare, A. Boldyreva, and J. Staddon, “Randomness re-use in multi-recipient encryption schemes,” in *PKC 2003*, ser. LNCS, Y. Desmedt, Ed., vol. 2567. Miami, FL, USA: Springer, Heidelberg, Germany, Jan. 6–8, 2003, pp. 85–99.
- [11] M. Bellare, V. T. Hoang, and P. Rogaway, “Foundations of garbled circuits,” in *ACM CCS 2012*, T. Yu, G. Danezis, and V. D. Gligor, Eds. Raleigh, NC, USA: ACM Press, Oct. 16–18, 2012, pp. 784–796.
- [12] D. Boneh and M. K. Franklin, “Identity-based encryption from the Weil pairing,” in *CRYPTO 2001*, ser. LNCS, J. Kilian, Ed., vol. 2139. Santa Barbara, CA, USA: Springer, Heidelberg, Germany, Aug. 19–23, 2001, pp. 213–229.
- [13] D. Boneh, C. Gentry, B. Lynn, and H. Shacham, “Aggregate and verifiably encrypted signatures from bilinear maps,” in *EUROCRYPT 2003*, ser. LNCS, E. Biham, Ed., vol. 2656. Warsaw, Poland: Springer, Heidelberg, Germany, May 4–8, 2003, pp. 416–432.
- [14] D. Boneh, B. Lynn, and H. Shacham, “Short signatures from the Weil pairing,” in *ASIACRYPT 2001*, ser. LNCS, C. Boyd, Ed., vol. 2248. Gold Coast, Australia: Springer, Heidelberg, Germany, Dec. 9–13, 2001, pp. 514–532.
- [15] J. V. Bulck, D. F. Oswald, E. Marin, A. Aldoseri, F. D. Garcia, and F. Piessens, “A tale of two worlds: Assessing the vulnerability of enclave shielding runtimes,” in *Proceedings of the 2019 ACM SIGSAC Conference on Computer and Communications Security, CCS 2019, London, UK, November 11-15, 2019*, L. Cavallaro, J. Kinder, X. Wang, and J. Katz, Eds. ACM, 2019, pp. 1741–1758. [Online]. Available: <https://doi.org/10.1145/3319535.3363206>
- [16] J. Camenisch and I. Damgård, “Verifiable encryption, group encryption, and their applications to separable group signatures and signature sharing schemes,” in *ASIACRYPT 2000*, ser. LNCS, T. Okamoto, Ed., vol. 1976. Kyoto, Japan: Springer, Heidelberg, Germany, Dec. 3–7, 2000, pp. 331–345.
- [17] R. Canetti, A. Jain, and A. Scafuro, “Practical UC security with a global random oracle,” in *ACM CCS 2014*, G.-J. Ahn, M. Yung, and N. Li, Eds. Scottsdale, AZ, USA: ACM Press, Nov. 3–7, 2014, pp. 597–608.
- [18] M. Chase, “Multi-authority attribute based encryption,” in *TCC 2007*, ser. LNCS, S. P. Vadhan, Ed., vol. 4392. Amsterdam, The Netherlands: Springer, Heidelberg, Germany, Feb. 21–24, 2007, pp. 515–534.
- [19] G. Chen, S. Chen, Y. Xiao, Y. Zhang, Z. Lin, and T. Lai, “Sgxpectre: Stealing intel secrets from SGX enclaves via speculative execution,” *IEEE Secur. Priv.*, vol. 18, no. 3, pp. 28–37, 2020. [Online]. Available: <https://doi.org/10.1109/MSEC.2019.2963021>
- [20] D. community, “Specification for discreet log contracts,” <https://github.com/discreetlogcontracts/dlcspecs>.
- [21] A. De Santis, S. Micali, and G. Persiano, “Non-interactive zero-knowledge proof systems,” in *Conference on the Theory and Application of Cryptographic Techniques*. Springer, 1987, pp. 52–72.
- [22] N. Döttling, L. Hanzlik, B. Magri, and S. Wonnig, “McFly: Verifiable encryption to the future made practical,” *Cryptology ePrint Archive*, 2022.
- [23] T. Dryja, “Discreet log contracts,” <https://adiabat.github.io/dlc.pdf>.
- [24] A. Erwig, S. Faust, K. Hostáková, M. Maitra, and S. Riahi, “Two-party adaptor signatures from identification schemes,” in *PKC 2021, Part I*, ser. LNCS, J. Garay, Ed., vol. 12710. Virtual Event: Springer, Heidelberg, Germany, May 10–13, 2021, pp. 451–480.
- [25] S. Eskandari, M. Salehi, W. C. Gu, and J. Clark, “Sok: Oracles from the ground truth to market manipulation,” in *Proceedings of the 3rd ACM Conference on Advances in Financial Technologies*, 2021, pp. 127–141.
- [26] S. Garg, C. Gentry, A. Sahai, and B. Waters, “Witness encryption and its applications,” in *45th ACM STOC*, D. Boneh, T. Roughgarden, and J. Rubinfeld, Eds. Palo Alto, CA, USA: ACM Press, Jun. 1–4, 2013, pp. 467–476.
- [27] Y. Ishai, J. Kilian, K. Nissim, and E. Petrank, “Extending oblivious transfers efficiently,” in *CRYPTO 2003*, ser. LNCS, D. Boneh, Ed., vol. 2729. Santa Barbara, CA, USA: Springer, Heidelberg, Germany, Aug. 17–21, 2003, pp. 145–161.
- [28] D. Johnson, A. Menezes, and S. Vanstone, “The elliptic curve digital signature algorithm (ecdsa),” *International Journal of Information Security*, vol. 1, no. 1, pp. 36–63, Aug 2001. [Online]. Available: <https://doi.org/10.1007/s102070100002>
- [29] A. Juels, L. Breidenbach, A. Coventry, S. Nazarov, S. Ellis, and B. Magauran, “Mixicles: Simple private decentralized finance,” 2019.
- [30] N. Koheh, “Update on dlcs (new mailing list),” <https://lists.linuxfoundation.org/pipermail/bitcoin-dev/2021-January/018372.html>.
- [31] T. Le Guilly, N. Kohen, and I. Kuwahara, “Bitcoin oracle contracts: Discreet log contracts in practice,” in *2022 IEEE International Conference on Blockchain and Cryptocurrency (ICBC)*, 2022, pp. 1–8.
- [32] Y. Lindell and B. Riva, “Cut-and-choose Yao-based secure computation in the online/offline and batch settings,” in *CRYPTO 2014, Part II*, ser. LNCS, J. A. Garay and R. Gennaro, Eds., vol. 8617. Santa Barbara, CA, USA: Springer, Heidelberg, Germany, Aug. 17–21, 2014, pp. 476–494.
- [33] B. Liu, P. Szalachowski, and J. Zhou, “A first look into defi oracles,” in *IEEE International Conference on Decentralized Applications and Infrastructures, DAPPS 2021, Online Event, August 23-26, 2021*. IEEE, 2021, pp. 39–48. [Online]. Available: <https://doi.org/10.1109/DAPPS2256.2021.00010>
- [34] L. (pseudonym), “Secure dlcs,” <https://bitcoinproblems.org/problems/secure-dlcs.html>.
- [35] C.-P. Schnorr, “Efficient identification and signatures for smart cards,” in *CRYPTO ’89*, ser. LNCS, G. Brassard, Ed., vol. 435. Santa Barbara, CA, USA: Springer, Heidelberg, Germany, Aug. 20–24, 1990, pp. 239–252.
- [36] A. Shamir, “How to share a secret,” *Communications of the ACM*, vol. 22, no. 11, pp. 612–613, 1979.
- [37] S. M. Werner, D. Perez, L. Gudgeon, A. Klages-Mundt, D. Harz, and W. J. Knottenbelt, “Sok: Decentralized finance (defi),” *CoRR*, vol. abs/2101.08778, 2021. [Online]. Available: <https://arxiv.org/abs/2101.08778>
- [38] F. Zhang, E. Cecchetti, K. Croman, A. Juels, and E. Shi, “Town crier: An authenticated data feed for smart contracts,” in *Proceedings of the 2016 ACM SIGSAC Conference on Computer and Communications Security, Vienna, Austria, October 24-28, 2016*, E. R. Weippl, S. Katzenbeisser, C. Kruegel, A. C. Myers, and S. Halevi, Eds. ACM, 2016, pp. 270–282. [Online]. Available: <https://doi.org/10.1145/2976749.2978326>
- [39] F. Zhang, D. Maram, H. Malvai, S. Goldfeder, and A. Juels, “Deco: Liberating web data using decentralized oracles for tls,” in *Proceedings of the 2020 ACM SIGSAC Conference on Computer and Communications Security*, 2020, pp. 1919–1938.

aSigForge _{A,AS} (λ)	Sign \mathcal{O} (m)
$\mathcal{Q} := \emptyset$	$\sigma \leftarrow \text{Sign}(sk, m)$
$(sk, vk) \leftarrow \text{KGen}(1^\lambda)$	$\mathcal{Q} := \mathcal{Q} \cup \{m\}$
$m \leftarrow \mathcal{A}^{\text{Sign}\mathcal{O}(\cdot), \text{pSign}\mathcal{O}(\cdot, \cdot)}(vk)$	return σ
$(Y, y) \leftarrow \text{GenR}(1^\lambda)$	pSign \mathcal{O} (m, Y)
$\hat{\sigma} \leftarrow \text{pSign}(sk, m, Y)$	$\hat{\sigma} \leftarrow \text{pSign}(sk, m, Y)$
$\sigma \leftarrow \mathcal{A}^{\text{Sign}\mathcal{O}(\cdot), \text{pSign}\mathcal{O}(\cdot, \cdot)}(\hat{\sigma}, Y)$	$\mathcal{Q} := \mathcal{Q} \cup \{m\}$
return $(m \notin \mathcal{Q} \wedge \forall f(vk, m, \sigma))$	return $\hat{\sigma}$

Fig. 10. Unforgeability experiment of adaptor signatures

aWitExt _{A,AS} (λ)	Sign \mathcal{O} (m)
$\mathcal{Q} := \emptyset$	$\sigma \leftarrow \text{Sign}(sk, m)$
$(sk, vk) \leftarrow \text{KGen}(1^\lambda)$	$\mathcal{Q} := \mathcal{Q} \cup \{m\}$
$(m, Y) \leftarrow \mathcal{A}^{\text{Sign}\mathcal{O}(\cdot), \text{pSign}\mathcal{O}(\cdot, \cdot)}(vk)$	return σ
$\hat{\sigma} \leftarrow \text{pSign}(sk, m, Y)$	pSign \mathcal{O} (m, Y)
$\sigma \leftarrow \mathcal{A}^{\text{Sign}\mathcal{O}(\cdot), \text{pSign}\mathcal{O}(\cdot, \cdot)}(\hat{\sigma})$	$\hat{\sigma} \leftarrow \text{pSign}(sk, m, Y)$
$y' := \text{Ext}(vk, \sigma, \hat{\sigma}, Y)$	$\mathcal{Q} := \mathcal{Q} \cup \{m\}$
return $(m \notin \mathcal{Q} \wedge (Y, y') \notin R \wedge \forall f(vk, m, \sigma))$	return $\hat{\sigma}$

Fig. 11. Witness extractability experiment for adaptor signatures

APPENDIX

A. More Preliminaries

1) Adaptor Signatures:

Definition 9 (Pre-signature Correctness): An adaptor signature scheme AS satisfies pre-signature correctness if for every $\lambda \in \mathbb{N}$, every message $m \in \{0, 1\}^*$ and every statement/witness pair $(Y, y) \in R$, the following holds:

$$\Pr \left[\begin{array}{l} \text{pVf}(vk, m, Y, \hat{\sigma}) = 1 \\ \wedge \\ \text{Vf}(vk, m, \sigma) = 1 \\ \wedge \\ (Y, y') \in R \end{array} \middle| \begin{array}{l} (sk, vk) \leftarrow \text{KGen}(1^\lambda) \\ \hat{\sigma} \leftarrow \text{pSign}(sk, m, Y) \\ \sigma := \text{Adapt}(\hat{\sigma}, y) \\ y' := \text{Ext}(\sigma, \hat{\sigma}, Y) \end{array} \right] = 1.$$

Next, we formally define the security properties of an adaptor signature scheme.

Definition 10 (Unforgeability): An adaptor signature scheme AS is aEUFCMA secure if for every PPT adversary \mathcal{A} there exists a negligible function negl such that:

$$\Pr[\text{aSigForge}_{\mathcal{A}, \text{AS}}(\lambda) = 1] \leq \text{negl}(\lambda)$$

where the experiment $\text{aSigForge}_{\mathcal{A}, \text{AS}}$ is defined as follows:

Definition 11 (Pre-signature Adaptability): An adaptor signature scheme AS satisfies pre-signature adaptability if for any $\lambda \in \mathbb{N}$, any message $m \in \{0, 1\}^*$, any statement/witness pair $(Y, y) \in R$, any key pair $(sk, vk) \leftarrow \text{KGen}(1^\lambda)$ and any pre-signature $\hat{\sigma} \leftarrow \{0, 1\}^*$ with $\text{pVf}(vk, m, Y, \hat{\sigma}) = 1$ we have:

$$\Pr[\text{Vf}(vk, m, \text{Adapt}(\hat{\sigma}, y)) = 1] = 1$$

Definition 12 (Witness Extractability): An adaptor signature scheme AS is witness extractable if for every PPT adversary \mathcal{A} , there exists a negligible function negl such that the following holds:

$$\Pr[\text{aWitExt}_{\mathcal{A}, \text{AS}}(\lambda) = 1] \leq \text{negl}(\lambda)$$

where the experiment $\text{aWitExt}_{\mathcal{A}, \text{AS}}$ is defined as follows

2) Signature schemes:

BLS Signatures. We briefly recall here the BLS signature scheme [14]. Let $(\mathbb{G}_0, \mathbb{G}_1, \mathbb{G}_t)$ be a bilinear group of prime order q , where q is a λ bit prime. Let e be an efficiently computable bilinear pairing $e : \mathbb{G}_0 \times \mathbb{G}_1 \rightarrow \mathbb{G}_t$, where g_0 and g_1 are generators of \mathbb{G}_0 and \mathbb{G}_1 respectively. Let H be a hash function $H : \{0, 1\}^* \rightarrow \mathbb{G}_1$.

- $(vk, sk) \leftarrow \text{KGen}(1^\lambda)$: choose $\alpha \leftarrow \mathbb{Z}_q$, set $h \leftarrow g_0^\alpha \in \mathbb{G}_0$ and output $vk := h$ and $sk := \alpha$.
- $\sigma \leftarrow \text{Sign}(sk, m)$: output $\sigma := H(m)^{sk} \in \mathbb{G}_1$.
- $0/1 \leftarrow \text{Vf}(vk, m, \sigma)$: if $e(g_0, \sigma) = e(vk, H(m))$, then output 1 and otherwise output 0.

Schnorr Signatures. We briefly recall the Schnorr signature scheme [35], that is defined over a cyclic group \mathbb{G} of prime order q with generator g , and use a hash function $H : \{0, 1\}^* \rightarrow \mathbb{Z}_q$.

- $(vk, sk) \leftarrow \text{KGen}(1^\lambda)$: choose $x \leftarrow \mathbb{Z}_q$ and set $sk := x$ and $vk := g^x$.
- $\sigma \leftarrow \text{Sign}(sk, m; r)$: sample a randomness $r \leftarrow \mathbb{Z}_q$ to compute $R := g^r$, $c := H(g^x, R, m)$, $s := r + cx$ and output $\sigma := (R, s)$.
- $0/1 \leftarrow \text{Vf}(vk, m, \sigma)$: parse $\sigma := (R, s)$ and then compute $c := H(vk, R, m)$ and if $g^s = R \cdot vk^c$ output 1, otherwise output 0.

ECDSA Signatures. The ECDSA signature scheme [28] is defined over an elliptic curve group \mathbb{G} of prime order q with base point (generator) g . The construction assumes the existence of a hash function $H : \{0, 1\}^* \rightarrow \mathbb{Z}_q$ and is given in the following.

- $(vk, sk) \leftarrow \text{KGen}(1^\lambda)$: choose $x \leftarrow \mathbb{Z}_q$ and set $sk := x$ and $vk := g^x$.
- $\sigma \leftarrow \text{Sign}(sk, m; r)$: sample an integer $k \leftarrow \mathbb{Z}_q$ and compute $c \leftarrow H(m)$. Let $(r_x, r_y) := R = g^k$, then set $r := r_x \bmod q$ and $s := (c + rx)/k \bmod q$. Output $\sigma := (r, s)$.
- $0/1 \leftarrow \text{Vf}(vk, m, \sigma)$: parse $\sigma := (r, s)$ and compute $c := H(m)$ and return 1 if and only if $(x, y) = (g^c \cdot h^r)^{s^{-1}}$ and $x = r \bmod q$. Otherwise output 0.

B. Proofs Of Correctness of Adaptor based VweTS

Theorem 2: Our VweTS construction from Figure 5 is correct according to Definition 6.

Proof 1:

Let $(c, \pi_c) \leftarrow \text{EncSig}(((\overline{vk}_i)_{i \in [N]}), ((\overline{m}_j)_{j \in [M]}), sk, (m_j)_{j \in [M]})$. To prove correctness we first need to show that

$$\Pr[\text{VfEnc}(c, \pi_c, ((\overline{vk}_i)_{i \in [N]}), ((\overline{m}_j, m_j)_{j \in [M]}), vk)) = 1] = 1.$$

Note that VfEnc will output 0 if one of the following occurs:

- 1) If $b_i = 0$ and $c'_i \neq \text{WES.Enc}((\overline{vk}^*, \overline{m}^*), r_i; r'_i)$. Provided the encryption is done correctly, this occurs with zero probability.
- 2) If $b_i = 1$ and $g^{s_i} \neq R_i \cdot Y_{\alpha, \beta}$. Note that by construction we have $s_i = r_i + y_{\alpha, \beta}$. This implies $g^{s_i} = g^{r_i} \cdot g^{y_{\alpha, \beta}} = R_i \cdot Y_{\alpha, \beta}$ and therefore this case never occurs.
- 3) If $b_i = 1$ and $\text{Vf}_{\mathcal{L}_c}(\overline{vk}_\beta, \overline{vk}^*, \overline{m}_\alpha, \overline{m}^*, c, c'_i, \pi) = 0$. By the completeness of the zero-knowledge protocol this occurs with zero probability.
- 4) If $b_i = 1$ and $\text{AS.pVf}(vk, m_\alpha, Y_\alpha, \hat{\sigma}_\alpha) \neq 1$. Since $\hat{\sigma}_i$ is computed using m_i and Y_i , by the correctness property of pSign, it is guaranteed pVf outputs 0 with zero probability.
- 5) If $b_i = 1$ and $\prod_{j \in T} Y_{\alpha, j}^{\ell_j(0)} \cdot Y_{\alpha, k}^{\ell_k(0)} \neq Y_\alpha$ for some $k \in [N] \setminus T$. This case is impossible by construction of the shares $Y_{\alpha, k}$ for $\alpha \in [M]$ and $k \in [N]$.

Thus we have shown that if EncSig is computed correctly, VfEnc outputs 1 with probability 1.

Next we need to show that for any $j \in [M]$, $K \subset [N]$ and $|K| = \rho$, if for all $i \in K$ we have $\text{Vf}(\overline{vk}_i, \overline{m}_j, \overline{\sigma}_i) = 1$, then

$$\Pr[\text{Vf}(vk, m_j, \text{DecSig}(j, \{\overline{\sigma}_i\}_{i \in K}, c, \pi_c)) = 1] = 1.$$

We are given that for all $i \in K$, $\text{Vf}(\overline{vk}_i, \overline{m}_j, \overline{\sigma}_i) = 1$. By construction, we have N buckets of size B that correspond to the message m_j . Denote these buckets as $\text{bckt}_{j,1}, \dots, \text{bckt}_{j,N}$. W.l.o.g. let K correspond to the first $|K|$ of these N buckets. And let each $\text{bckt}_{j,i}$ contain ciphertexts c_1, \dots, c_B . For $i \in K$:

- 1) Let rShare_i denote the set of values that are decrypted from $\text{bckt}_{j,i}$.
- 2) For each $c_k \in \text{bckt}_{j,i}$
 - a) Compute $r = \text{WES.Dec}(\overline{\sigma}_i, c_k)$
 - b) Update $\text{rShare}_i = \text{rShare}_i \cup \{r\}$. By the correctness property of WES we can correctly compute a r .

Let each r in rShare_i be denoted as $r_{i,a}$ for each $\text{bckt}_{j,i}$. To each $r_{i,a}$ is associated an (a, s_a, c_a, π_a) . By construction it is guaranteed that $R_a = g^{r_{i,a}}$. Pick any $r_{i,a}$ from the rShare_i . Since by construction, $s_a = r_{i,a} + y_{j,i}$ (j is the message number and i is the server number), one can compute $y_{j,i} = s_a - r_{i,a}$. Since $y_{j,i} = \left((y_j - \sum_{k \in [\rho-1]} y_{j,k} \cdot \ell_k(0)) \cdot \ell_i(0)^{-1} \right)$ by construction, we can compute $y_j = \sum_{i \in K} y_{j,i} \cdot \ell_i(0)$. Finally, we can adapt the signature $\hat{\sigma}_j$ using y_j to get σ_j , and by the correctness of the adaptor signature AS, the validity of the signature σ_j is guaranteed.

C. Security Analysis of VweTS Construction from Adaptor Signatures

Proof 2 (Proof of Theorem 1): We first show that the protocol described in Figure 5 satisfies one-wayness as defined in Definition 7. To this end, we present a sequence of hybrids starting from the one-wayness experiment defined in Figure 4.

Hyb₀: This is the experiment defined in Figure 4.

Hyb₁: This hybrid is the same as Hyb₀ except that the challenger guesses q^* and j^* that are output by the adversary.

For the oracle query EncSig \mathcal{O} corresponding to q^* the random oracle H_2 is simulated by lazy sampling. A random bit string b_1, \dots, b_γ and the mapping Φ is sampled and the output of the random oracle on the ciphertexts c'_i and R_i for $i \in [\gamma]$ is set to $(\Phi, (b_1, \dots, b_\gamma))$. The challenger guesses that the query q^* correctly with probability $\frac{1}{|Q_3|}$.

Hyb₂: This hybrid is the same as Hyb₁ except that in the q^* -th query to the EncSig \mathcal{O} the zero knowledge proofs π_i are replaced by simulated zero knowledge proofs. By the zero knowledge property of the underlying NIZK scheme the two hybrids are indistinguishable.

Hyb₃: This hybrid is the same as Hyb₂, except that the encryptions c'_i for which $b_i = 1$ are replaced by encryptions of 0. By the IND-CPA security of the witness encryption scheme (Definition 2) the two hybrids are indistinguishable. Note that the adversary cannot know the witness σ which is a signature on a randomly sampled message \overline{m}^* that can be verified by a randomly sampled key \overline{vk}^* . Since an adversary cannot efficiently compute sk^* from \overline{vk}^* the adversary cannot compute a valid witness.

Hyb₄: This hybrid is the same as Hyb₃, except that the encryptions c_i which are encrypted under \overline{vk}_β and \overline{m}_α such that $\beta \in [N] \setminus C$ and $\alpha = j^*$, are replaced by encryptions of 0. If $\overline{m}_j^* \in Q_1$, then abort. Note that since the experiment aborts if $\overline{m}_j^* \in Q_1$, the adversary cannot receive a valid witness (a signature on \overline{m}_j^* under \overline{vk}_β) to decrypt the ciphertext c_i . By the IND-CPA security of the witness encryption scheme (Definition 2) the two hybrids are indistinguishable. Note that the challenger correctly guesses the message index j^* with probability $\frac{1}{|M|}$.

Hyb₅: This hybrid is the same as Hyb₄, except that $\hat{\sigma}_j^*$ is computed as $\hat{\sigma}_j^* = \text{AS.pSign}(sk, m_j^*, Y_j^*)$ where $Y_j^* \leftarrow \mathbb{G}_0$. The shares of Y_j^* are computed by randomly sampling $Y_{j^*,k}$ for $k \in [1, \rho - 1]$. For $k \in [\rho, N]$, compute $Y_{j^*,k} = \left(\frac{Y_j^*}{\prod_{r \in [\rho-1]} Y_{j^*,r}^{\ell_r(0)}} \right)^{\ell_k(0)^{-1}}$ where ℓ_i is the i -th lagrange polynomial. The two hybrids are indistinguishable since the changes are syntactical and the distribution induced is identical in the two hybrids.

Hyb₆: This hybrid is the same as Hyb₅, except that for all i such that $\Phi(i) = (\alpha, \beta)$ where $\alpha = j^*$ and $\beta \in [N] \setminus C$ the variable s_i is randomly sampled as $s_i \leftarrow \mathbb{Z}_q$ and R_i is computed as $R_i = \frac{g^{s_i}}{Y_{\alpha, \beta}}$. The distribution of R_i and s_i are identical to the previous hybrid and therefore they are indistinguishable.

Now we show that one-wayness holds in Hyb₆. In particular we show that an adversary that wins the one-wayness experiment can be used to break the unforgeability property (Definition 10) of the underlying adaptor signature.

Consider an adversary \mathcal{A} that wins the one-wayness experiment with non-negligible probability. We now describe another

adversary \mathcal{B} that uses \mathcal{A} to win the unforgeability game of the adaptor signatures.

Adversary \mathcal{B} :

- 1) Initialize \mathcal{A} and simulate the experiment ExpOWay towards \mathcal{A} .
- 2) While simulating EncSigO for query q^* and message m^* , send m to the challenger.
- 3) Receive $\hat{\sigma}$ and Y from the challenger. Simulate the rest of the protocol as in Hyb_6 where Y is used instead of randomly sampling Y_j^* in computing $\hat{\sigma} = \text{AS.pSign}(sk, m_j^*, Y)$.
- 4) Upon receiving any SignO calls forward the calls to the challenger and return the response to the adversary.
- 5) Upon receiving σ from \mathcal{A} , output σ to the challenger.

It is clear that the

$$\Pr[\text{aSigForge}_{\mathcal{B}, \text{AS}}(\lambda)] = \frac{1}{|Q_3|} \frac{1}{|M|} \Pr[\text{ExpOWay}_{\text{VweTS, DS, } \overline{\text{DS}}, \mathcal{A}}^{\rho, N}(\lambda) = 1]$$

This implies that $\Pr[\text{ExpOWay}_{\text{VweTS, DS, } \overline{\text{DS}}, \mathcal{A}}^{\rho, N}(\lambda) = 1] \leq \text{negl}(\lambda)$ since we assume that the adaptor signature scheme is EUF-CMA secure and $|Q_3|$ and $|M|$ are polynomial in the security parameter λ . This concludes our proof of security of one-wayness.

We now prove that the scheme is verifiable according to Definition 8. We analyze the protocol in the interactive version and the verifiability must follow from the Fiat-Shamir transformation. Assume that an adversary \mathcal{A} breaks the verifiability of the protocol. This implies that the adversary outputs $((m_j, \overline{m}_j)_{j \in [M]}, vk, (\overline{vk}_i)_{i \in [N]}, (\overline{\sigma}_j)_{j \in K}, j^*, c, \pi_c)$ such that

- 1) $\forall j \in K, \text{Vf}(\overline{vk}_j, \overline{m}_{j^*}, \overline{\sigma}_j) = 1$
- 2) $\text{VfEnc}(c, \pi_c, ((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}, vk)) = 1$
- 3) $\text{Vf}(vk, m_{j^*}, \sigma) = 0$, where $\sigma \leftarrow \text{DecSig}(j^*, \{\overline{\sigma}_j\}_{j \in K}, c, \pi_c)$

Now since $\forall j \in K, \text{Vf}(\overline{vk}_j, \overline{m}_{j^*}, \overline{\sigma}_j) = 1$, the adversary is able to compute some $r = \text{WES.Dec}(\overline{\sigma}_j, c)$ for every $(i, s, c, \pi) \in \mathcal{S}_{\text{unop}}$ such that $\Phi(i) = (j^*, j)$. This r is then added to rShare_j .

Now following Corollary 4.2 of [32] we pick parameters such that the probability of all r in any rShare_j to be invalid is negligible. More specifically, if the total number of ciphertexts is set to $2MNB$, where $B = |\text{bckt}|$ and $B \geq \frac{\lambda}{\log MN + 1} + 1$ then the probability of all r in any rShare being invalid is negligible.

Since VfEnc outputs 1, this implies that $g^{s_i} = R_i \cdot Y_{\alpha, \beta}$. Moreover, the ciphertexts are well formed except with negligible probability by the soundness of the NIZK scheme. This implies that the secret shares $y_{j, i}$ can be computed as $s_\alpha - r_{i, \alpha}$. Given K shares the party is able to reconstruct to compute y_j . Finally since $\text{AS.pVf}(vk, m_\alpha, Y_\alpha, \hat{\sigma}_\alpha) = 1$ by the pre-signature adaptability property of AS the party is able to compute the signature σ with high probability.

D. Construction based on BLS signatures

In this section, we present another concrete construction of VweTS with parameters ρ, N and M relying on the same cryptographic building blocks as the previous construction,

except that we replace DS with BLS signature scheme the same as $\overline{\text{DS}}$.

1) *High Level Overview:* We present a high level overview of our construction, and the formal description is given in Figure 12. Similar to the adaptor signature based construction, we assume the availability of public parameters.

The signature generation algorithm proceeds similar to the previous construction, except that instead of generating adaptor pre-signatures on the message m_i , the algorithm generates BLS signatures on the message m_i wrt. secret key sk . It then secret shares each of the BLS signatures and for each of their verifiability, the algorithm also generates the shares of the verification key vk . The final point of difference is in the cut-and-choose where, for the unopened indices i such that $(\alpha, \beta) := \Phi(i)$, we set the value s_i to be the aggregate of the signature share $\sigma_{\alpha, \beta}$ and the value $g_1^{r_i}$. The rest of the algorithm proceeds as the adaptor signature based construction.

To verify, the algorithm proceeds as before except now instead of checking the correctness of adaptor witness sharing, it verifies the correctness of the signature sharing with a simple pairing check. The decryption algorithm also proceeds as before, except the difference is obtaining the signature share from s_i . Recall s_i is an aggregate of the signature share and a group element in this case. Therefore, to obtain the signature share, we divide away the masking group element and finally reconstruct the required signature via Lagrange interpolation.

2) *Proofs Of Correctness of BLS based VweTS:*

Theorem 3: Our VweTS construction from Figure 12 is correct according to Definition 6.

Proof 3:

We let $(c, \pi_c) \leftarrow \text{EncSig}(((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j)_{j \in [M]}, \rho), sk, (m_j)_{j \in [M]})$. To prove correctness we first need to show that

$$\Pr[\text{VfEnc}(c, \pi_c, ((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}, vk)) = 1] = 1.$$

Note that VfEnc will output 0 if one of the following occurs:

- 1) If $b_i = 0$ and $c'_i \neq \text{WES.Enc}((\overline{vk}_i^*, \overline{m}_i^*), r_i; r'_i)$. Provided the encryption is done correctly, this occurs with zero probability.
- 2) If $b_i = 1$ and $e(g_0, s_i) \neq e(R_i, g_1) \cdot e(h_{\alpha, \beta}, H(m_\alpha))$. Note that by construction we have $s_i = \sigma_{\alpha, \beta} \cdot g_1^{r_i}$. This implies

$$\begin{aligned} e(g_0, s_i) &= e(g_0, \sigma_{\alpha, \beta} \cdot g_1^{r_i}) \\ &= e(g_0, H_0(m_\alpha)^{x_{\alpha, \beta}} \cdot g_1^{r_i}) \\ &= e(g_0, H_0(m_\alpha)^{x_{\alpha, \beta}}) \cdot e(g_0, g_1^{r_i}) \\ &= e(g_0^{x_{\alpha, \beta}}, H_0(m_\alpha)) \cdot e(g_0^{r_i}, g_1) \\ &= e(h_{\alpha, \beta}, H_0(m_\alpha)) \cdot e(R_i, g_1) \end{aligned}$$

and therefore this case never occurs.

- 3) If $b_i = 1$ and $\Pi_{\mathcal{L}_c} \text{Vf}(\overline{vk}_\beta, \overline{vk}_\alpha^*, \overline{m}_\alpha, \overline{m}_\alpha^*, c, c'_i, \pi) = 0$. By the completeness of the zero-knowledge protocol this occurs with zero probability.
- 4) If $b_i = 1$ and $\prod_{j \in T} h_{\alpha, j}^{\ell_j(0)} \cdot h_{\alpha, k}^{\ell_k(0)} = vk$. This case is impossible by construction of the shares of vk for $\alpha \in [M]$ and $k \in [N]$.

Public parameters: $(\mathbb{G}_0, g_0, \mathbb{G}_1, g_1, q, \mathbb{G}_T, \gamma, H_2, crs)$

$(c, \pi_c) \leftarrow \text{EncSig}((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j)_{j \in [M]}, \rho, sk, (m_j)_{j \in [M]}):$

- 1) Sample random $\overline{vk}^* \in \mathbb{G}_0$ and $\overline{m}^* \in \{0, 1\}^\lambda$, initialize $\mathcal{S}_{\text{op}} = \mathcal{S}_{\text{unop}} = \emptyset$.
 - 2) For $i \in [\gamma]$:
 - a) Sample $r_i \leftarrow \mathbb{Z}_q$ and compute $R_i := g_0^{r_i}$.
 - b) Compute $c'_i := \text{WES.Enc}((\overline{vk}^*, \overline{m}^*), r_i; r'_i)$ where r'_i is the random coins used.
 - 3) Compute $\{\Phi, (b_1, \dots, b_\gamma)\} := H_2((c'_i, R_i)_{i \in [\gamma]}).$
 - 4) For $i \in [1, M]$:
 - a) Compute $\sigma_i = \text{DS.Sign}(sk, m_i)$.
 - b) For $j \in [\rho - 1]$, sample a uniform $x_{i,j} \leftarrow \mathbb{Z}_q$ and set $\sigma_{i,j} = H_0(m_i)^{x_{i,j}}$ and set $h_{i,j} = g_0^{x_{i,j}}$.
 - c) For all $j \in \{t, \dots, N\}$ compute $\sigma_{i,j} = \left(\frac{\sigma_i}{\prod_{j \in [t-1]} \sigma_{i,j}^{\ell_j(0)}} \right)^{\ell_i(0)^{-1}}$, $h_{i,j} = \left(\frac{vk}{\prod_{j \in [t-1]} h_{i,j}^{\ell_j(0)}} \right)^{\ell_i(0)^{-1}}$.
 - 5) Set $\Sigma_1 = \{h_{i,j}\}_{i \in [M], j \in [N]}$.
 - 6) For $i \in [\gamma]$:
 - a) If $b_i = 1$, do $\mathcal{S}_{\text{op}} = \mathcal{S}_{\text{op}} \cup (i, r_i, r'_i)$.
 - b) If $b_i = 0$:
 - i) Let $(\alpha, \beta) := \Phi(i)$.
 - ii) Compute $s_i = \sigma_{\alpha, \beta} \cdot g_1^{r_i}$.
 - iii) Compute $c_i := \text{WES.Enc}((\overline{vk}_\beta, \overline{m}_\alpha), r_i; r'_i)$ and $\pi_i \leftarrow \Pi_{\mathcal{L}_c}.\text{Prove}(\overline{vk}_\beta, \overline{vk}^*, \overline{m}_\alpha, \overline{m}^*, c_i, c'_i)$.
 - iv) Set $\mathcal{S}_{\text{unop}} = \mathcal{S}_{\text{unop}} \cup (i, c_i, \pi_i, s_i)$.
 - 7) Return $c = \{c'_i\}_{i \in [\gamma]}$, $\pi_c = \{\mathcal{S}_{\text{op}}, \mathcal{S}_{\text{unop}}, \overline{vk}^*, \overline{m}^*, \{R_i\}_{i \in [\gamma]}, \Sigma_1\}$.
- $0/1 \leftarrow \text{VfEnc}(c, \pi_c, ((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}, vk)):$
- 1) Parse c as $\{c'_i\}_{i \in [\gamma]}$ and π_c as $\{\mathcal{S}_{\text{op}}, \mathcal{S}_{\text{unop}}, \overline{vk}^*, \overline{m}^*, \{R_i\}_{i \in [\gamma]}, \Sigma_1$ and $\Sigma_1 = \{h_{i,j}\}_{i \in [M], j \in [N]}\}$.
 - 2) Compute $\{\Phi, (b_1, \dots, b_\gamma)\} := H_2((c'_i, R_i)_{i \in [\gamma]}).$
 - 3) For $i \in [\gamma]$:
 - a) If $b_i = 0$, check that $(i, r_i, r'_i) \in \mathcal{S}_{\text{op}}$ and that $c'_i := \text{WES.Enc}((\overline{vk}^*, \overline{m}^*), r_i; r'_i)$.
 - b) If $b_i = 1$:
 - i) $(\alpha, \beta) := \Phi(i)$.
 - ii) Check that $(i, c_i, \pi_i, s_i) \in \mathcal{S}_{\text{unop}}$.
 - iii) Check that $e(g_0, s_i) = e(R_i, g_1) \cdot e(h_{\alpha, \beta}, H_0(m_\alpha))$.
 - iv) Check $\Pi_{\mathcal{L}_c}.\text{Vf}(\overline{vk}_\beta, \overline{vk}^*, \overline{m}_\alpha, \overline{m}^*, c, c'_i, \pi_i) = 1$.
 - v) Let T be a subset of $[N]$ of size $\rho - 1$, check that for every $k \in [N] \setminus T$: $\prod_{j \in T} h_{\alpha, j}^{\ell_j(0)} \cdot h_{\alpha, k}^{\ell_k(0)} = vk$.
 - c) If any of the checks fail output 0, else output 1.
- $\sigma \leftarrow \text{DecSig}(j, \{\overline{\sigma}_i\}_{i \in [K]}, c, \pi_c):$
- 1) Parse c as $\{c'_i\}_{i \in [\gamma]}$ and π_c as $\{\mathcal{S}_{\text{op}}, \mathcal{S}_{\text{unop}}, \overline{vk}^*, \overline{m}^*, \{R_i\}_{i \in [\gamma]}, \Sigma_1$ and $\Sigma_1 = \{h_{i,j}\}_{i \in [M], j \in [N]}\}$.
 - 2) Initialize $\text{rShare}_i = \emptyset$ for $i \in [K]$.
 - 3) For each $(i, c_i, \pi_i, s_i) \in \mathcal{S}_{\text{unop}}$, compute $(\alpha, \beta) = \Phi(i)$. If $\alpha = j$ and $\beta \in [K]$ s.t. $\text{DS.Vf}(\overline{vk}_\beta, (\overline{m}_\alpha, \overline{\sigma}_i) = 1)$.
 - a) Compute $r = \text{WES.Dec}(\overline{\sigma}_i, c_i)$.
 - b) $\text{rShare}_\beta := \text{rShare}_\beta \cup \{r\}$.
 - 4) It is guaranteed that at least one r in each rShare_i is valid. Denote this as $r_{i,a}$, where $(a, c_a, \pi_i, s_a) \in \mathcal{S}_{\text{unop}}$.
 - 5) For $i \in [K]$, compute $\sigma_{j,i} = s_a / g_1^{r_{i,a}}$.
 - 6) Return $\sigma_j = \prod_{i \in [K]} \sigma_{j,i}^{\ell_i(0)}$.

Fig. 12. Verifiable witness encryption based on threshold signatures from BLS signatures.

Thus we have shown that if EncSig is computed correctly, VfEnc outputs 1 with probability 1.

Next we need to show that for any $j \in [M], K \subset [N]$ and $|K| = \rho$, if for all $i \in K$ we have $\text{Vf}(vk_i, \bar{m}_j, \bar{\sigma}_i) = 1$, then

$$\Pr[\text{Vf}(vk, m_j, \text{DecSig}(j, \{\bar{\sigma}_i\}_{i \in K}, c, \pi_c)) = 1] = 1.$$

We are given that for all $i \in K$, $\text{Vf}(vk_i, \bar{m}_j, \bar{\sigma}_i) = 1$. By construction, we have N buckets of size B that correspond to the message m_j . Let these buckets be denoted as $\text{bckt}_{j,1}, \dots, \text{bckt}_{j,N}$. W.l.o.g. let K correspond to the first $|K|$ of these N buckets. And let each bucket $\text{bckt}_{j,i}$ contain ciphertexts c_1, \dots, c_B For $i \in K$:

- 1) Let rShare_i denote the set of values that are decrypted from $\text{bckt}_{j,i}$
- 2) For each $c_k \in \text{bckt}_{j,i}$
 - a) Compute $r = \text{WES.Dec}(\bar{\sigma}_i, c_k)$
 - b) Update $\text{rShare}_i = \text{rShare}_i \cup r$. By the correctness property of WES we can correctly compute a r .

Let each r in rShare_i be denoted as $r_{i,a}$ for each $\text{bckt}_{j,i}$. To each $r_{i,a}$ is associated an (a, s_a, c_a, π_a) . By construction it is guaranteed that $R_a = g_0^{r_{i,a}}$. Pick any $r_{i,a}$ from the rShare_i . Since by construction, $s_a = \sigma_{j,\beta} \cdot g_1^{r_{i,a}}$ (j is the message number and β is the server number), one can compute $\sigma_{j,\beta} = s_a / g_1^{r_{i,a}}$.

Since $\sigma_{j,\beta} = \left(\frac{\sigma_j}{\prod_{i \in [t-1]} \sigma_{j,i}^{\ell_i(0)}} \right)^{\ell_i(0)^{-1}}$ by construction, one can compute $\sigma_j = \prod_{i \in K} \sigma_{j,i} \cdot \ell_i(0)$.

3) *Security Analysis of VweTS Construction From BLS Signatures:*

Theorem 4: Let BLS signature scheme be unforgeable (DS and DS), WES be a secure witness encryption based on signatures scheme, and $(\text{Setup}_{\mathcal{L}_c}, \text{Prove}_{\mathcal{L}_c}, \text{Vf}_{\mathcal{L}_c})$ be NIZK proof system for the language \mathcal{L}_c satisfying zero-knowledge and simulation soundness. Then the VweTS construction from Figure 5 is one-way and verifiable according to Definition 7 and Definition 8, respectively.

Before proceeding with the proof of the theorem we recall the aggregate extraction problem, as defined in [13]. For a uniformly sampled bilinear group $(\mathbb{G}_0, \mathbb{G}_1, \mathbb{G}_T)$ with uniformly sampled generators (g_0, g_1) , the aggregate extraction problem gives the attacker the following information

$$(g_0, g_1, g_0^r, g_0^s, g_1^{r+s})$$

where $r, s \leftarrow_{\mathcal{S}} \mathbb{Z}_q$. The adversary wins if it outputs g_1^s . It is not hard to see that this variant of the problem is as hard as the computational Diffie-Hellman (CDH) problem. On input $(g_0, g_1, X = g_0^x)$, the reduction samples y and set $Y = g_1^y$. Then it feeds the adversary with $(g_0, g_1, X, g_0^y/X, Y)$ and returns whatever the adversary returns. It can be verified that the tuple is identically distributed as the challenge for the aggregate extraction problem and a solution immediately yields a solution for the CDH problem.

Proof 4 (Proof of Theorem 4): We first show that the protocol described in Figure 12 satisfies one-wayness as defined in Definition 7. To this end, we present a sequence of hybrids starting from the one-wayness experiment defined in Figure 4.

Hyb₀ – Hyb₄: Defined as in the proof of Theorem 1.

Hyb₅: This hybrid is the same as Hyb₄ except that for j^*

- 1) For $i \in C$:
 - a) Sample a uniform $x_{i,j^*} \leftarrow \mathbb{Z}_q$
 - b) Set $\sigma_{i,j^*} = H_0(m_{j^*})^{x_{i,j^*}}$
 - c) Set $h_{i,j^*} = g_0^{x_{i,j^*}}$
- 2) For $i \in [N] \setminus C$:
 - a) Compute $h_{i,j^*} = \left(\frac{vk}{\prod_{k \in C} h_{i,k}^{\ell_k(0)}} \right)^{\ell_i(0)^{-1}}$
 - b) Sample $r \leftarrow_{\mathcal{S}} \mathbb{Z}_q$
 - c) Let a be s.t. $\Phi(a) = (i, j^*)$ compute $s_a = g_1^r \cdot \left(\frac{\sigma_i}{\prod_{k \in C} \sigma_{i,k}^{\ell_k(0)}} \right)^{\ell_i(0)^{-1}}$
 - d) Set $R_a = g_0^r$.

For the malicious parties ($i \in C$) the variables $\sigma_{i,j^*}, h_{i,j^*}$ and s_{i,j^*} are computed exactly as in Hyb₄.

For the honest parties ($i \in [N] \setminus C$), the variables are computed such that the distribution of R_i, s_i are indistinguishable from the previous hybrid and h_{i,j^*} is computed as in the previous hybrid. Therefore the two hybrids are indistinguishable.

Now we show that one-wayness holds in Hyb₅. In particular we show that an adversary that wins the one-wayness experiment can be used to solve the aggregate extraction problem. Consider an adversary \mathcal{A} that wins the one-wayness experiment with non-negligible probability. We now describe another adversary \mathcal{B} that uses \mathcal{A} to win the aggregate extraction problem.

Adversary \mathcal{B} :

- 1) Initialize \mathcal{A} and simulate the experiment ExpOWay towards the adversary as in Hyb₅.
- 2) Upon receiving a challenge (G, H, σ, g_0, g_1) do the following. For $i \in C$, do as in Hyb₅. For $i \in [N] \setminus C$:
 - a) Sample $\alpha \leftarrow \mathbb{Z}_q$
 - b) replace s_a with $\sigma \cdot g_1^\alpha$
 - c) replace h_{i,j^*} with H
 - d) replace R_a with $G \cdot g_0^\alpha$.
- 3) Upon receiving Sign \mathcal{O} calls simulate the signature by programming the random oracle appropriately.
- 4) Upon receiving σ^* from \mathcal{A} , compute $\sigma' = \left(\frac{\sigma^*}{\prod_{i \in C} \sigma_{i,j^*}^{\ell_{j^*}(0)}} \right)^{(\ell_{j^*}(0))^{-1}}$ and output σ' .

Observe that if σ^* is a valid signature then $\sigma^* = \prod_{i \in [K]} \sigma_{j^*,i}^{\ell_i(0)}$. This implies atleast one of the $\sigma_{j^*,i}$ corresponds to an $i \in [N] \setminus C$. Now, $\sigma' = \left(\frac{\sigma^*}{\prod_{i \in C} \sigma_{i,j^*}^{\ell_{j^*}(0)}} \right)^{(\ell_{j^*}(0))^{-1}}$ returns $\sigma' = \sigma_{j^*,i}$ that corresponds to an $i \in [N] \setminus C$

This implies $\sigma' = s_a / g_1^{\alpha}$ for some a . The reduction playing the AggExt experiment sets $s_a = g_1^{r+\alpha} \cdot g_1^\alpha$ and $R_a = g_0^r \cdot g_0^\alpha$. The latter implies $r_a = r + \alpha$ and therefore $\sigma' = s_a / g_1^{r_a} = \frac{g_1^{r+\alpha} \cdot g_1^\alpha}{g_1^{r+\alpha}} = g_1^\alpha$

$$\begin{aligned}
& \text{Thus, } \Pr[\text{AggExt}_{\mathcal{A}, \mathbb{G}_0, \mathbb{G}_1, \mathbb{G}_T}(\lambda) = 1] \\
&= \Pr[\text{Hyb}_{\text{VweTS, DS, } \overline{\text{DS}}, \mathcal{A}}^{\rho, N}(\lambda) = 1] \\
&= \frac{1}{|\mathbb{Q}_3|} \frac{1}{M} \Pr[\text{ExpOWay}_{\text{VweTS, DS, } \overline{\text{DS}}, \mathcal{A}}^{\rho, N}(\lambda) = 1]
\end{aligned}$$

We now prove that the scheme is verifiable according to Definition 8. We analyze the protocol in the interactive version and the verifiability must follow from the Fiat-Shamir transformation. Assume that an adversary \mathcal{A} breaks the verifiability of the protocol. This implies that the adversary outputs $((m_j, \overline{m}_j)_{j \in [M]}, vk, (\overline{vk}_i)_{i \in [N]}, (\overline{\sigma}_j)_{j \in K}, j^*, c, \pi_c)$ such that

- 1) $\forall j \in K, \text{Vf}(\overline{vk}_j, \overline{m}_j, \overline{\sigma}_j) = 1$
- 2) $\text{VfEnc}(c, \pi_c, ((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}, vk)) = 1$
- 3) $\text{Vf}(vk, m_{j^*}, \sigma) = 0$, where $\sigma \leftarrow \text{DecSig}(j^*, \{\overline{\sigma}_j\}_{j \in K}, c, \pi_c)$

Now since $\forall j \in K, \text{Vf}(\overline{vk}_j, \overline{m}_j, \overline{\sigma}_j) = 1$, the adversary is able to compute some $r = \text{WES.Dec}(\overline{\sigma}_j, c)$ for every $(i, s, c, \pi) \in \mathcal{S}_{\text{unop}}$ such that $\Phi(i) = (j^*, j)$. This r is then added to $r\text{Share}_j$.

Now following Corollary 4.2 of [32] we pick parameters such that the probability of all r in any $r\text{Share}_j$ to be invalid is negligible. More specifically, if the total number of ciphertexts is set to $2MNB$, where $B = |\text{bckt}|$ and $B \geq \frac{\lambda}{\log MN+1} + 1$ then the probability of all r in any $r\text{Share}$ being invalid is negligible.

Since VfEnc outputs 1, this implies that $e(g_0, s_i) = e(R_i, g_1) \cdot e(h_{\alpha, \beta}, H_0(m_\alpha))$. Moreover, the ciphertexts are well formed except with negligible probability by the soundness of the NIZK scheme. This implies that the secret shares σ_{i, j^*} can be computed as $s_\alpha / g_1^{r_{i, \alpha}}$. Given K shares the party is able to reconstruct to compute σ_{j^*} .

E. Security Analysis for Concretely Efficient Construction For Large Universe of Outcomes

Security Analysis. We now argue that the scheme is secure. Fix an outcome \tilde{j} . Observe that the security of the witness encryption scheme allows us to argue that the values $(z_{\tilde{j}[1] \oplus 1, 1}, \dots, z_{\tilde{j}[\mu] \oplus 1, \mu})$ are hidden, provided that the majority of the oracles is honest (this assumption is also necessary for the security of our main protocol in Section IV-B). Thus, all we need to argue is that, revealing the values $(z_{\tilde{j}[1], 1}, \dots, z_{\tilde{j}[\mu], \mu})$ does not allow the adversary to recover any signature beyond the one on $m_{\tilde{j}}$. We are going to show this via a reduction to the discrete logarithm problem.

Let Y^* be the challenge group element. The reduction guesses an index $i^* \in \{1, \dots, \mu\}$ and a bit $b^* \in \{0, 1\}$ and sets $Z_{b^*, i^*} = Y^*$. All other values of $\{Z_{b, i}\}$ are sampled as in the original game (i.e., the reduction knows the corresponding discrete logarithm $z_{b, i}$). For all $j \in \{1 \dots, M\}$, the reduction proceeds as follows. For all j such that $j[i^*] \neq b^*$, the reduction sets e_j and Y_j as in the original game (since it knows the discrete logarithm of the corresponding group elements). On the other hand, for all j such that $j[i^*] = b^*$, the reduction computes

$$e_j = r_j + \sum_{i \neq i^*} z_{j[i], i} \text{ and } Y_j = g^{r_j} \cdot (Y^*)^{-1}$$

where $r_j \leftarrow \mathbb{Z}_q$. Observe that all values up to this point are distributed identically as in the original game. The reduction proceeds as in the original game, except that it witness encrypts 0 instead of the discrete logarithm of Z_{b^*, i^*} . Let \tilde{j} be the outcome of the event, and assume that the adversary is able to recover a signature on some message corresponding to the outcome $j^* \neq \tilde{j}$. If $j^*[i^*] \neq b^*$ and $\tilde{j}[i^*] \neq b^* \oplus 1$ the reduction aborts, otherwise it uses the signature on j^* to extract the discrete logarithm of Y_{j^*} . Since

$$\text{DLog}(Y_{j^*}) = \text{DLog}(g^{r_{j^*}} \cdot (Y^*)^{-1}) = r_{j^*} - y^*$$

the reduction can output $y^* = \text{DLog}(Y^*)$.

It is clear that the reduction is efficient and, assuming that it completes the execution, it solves the discrete logarithm problem or breaks the witness extractability of the adaptor signature. We now argue that the view of the adversary induced by the reduction is computationally indistinguishable from the one of the original game. Note that the only difference is the computation of the witness encryption for the discrete logarithm of Z_{b^*, i^*} is substituted with a witness encryption of 0. Since $\tilde{j}[i^*] = b^* \oplus 1$, it follows by the security of witness encryption that the two views are computationally indistinguishable. Finally, note that the reduction does not abort if $j^*[i^*] = b^*$ and $\tilde{j}[i^*] = b^* \oplus 1$, which is an event that happens with non-negligible probability. This concludes our proof.

F. Oracle-based Conditional Payments

Definition 13 (Oracle-based Conditional Payments): Oracle-based conditional payments is a protocol parameterized by $\rho, N, M \in \mathbb{N}$ (s.t. $\lceil \frac{N}{2} \rceil \leq \rho \leq N$) and run among a set of entities: N oracles $\{\mathcal{O}_1, \dots, \mathcal{O}_N\}$, a signing party (Alice) and a verifying party (Bob). The Oracle-based conditional (Ocb) payment protocol is defined with respect to a digital signature scheme $\Pi_{\text{DS}} := (\text{KGen}, \text{Sign}, \text{Vf})$ and consists of five PPT algorithms ($\text{OKGen}, \text{Attest}, \text{AttestVf}, \text{Anticipate}, \text{AnticipateVf}, \text{Redeem}$), that are defined below.

- $(\overline{vk}, \overline{sk}) \leftarrow \text{OKGen}(1^\lambda)$: the oracle key generation algorithm takes as input the security parameter λ and outputs the oracle public key \overline{vk} and the corresponding oracle secret key \overline{sk} .
- $\overline{\sigma} \leftarrow \text{Attest}(\overline{sk}, \overline{m})$: the event attestation algorithm takes as input oracle's secret key \overline{sk} , and the event outcome \overline{m} , and outputs the outcome attestation $\overline{\sigma}$.
- $\{0, 1\} \leftarrow \text{AttestVf}(\overline{vk}, \overline{\sigma}, \overline{m})$: the attestation verification algorithm takes as input oracle's public key \overline{vk} , the outcome attestation $\overline{\sigma}$ and the outcome \overline{m} , and returns 1 if $\overline{\sigma}$ attests to \overline{m} being the outcome of the event and 0 otherwise.
- $(c, \pi_c) \leftarrow \text{Anticipate}(sk, (\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]})$: the attestation anticipation algorithm takes as input the signing party's secret key sk , oracles' public keys $(\overline{vk}_i)_{i \in [N]}$, and tuples of outcomes and transactions $(\overline{m}_j, m_j)_{j \in [M]}$, and outputs the anticipation (c, π_c) .
- $\{0, 1\} \leftarrow \text{AnticipateVf}(vk, (c, \pi_c), (\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]})$: the anticipation verification algorithm takes as inputs the signing party's public key vk , the anticipation (c, π_c) ,

oracles' public keys $(\overline{vk}_i)_{i \in [N]}$, and tuples of outcomes and transactions $(\overline{m}_j, m_j)_{j \in [M]}$, and outputs 1 if (c, π_c) is well-formed and 0 otherwise.

- $\sigma \leftarrow \text{Redeem}(j, (\overline{\sigma}_i)_{i \in [K]}, (c, \pi_c))$: the redeem algorithm takes as input an index $j \in [M]$, attestations $(\overline{\sigma}_i)_{i \in [K]}$ for $|K| = \rho$ and $K \subset [N]$, and the anticipation (c, π_c) . It returns as output a signature σ on the transaction m_j .

Correctness. An ObC payment scheme is correct if (i) honestly created attestations verify correctly; (ii) honestly generated attestation anticipations verify correctly; and (iii) honestly generated anticipations and attestations are redeemable.

Definition 14 (Correctness): An Oracle-based conditional payment scheme is correct if the following holds simultaneously:

- *Honest attestations must verify correctly.* For all $\lambda \in \mathbb{N}$, all $(\overline{vk}, \overline{sk}) \in \text{SUPP}(\text{OKGen}(\lambda))$, all outcomes \overline{m} , it must hold that:

$$\Pr[\text{AttestVf}(\overline{vk}, \text{Attest}(\overline{sk}, \overline{m}), \overline{m}) = 1] = 1$$

- *Honestly generated attestation anticipations must verify correctly.* For all $\lambda \in \mathbb{N}$, all $(\overline{vk}_1, \dots, \overline{vk}_N) \in \text{SUPP}(\text{OKGen}(\lambda))$, all $(vk, sk) \in \text{SUPP}(\Pi_{\text{DS}}.\text{KGen}(\lambda))$ all pairs of the form $(\overline{m}_j, m_j)_{j \in [M]}$, it must hold that:

$$\Pr[\text{AnticipateVf}(vk, (c, \pi_c), (\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}) = 1] = 1$$

where $(c, \pi_c) \leftarrow \text{Anticipate}(sk, (\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]})$.

- *Honest generated anticipations and attestations must be redeemable by the counter-party.* For all $\lambda \in \mathbb{N}$, all set of public keys $(\overline{vk}_1, \dots, \overline{vk}_N) \in \text{SUPP}(\text{OKGen}(\lambda))$, all $(vk, sk) \in \text{SUPP}(\Pi_{\text{DS}}.\text{KGen}(\lambda))$, all pairs $(\overline{m}_j, m_j)_{j \in [M]}$, any $j \in [M]$ and any $K \subset [N]$, where $|K| = \rho$, it must hold that:

$$\Pr[\text{DS.Vf}(vk, m_j, \text{Redeem}(j, (\overline{\sigma}_i)_{i \in [K]}, (c, \pi_c))) = 1] = 1$$

where $(c, \pi_c) \leftarrow \text{Anticipate}(sk, (\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]})$ and $\forall i \in [K] : \overline{\sigma}_i \leftarrow \text{Attest}(\overline{sk}_i, \overline{m}_j)$.

Security definitions. We first introduce the notion of unforgeability. Unforgeability means that an adversary cannot redeem an ObC payment on an outcome that is different from the winning outcome announced by the oracles.

Definition 15 (Unforgeability): An Oracle-based conditional payment scheme $(\rho, N, M) - \text{ObC} := (\text{OKGen}, \text{Attest}, \text{AttestVf}, \text{Anticipate}, \text{AnticipateVf}, \text{Redeem})$ parameterized by $\rho, N, M \in \mathbb{N}$ and defined with respect to a signature scheme $\Pi_{\text{DS}} := (\text{KGen}, \text{Sign}, \text{Vf})$ is said to be *unforgeable* if for all $\lambda \in \mathbb{N}$, there exists a negligible function $\text{negl}(\lambda)$, such that for all PPT adversaries \mathcal{A} , the following holds,

$$\Pr \left[\text{ExpForge}_{\text{ObC}, \Pi_{\text{BDS}}, \mathcal{A}}^{\rho, N, M}(\lambda) = 1 \right] \leq \text{negl}(\lambda)$$

where ExpForge is defined in Figure 13.

A second notion of interest in ObC payments is verifiability. With verifiability, we aim to capture the property that if an anticipation is correctly computed and verified, a conditional

$\text{ExpForge}_{\text{ObC}, \Pi_{\text{BDS}}, \mathcal{A}}^{\rho, N, M}(\lambda)$

$Q_1 := Q_2 := \emptyset, Q_3 := []$
 $(vk, sk) \leftarrow \Pi_{\text{DS}}.\text{KGen}(1^\lambda)$
 $(C, \text{st}_0) \leftarrow \mathcal{A}(vk) \quad \text{! let } C \subset [N]$
 $\forall i \in [N] \setminus C, (\overline{vk}_i, \overline{sk}_i) \leftarrow \text{OKGen}(1^\lambda)$
 $(q^*, \sigma^*, j^*) \leftarrow \mathcal{A}^{\text{Anticipate}^\mathcal{O}, \text{Attest}^\mathcal{O}, \text{Sign}^\mathcal{O}}(\text{st}_0, \{\overline{vk}_i\}_{i \in [N] \setminus C})$
 $((c, \pi_c), X) \leftarrow Q_3[q^*]$
 $X := (sk, (\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]})$
 $b_0 := ((m_j^*, \sigma^*) \notin Q_2)$
 $b_1 := ((\overline{m}_j^*) \notin Q_1)$
 $b_2 := (|C| \leq \rho - 1)$
 $b_3 := (\Pi_{\text{DS}}.\text{Vf}(vk, m_j^*, \sigma^*) = 1)$
return $b_0 \wedge b_1 \wedge b_2 \wedge b_3$

$\text{Anticipate}^\mathcal{O}((\overline{m}_j, m_j)_{j \in [M]}, \{\overline{vk}_i\}_{i \in C})$

$X := (sk, (\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]})$
 $(c, \pi_c) \leftarrow \text{Anticipate}(X)$
 $Q_3 := Q_3 \cup ((c, \pi_c), X)$
return (c, π_c)

$\text{Attest}^\mathcal{O}(i, \overline{m})$

$\text{Sign}^\mathcal{O}(m)$

Ensure $i \in [N] \setminus C,$

$\sigma \leftarrow \Pi_{\text{BDS}}.\text{Sign}(sk, m)$

$\overline{\sigma}_i \leftarrow \text{Attest}(sk_i, \overline{m})$

$Q_2 := Q_2 \cup \{m, \sigma\}$

$Q_1 := Q_1 \cup \{\overline{m}\}$

return σ

return $\overline{\sigma}_i$

Fig. 13. Experiment for Unforgeability of Oracle-based Conditional Payments.

payment on this anticipation is redeemable by the counter-party except with negligible probability.

Definition 16 (Verifiability): An Oracle-based conditional payment scheme $(\rho, N, M) - \text{ObC} := (\text{OKGen}, \text{Attest}, \text{AttestVf}, \text{Anticipate}, \text{AnticipateVf}, \text{Redeem})$ parameterized by $\rho, N, M \in \mathbb{N}$ and defined with respect to a signature scheme $\Pi_{\text{DS}} := (\text{KGen}, \text{Sign}, \text{Vf})$ is said to be *verifiable* if for all $\lambda \in \mathbb{N}$, there exists a negligible function $\text{negl}(\lambda)$, and no PPT adversary \mathcal{A} that outputs $((\overline{m}_j, m_j)_{j \in [M]}, vk, \{\overline{vk}_i\}_{i \in [N]}, \{\overline{\sigma}_i\}_{i \in [K]}, j^*, (c, \pi_c))$ such that all the following holds simultaneously except with probability $\text{negl}(\lambda)$:

- 1) $K \subset [N]$ and $|K| = \rho$
- 2) $(vk, \cdot) \in \text{SUPP}(\Pi_{\text{DS}}.\text{KGen})$ and for all $i \in [N]$ we have $(\overline{vk}_i, \cdot) \in \text{SUPP}(\text{OKGen})$ where SUPP denotes to the support.
- 3) $\forall i \in K, \text{AttestVf}(\overline{vk}_i, \overline{m}_{j^*}, \overline{\sigma}_i) = 1$
- 4) $\text{AnticipateVf}(vk, (c, \pi_c), (\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}) = 1$
- 5) $\Pi_{\text{DS}}.\text{Vf}(vk, m_{j^*}, \sigma) = 0$, where $\sigma \leftarrow \text{Redeem}(j^*, \{\overline{\sigma}_i\}_{i \in [K]}, (c, \pi_c))$

Another notion of interest in ObC payments is attestation unforgeability. Attestation unforgeability means that an adversary cannot counterfeit an attestation from an oracle. We note that the notion of attestation unforgeability is important to ensure

$\text{ExpAttestForge}_{ObC, \mathcal{A}}^{\rho, N, M}(\lambda)$	$\text{Attest}_{\mathcal{O}}(\overline{m})$
$Q := \emptyset$	$\overline{\sigma} \leftarrow \text{Attest}(\overline{sk}, \overline{m})$
$(\overline{vk}, \overline{sk}) \leftarrow \text{OKGen}(1^\lambda)$	$Q := Q \cup \{\overline{m}\}$
$(\overline{m}^*, \overline{\sigma}^*) \leftarrow \mathcal{A}^{\text{Attest}_{\mathcal{O}}(\cdot)}(\overline{vk})$	return $\overline{\sigma}$
$b_0 := (\overline{m} \notin Q)$	
$b_1 := (\text{AttestVf}(\overline{vk}, \overline{m}^*, \overline{\sigma}^*) = 1)$	
return $b_0 \wedge b_1$	

Fig. 14. Experiment for Attestation Unforgeability of Oracle-based Conditional Payments.

that the scheme achieves *accountability*. With accountability, we aim to capture the property that, if an oracle attests to more than one outcome for an event, it can be detected by Alice and Bob. In case of a dispute between Alice and Bob regarding the correct outcome (where Alice claims outcome j and Bob claims outcome j'), they are both asked to present ρ valid signatures on j and j' . We then distinguish three cases:

1) Alice fails to present valid signatures on j : In this case, Alice is blamed, since she cannot substantiate the outcome with signatures on behalf of the oracles.

2) Bob fails to present valid signatures on j' : Analogously, in this case, Bob is blamed.

3) Both Alice and Bob present enough signatures on both j and j' . Then, there must exist an oracle that signed two different outcomes for a given event (since $\rho > N/2$), which is blamed. Note that Alice and Bob cannot frame the oracles without breaking the attestation unforgeability of the signature scheme of the oracles.

Definition 17 (Attestation Unforgeability): An Oracle-based conditional payment scheme $(\rho, N, M) - ObC := (\text{OKGen}, \text{Attest}, \text{AttestVf}, \text{Anticipate}, \text{AnticipateVf}, \text{Redeem})$ parameterized by $\rho, N, M \in \mathbb{N}$ is said to be *attestation unforgeable* if for all $\lambda \in \mathbb{N}$, there exists a negligible function $\text{negl}(\lambda)$, such that for all PPT adversaries \mathcal{A} , the following holds,

$$\Pr \left[\text{ExpAttestForge}_{ObC, \Pi_{DS}, \mathcal{A}}^{\rho, N, M}(\lambda) = 1 \right] \leq \text{negl}(\lambda)$$

where ExpAttestForge is defined in Figure 14.

G. Oracle-based Conditional Payments based on VweTS

In this section, we present a concrete construction of Oracle-based conditional payments with parameters ρ, N and M relying on the VweTS cryptographic primitive. We set the threshold $\rho > N/2$. Algorithms OKGen , Attest , and AttestVf are instantiated using the signature scheme $\overline{DS} := (\text{KGen}, \text{Sign}, \text{Vf})$. Algorithms Anticipate , AnticipateVf and Redeem are instantiated using the verifiable witness encryption based on threshold signatures scheme $\text{VweTS} := (\text{EncSig}, \text{VfEnc}, \text{DecSig})$ and the signature scheme $\Pi_{DS} := (\text{KGen}, \text{Sign}, \text{Vf})$ is mapped to signature scheme $\text{DS} := (\text{KGen}, \text{Sign}, \text{Vf})$ used in VweTS. The formal description of our construction is given in Figure 15.

Oracle Key Generation: Algorithm $\text{OKGen}(1^\lambda)$ is run by oracles \mathcal{O}_i for $i \in [N]$, which does the following:

- Sample keys $(\overline{vk}_i, \overline{sk}_i) \leftarrow \overline{\text{KGen}}(1^\lambda)$.
- Return $(\overline{vk}_i, \overline{sk}_i)$.

Event Attestation: Algorithm $\text{Attest}(\overline{sk}_i, \overline{m})$ is run by the oracles \mathcal{O}_i for $i \in [N]$, which does the following:

- Generate $\overline{\sigma}_i \leftarrow \overline{\text{Sign}}(\overline{sk}_i, \overline{m})$.
- Return $\overline{\sigma}_i$.

Attestation Verification: Algorithm $\text{AttestVf}(\overline{vk}, \overline{\sigma}, \overline{m})$ does the following:

- Check if $\overline{\text{Vf}}(\overline{vk}_i, \overline{m}, \overline{\sigma}_i) = 1$
- Return 1 if the above check is successful, and 0 otherwise.

Event Anticipation: Algorithm

$\text{Anticipate}(sk, (\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]})$ does the following:

- Set $(c, \pi_c) \leftarrow \text{EncSig}((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j)_{j \in [M]}), sk, (m_j)_{j \in [M]})$
- Return (c, π_c) .

Anticipation Verification: Algorithm

$\text{AnticipateVf}(vk, (c, \pi_c), (\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]})$ does the following:

- Check if $\text{VfEnc}(c, \pi_c, ((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}), vk) = 1$
- Return 1 if the above check is successful, and 0 otherwise.

Contract Redeem: Algorithm

$\text{Redeem}(j, (\overline{\sigma}_i)_{i \in [K]}, (c, \pi_c))$ does the following:

- Set $\sigma \leftarrow \text{DecSig}(j, \{\overline{\sigma}_i\}_{i \in [K]}, c, \pi_c)$
- Return σ

Fig. 15. Oracle-based Conditional Payment construction based on VweTS.

1) *Proof of Correctness:*

Theorem 5: Our Oracle-based conditional payment construction from Figure 15 is correct according to Definition 14.

Proof 5: To prove correctness we first need to show that

$$\Pr[\text{AttestVf}(\overline{vk}, \text{Attest}(\overline{sk}, \overline{m}), \overline{m}) = 1] = 1.$$

Note that AttestVf will output 0 if $\overline{DS.Vf}(\overline{vk}, \overline{m}, \overline{\sigma}) \neq 1$. Since $\overline{\sigma}$ is computed using \overline{m} , by the correctness property of $\overline{DS.Sign}$, it is guaranteed that $\overline{DS.Vf}$ outputs 0 with zero probability. Thus, if Attest is computed correctly, AttestVf outputs 1 with probability 1.

Next we need to show that

$$\Pr[\text{AnticipateVf}(pk_A, (c, \pi_c), (\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}) = 1] = 1.$$

Note that AnticipateVf will output 0 if $\text{VweTS.VfEnc}(c, \pi_c, ((\overline{vk}_i)_{i \in [N]}, (\overline{m}_j, m_j)_{j \in [M]}), vk) \neq 1$. Since (c, π_c) is computed using $(\overline{m}_j, m_j)_{j \in [M]}$, by the correctness property of VweTS.EncSig , it is guaranteed that VweTS.VfEnc outputs \overline{m} with zero probability. Thus, if

Anticipate is computed correctly, AnticipateVf outputs 1 with probability 1.

Finally, we need to show that for any $j \in [M], K \subset [N]$ and $|K| = \rho$, if for all $i \in [K]$ we have $\text{AttestVf}(\overline{vk}_i, \overline{\sigma}_i, \overline{m}_j) = 1$ then

$$\Pr[\Pi_{\text{DS}}.\text{Vf}(vk, m_j, \text{Redeem}(j, (\overline{\sigma}_i)_{i \in [K]}, (c, \pi_c))) = 1] = 1.$$

We are given that for all $i \in K, \overline{\text{DS}}.\overline{\text{Vf}}(\overline{vk}, \overline{m}, \overline{\sigma}) = 1$. By construction, we have $\sigma \leftarrow \text{VweTS}.\text{DecSig}(j, \{\overline{\sigma}_i\}_{i \in [K]}, c, \pi_c)$, thus by the correctness of the verifiable witness encryption based on threshold signatures scheme VweTS, the validity of the signature σ is guaranteed.

2) Security Analysis:

Theorem 6 (Oracle-based conditional payment security):

Let (ρ, N, M) -VweTS be a *one-way* verifiable witness encryption for threshold signatures scheme defined with respect to signature schemes $\text{DS} := (\text{KGen}, \text{Sign}, \text{Vf})$ and $\overline{\text{DS}} := (\overline{\text{KGen}}, \overline{\text{Sign}}, \overline{\text{Vf}})$. Let $\overline{\text{DS}} := (\overline{\text{KGen}}, \overline{\text{Sign}}, \overline{\text{Vf}})$ be an EUF-CMA secure digital signature scheme. Then, our protocol is an *unforgeable, verifiable and attestation unforgeable* (ρ, N, M) -oracle-based conditional payment protocol defined with respect to the signature scheme $\Pi_{\text{DS}} := \text{DS}$.

Proof 6: We give a proof by reduction for three adversaries playing the games of unforgeability, verifiability and attestation unforgeability, respectively.

Unforgeability. Let \mathcal{A} be a PPT adversary with non-negligible advantage in the $\text{ExpForge}_{\text{ObC}, \Pi_{\text{DS}}, \mathcal{A}}^{\rho, N, M}(\lambda)$ game. We now construct an adversary \mathcal{R} which uses \mathcal{A} to win the $\text{ExpOWay}_{\text{VweTS}, \text{DS}, \overline{\text{DS}}, \mathcal{A}}^{\rho, N, M}(\lambda)$ game.

\mathcal{R} is given a verification key vk by the $\text{ExpOWay}_{\text{VweTS}, \text{DS}, \overline{\text{DS}}, \mathcal{A}}^{\rho, N, M}(\lambda)$ game. It then runs \mathcal{A} on input vk to get as output a pair (C, st_0) . \mathcal{R} forwards the same pair to the challenger.

On input $\text{st}_0, \{\overline{vk}_i\}_{i \in [N] \setminus C}$, \mathcal{R} invokes \mathcal{A} to get the tuple (q^*, j^*, σ^*) . The reduction \mathcal{R} simply forwards this tuple to the challenger as the output of the game.

Additionally, \mathcal{R} must simulate \mathcal{A} 's oracle access to Anticipate \mathcal{O} , Attest \mathcal{O} and Sign \mathcal{O} . This can be trivially done as follows. Every time that \mathcal{A} queries Anticipate \mathcal{O} on input $(\overline{m}_j, m_j)_{j \in [M]}, \{\overline{vk}_i\}_{i \in C}$, \mathcal{R} queries its own oracle EncSig \mathcal{O} on the same input and forwards the output. Every time that \mathcal{A} queries Attest \mathcal{O} on input i, \overline{m} , \mathcal{R} queries Sign \mathcal{O} on input the same input i, \overline{m} and return the attestation $\overline{\sigma}_i$ to \mathcal{A} . Finally, every time that \mathcal{A} queries Sign \mathcal{O} , \mathcal{R} forwards the query to its own Sign \mathcal{O} and returns the output signature σ to \mathcal{A} .

After \mathcal{A} returns the tuple (q^*, j^*, σ^*) as the forgery for the unforgeability game of oracle contracts, \mathcal{R} outputs (q^*, j^*, σ^*) as the output of its own game. It is easy to see that \mathcal{R} is an efficient algorithm and that faithfully simulates the view of \mathcal{A} . It is left to show that \mathcal{R} wins its game with the same probability as \mathcal{A} wins its corresponding game. For that, we observe the following:

- b_0 : \mathcal{Q}_2 is updated in the same way in both games. Moreover \mathcal{R} simply forwards calls from \mathcal{A} to its own oracle, therefore if b_0 holds for \mathcal{A} , it holds in \mathcal{R}

- b_1 : It holds in \mathcal{R} by the same argument as before but applied to the oracle Sign \mathcal{O} .
- b_2 : This is exactly the same condition in both games. Moreover, C is a value received from \mathcal{A} and unmodified by \mathcal{R} . Therefore, it must hold for \mathcal{R} if it holds for \mathcal{A} .
- b_3 : The condition is the same in both games, hence it must hold in both.

Therefore, by assumption, \mathcal{A} succeeds with non-negligible probability, and thus \mathcal{R} also wins with non-negligible probability. This violates the assumption that (ρ, N, M) -VweTS be a *one-way* verifiable witness encryption for threshold signatures scheme, implying that no such adversary \mathcal{A} can exist.

Verifiability. Let \mathcal{A} be a PPT adversary that can break the verifiability of our (ρ, N, M) -oracle-based conditional payment non-negligible probability. We now construct an adversary \mathcal{R} which uses \mathcal{A} to break the verifiability of (ρ, N, M) -VweTS.

After \mathcal{A} returns the tuple $((\overline{m}_j, m_j)_{j \in [M]}, vk, \{\overline{vk}_i\}_{i \in N}, \{\overline{\sigma}_i\}_{i \in K}, j^*, (c, \pi_c))$ that breaks the verifiability of oracle contracts, \mathcal{R} outputs $((m_j, \overline{m}_j)_{j \in [M]}, vk, \{\overline{vk}_i\}_{i \in [N]}, \{\overline{\sigma}_j\}_{j \in K}, j^*, c, \pi_c)$ as the output of its own game. It is easy to see that \mathcal{R} is an efficient algorithm and that faithfully simulates the view of \mathcal{A} . Finally, we see that the conditions in both definitions are exactly the same and as a consequence they all must hold for \mathcal{R} if they hold for \mathcal{A} . Hence, \mathcal{R} wins with the same probability as \mathcal{A} .

Therefore, by assumption, \mathcal{A} succeeds with non-negligible probability, and thus \mathcal{R} also wins with non-negligible probability. This violates the assumption that (ρ, N, M) -VweTS be a *verifiable* witness encryption for threshold signatures scheme, implying that no such adversary \mathcal{A} can exist.

Attestation unforgeability. Let \mathcal{A} be a PPT adversary with non-negligible advantage in the $\text{ExpAttestForge}_{\text{ObC}, \mathcal{A}}^{\rho, N, M}(\lambda)$ game. We now construct an adversary \mathcal{R} which uses \mathcal{A} to win the $\text{SigForge}_{\mathcal{A}, \text{DS}}(\lambda)$ game.

\mathcal{R} is given a verification key vk by the $\text{SigForge}_{\mathcal{A}, \text{DS}}(\lambda)$ game. It then runs \mathcal{A} on input $\overline{vk} := vk$ to get as output a pair $(o^*, \overline{\sigma}^*)$. \mathcal{R} forwards the pair $(m^* := o^*, \sigma := \overline{\sigma}^*)$ to the challenger as the output of the game.

Additionally, \mathcal{R} must simulate \mathcal{A} 's oracle access to Attest \mathcal{O} . This can be trivially done as follows. Every time that \mathcal{A} queries Attest \mathcal{O} on input o , \mathcal{R} queries Sign \mathcal{O} on input the same input $m := o$ and return the attestation $\sigma := \overline{\sigma}$ to \mathcal{A} .

After \mathcal{A} returns the pair $(\overline{m}^*, \overline{\sigma}^*)$ as the forgery for the attestation unforgeability game of oracle contracts, \mathcal{R} outputs $(m^* := \overline{m}^*, \sigma^* := \overline{\sigma}^*)$ as the output of its own game. It is easy to see that \mathcal{R} is an efficient algorithm and that faithfully simulates the view of \mathcal{A} . It is left to show that \mathcal{R} wins its game with the same probability as \mathcal{A} wins its corresponding game. For that, we observe the following:

- b_0 : \mathcal{Q} is updated in the same way in both games. Moreover \mathcal{R} simply forwards calls from \mathcal{A} to its own oracle, therefore if b_0 holds for \mathcal{A} , it holds in \mathcal{R}
- b_1 : Our \mathcal{R} maps \overline{vk} to vk and \overline{m}^* to m^* during the reduction. Therefore, the condition is the same in both games and must hold in both.

$\text{SigForge}_{\mathcal{A}, \text{DS}}(\lambda)$	$\text{Sign}_{\mathcal{O}}(m)$
$Q := \emptyset$	$\sigma \leftarrow \text{Sign}(sk, m)$
$(vk, sk) \leftarrow \text{KGen}(1^\lambda)$	$Q := Q \cup \{m\}$
$(m^*, \sigma^*) \leftarrow \mathcal{A}^{\text{Sign}_{\mathcal{O}}(\cdot)}(vk)$	return σ
$b_0 := (m \notin Q)$	
$b_1 := (\text{Vf}(vk, m^*, \sigma^*) = 1)$	
return $b_0 \wedge b_1$	

Fig. 16. Experiment for EUF-CMA of Digital Signatures.

Therefore, by assumption, \mathcal{A} succeeds with non-negligible probability, and thus \mathcal{R} also wins with non-negligible probability. This violates the assumption that $\overline{\text{DS}} := (\overline{\text{KGen}}, \overline{\text{Sign}}, \overline{\text{Vf}})$ be an EUF-CMA secure digital signatures scheme, implying that no such adversary \mathcal{A} can exist.